

Instruction sheet "Technical data for halls" 2021

Stand utilities

Hall equipment

i4.1

Hall/floor	Hall area in m ²	Hall doors width x height in m	Lifts W x H x D	Max. floor load in kN/m ² (1 kN = 100 kg)	Hall height in m	Suspensions	Electricity	Water	Compressed air	Telephone	Sprinklers alarms	Smoke Heating	Venti- lation	Refrige- ration
1	10,800	4 4.05 x 4.90	4 x	50	5.80 / 9.80		█	█	█	█	█	█	█	█
2	4,680	2 4.05 x 4.90	2 x	50	5.80		█	█	█	█	█	█	█	█
3	12,730	3 4.10 x 3.80	3 x	50	5.60		█	█	█	█	█	█	█	█
3A	8,400	3 5.65 x 5.10	3 x	50	10.0 - 15.00/5.00*		█	█	█	█	█	█	█	█
3C	9,600	3 5.60 x 4.90	Door 1 + 2 Rolling gate 4.50 x 4.80	50	10.0 - 15.00/5.20*		█	█	█	█	█	█	█	█
4	11,690	3 4.50 x 4.80	Door 2 + 3 Door 1 4.00 x 4.80	50	5.80		█	█	█	█	█	█	█	█
4A	7,020	5 4.50 x 4.85	5 x	50	15.00/5.80*		█	█	█	█	█	█	█	█
5	7,840	3 4.05 x 4.90	3 x	50	5.80		█	█	█	█	█	█	█	█
6	7,840	3 4.05 x 4.90	3 x	50	5.80		█	█	█	█	█	█	█	█
7	16,410	6 4.50 x 4.80	Door 1 + 6 Door 2 - 5 4.00 x 4.90	50	5.80		█	█	█	█	█	█	█	█
7A	8,850	5 4.65 x 4.80	5 x	50	15.00/4.90*		█	█	█	█	█	█	█	█
8	4,680	2 4.05 x 4.90	2 x	50	5.80		█	█	█	█	█	█	█	█
9	10,800	4 4.05 x 4.90	4 x	50	5.80		█	█	█	█	█	█	█	█
10.0	6,720	2 5.05 x 3.95	2 x 2.45 x 2.45 x 4.5 m 3,500 kg	20	5.30 (max. stand height 4.95)		█	█	█	█	█	█	█	█
10.1	6,870	1 x 2.65 x 2.9 x 5.9 m 5,000 kg	1 x	10	3.95 (max. stand height 3.50)		█	█	█	█	█	█	█	█
11.0	5,340	2 5.20 x 4.15	West: 2.15 x 2.35 x 3.25 m 4,000 kg	50	10.50/3.70*		█	█	█	█	█	█	█	█
11.1	4,780	East: 2.25 x 2.45 x 3.7 m 3,200 kg	5	5	3.60		█	█	█	█	█	█	█	█
12.0	13,730	4 5.00 x 4.40	4 x	50	5.80		█	█	█	█	█	█	█	█
12.2 Permanent stand area	13,330	2.4 x 2.45 x 4.95 m 6,375 kg	2 x	10	6.40 (max. stand height 5.80)		█	█	█	█	█	█	█	█

□ possible / provided with limitations

█ possible / provided

* Only limited headroom is available in the area of the hall gates. Ceiling suspensions are only possible to a limited extent. Additional information can be found in the hall plans and Info 4 4 (Item 4.7.5.1).