Visit us on the Internet:

embedded-world.de

www.standconfigurator.com

Master 2021/001

embeddedworld2021
Exhibition&Conference
... it's a smarter world

Contents of Exhibitors Info Manual

Order form

Order form

1 Important information, approvals and order for stand partition walls

Info 1 Important information about the event
Info 2 General Terms of Contract for the Exhibitors Info Manual
Info 3 Information from A-Z
Info 4 Technical regulations 2021
i4.1 Instruction sheet "Technical data for halls" 2021
i4.2 Instruction sheet "Installation of sprinkler-compatible ceiling fabrics" 2021
i4.4–i4.15 Further instruction sheets 2021
Info 6 Your partners of the Exhibition Center Nuremberg
P2 Approval of deviations from the fire prevention regulations 2021
P4 Stand usage after the end of the exhibition – Stand party 2021
P5 Registration of exhibitor's own WLAN access point on the stand
S1 Stand design information/order for stand partition walls

2 Service order forms

Stand construction and layout
Complete rental stands, basic rental stands, individual stand design, furniture sets, rental furniture, stand fascias and lettering/graphics, floral stand decoration, landscaping services

S0 All complete rental stands at a glance
SV.01 Complete rental stand embedded world 1
SV.02 Complete rental stand embedded world 2
S0.10 Complete rental stand JUNO
S0.11 Complete rental stand PALLAS
S0.20 Complete rental stand MARS
S0.21 Complete rental stand MERCURY
S0.30 Complete rental stand EARTH
S0.31 Complete rental stand MOON
S0.40 Complete rental stand BLACK
S0.41 Complete rental stand TRITON
S0.42 Complete rental stand CERES
S0.43 Complete rental stand RHEA
S0.44 Complete rental stand THETYS
S0.50 Complete rental stand HELIOS
S0.51 Complete rental stand OBERON
S0.60 Complete rental stand CALYPSO
S0.61 Complete rental stand KALLISTO
S0.70 Complete rental stand SIRIUS
S0.71 Complete rental stand PLUTO
S0.81 Complete rental stand VESTA
S0.95 Complete rental stand SATURN
S0.99 Complete rental stand SUN
S1.10 Basic rental stand Syma system
S1.11 Basic rental stand PRIMO
S1.40 Questionnaire for individual stand design
S1.45 Plan of stand
S1.50–S1.51 Furniture sets
S1.60–S1.62 Rental of extra stand equipment, floor coverings and furniture (Mesomondo)
S1.64–S1.66 Rental of extra stand equipment, floor coverings and furniture (Wörnlein)
S1.67 Furniture rental (Hummel)
S1.70 Fascias and lettering (Mesomondo)
S1.71 Fascias and lettering/graphics (Wörnlein)
S1.80 Floral stand decoration
S1.85 Landscaping services

Technical services
Electricity, suspensions, compressed air, water, IT-Communication, kitchen appliances, refrigeration/refrigerating, freezing and catering equipment, media and event equipment, lead retrieval system, fire extinguishers

S2.10 Electricity supply, plan
S2.11 Plan of electricity supply
S2.15 Approval/order for suspension
S2.16 Suspension from hall roof – plan of stand
S2.17 Accessories for suspension + lighting, plan
S2.20 Compressed air supply
S2.30–S2.31 Water supply and drainage
S2.40 IT-Communication – Internet
S2.41 IT-Communication WLAN Access Point
S2.42 IT-Communication WLAN
S2.43–S2.44 IT-Communication – Phone
S2.45 IT-Communication – PC-Equipment
S2.46 IT-Communication – Plan
S2.50–S2.51 Kitchen appliances, refrigerated, freezing and catering equipment, plan
S2.60–S2.61 Media and event equipment
S2.62 Media and event technology
S2.65 Lead retrieval system
S2.70 Fire extinguishers

Logistics and catering
Water coolers, cleaning of stand, additional disposal services, forwarding agent, empty containers storage, working platforms/working equipment, guarding of stands, parking permits, travel tickets

S3.16 Water coolers
S3.20 Cleaning of stand
S3.21 Additional disposal services
S3.30 Forwarding agent, empty containers storage
S3.32 Working platforms/working equipment
S3.40 Guarding of stands
S3.50 Permanent parking permits for cars, travel tickets

Marketing and additional services
Advertising, hotel reservation, hostesses/service personnel/helping hands, exhibition events, exhibition staff, insurance

Marketing services
S4.02 Exclusive Marketing

Additional services
S4.19 PartnerHotels of NürnbergMesse
S4.20 Hotel reservation
S4.21 Hotels
S4.30 Hostesses/service personnel/helping hands
S4.31 Exhibition events
S4.40 Hostesses and exhibition staff
S4.70 Insurance

Miscellaneous
Terms and Conditions for Exhibition Marketing

Please make sure you send back the forms in time.
We regret that no responsibility can be accepted for errors or omissions due to late dispatch of order forms. A surcharge is also levied on orders received after the deadline.
Price changes and errors excepted.

Master 2021/001

Important information for embedded world 2021

The following information and guidelines, the "Special Conditions for Participation in embedded world 2021" and "General Conditions for Participation in Fairs and Exhibitions" included with the application form, and the NürnbergMesse site regulations (hereinafter referred to as General Terms of Business of NürnbergMesse) constitute the contractual basis for participation in embedded world 2021.

Please note Info 3: "Information from A–Z"

1. Assembly

Friday,	26.2.2021	7:00 – 24:00
Saturday,	27.2.2021	7:00 – 24:00
Sunday,	28.2.2021	7:00 – 24:00
Monday,	1.3.2021	7:00 – 20:00

Exhibition stands on which assembly has not been started by 15:00. on Monday, 1 March 2021 will be decorated by the organizer at the exhibitor's cost, if they cannot be otherwise disposed of.
Vehicle access to the loading yards is only possible on payment of a **deposit of EUR 100**. The deposit will be refunded if the vehicle leaves the loading yard within the time limits mentioned on Info 3, Item 46.

2. Opening times

Tuesday,	2.3.2021	9:00 – 18:00
Wednesday,	3.3.2021	9:00 – 18:00
Thursday,	4.3.2021	9:00 – 17:00

Exhibitors are admitted to embedded world 2021 one hour before the opening time each day. The exhibition stands are to be occupied by not later than 15 minutes before the exhibition opens. For security reasons, exhibitors must leave the halls by not later than 30 minutes after exhibition closing time.
Other exhibition stands are not to be visited outside the daily opening times without the permission of the stand holder.

3. Dismantling

Thursday,	4.3.2021	17:00 – 24:00
Friday,	5.3.2021	0:00 – 24:00

Stands are not to be partly or fully dismantled or exhibits removed before the end of the event. Exhibitors contravening this rule are liable to a penalty amounting to 50 % of the stand rent. The exhibition area is to be restored to its original state after dismantling the stand. The exhibitor is responsible for any damage caused by incorrect handling.
The organizer is entitled to dismantle and store the stand equipment and exhibits at the exhibitor's cost if the stand space is not cleared by the end of the official dismantling time.
Vehicle access to the loading yards is only possible on payment of a **deposit of EUR 100**. The deposit will be refunded if the vehicle leaves the loading yard within the time limits mentioned on Info 3, Item 46.

3.1 **Extension of stand assembly and dismantling times**
NürnbergMesse may approve an extension of the stand assembly and dismantling times in the halls in special cases. An appropriate written application must be submitted to the exhibition team in due time in each case.
The exhibitor or stand construction company will be charged a fixed amount of EUR 250/day and per stand for the resulting provision and operating costs.

4. Passes for assembly and dismantling staff
Access to the halls during assembly and dismantling times is only permitted with special passes. Your allocation of free assembly and dismantling passes is based on the size of your stand. Additional passes can be ordered in the Online ExhibitorShop.
These passes for assembly and dismantling are not valid during the fair.

5. Exhibitor passes
Each exhibitor will be given free passes according to stand size for his exhibition stand and operating personnel. 3 passes will be issued for up to 10 m² stand space, plus 2 passes for each further full 10 m².
Any additional exhibitor passes needed can be purchased for entitled persons at a price of EUR 11.90 each including VAT at the statutory rate.
Exhibitor passes are only to be issued to personnel working on the exhibitor's stand.

6. Permanent parking permits
See Info 3 and Form S3.50.

7. Stand layout
The exhibitor is responsible for stand equipment and decoration. Exhibitors are obliged to decorate their stands carefully and in good taste. Stands which do not conform to the accepted standards will not be approved by the organizer until the necessary changes have been made. Unacceptable advertising will be similarly affected.
The overriding principle for the design of all exhibition stands is transparency. All open sides of the stand must be freely accessible. This means that at least **50 %** of the respective gangway side must **not** be obstructed **by structures** or fittings.
The minimum height for exhibition stands is 2.50 m.
The backs of stand partition walls, advertising carriers or other design elements facing neighboring stands and exceeding a height of 2.50 m must be of neutral design and clean and must not contain any text or graphics.
Exhibition stands of 400 m² or more are subject to approval. This also applies to stands exceeding a height of 3.50 m. Use the checklist Stand design/stand construction/fire protection in the Online ExhibitorShop.
The maximum stand height is 5.80 m.
Stands are to be provided with an adequate floor covering (e.g. carpet, parquet, PVC) by exhibitors. The name and address of the stand holder are to be clearly indicated on the stand for the full duration of the event.
The exhibitor agrees to erect a 2.50 m high own stand partition on all closed sides of the stand space.
If the exhibitor does not use his own stand partition or a rental stand, own stand partition walls are to be ordered from the ServicePartners. Stand partition walls are available for rental in plastic-coated finish.
If a rental exhibition stand is not used, a fascia (0.30 m high) must be fitted on all open sides of the stand space. The fascia can be omitted if the necessary stand quality is assured in some other way.
Stand partition walls, floors, hall walls, pillars, installations, fire-fighting equipment and other permanent hall fixtures must not be pasted over, nailed, painted or damaged in any other way.
The exhibitor is responsible for any damage and will be charged with the cost of repair. Any pillars, installations and fire-fighting equipment located within the stand are part of the allotted stand space and must be accessible at all times.
Floor coverings in the stands are only to be fixed with double-sided adhesive tape (following tapes are to be used: tesafix no. 4964).
If the remains of other adhesive tapes must be removed from the hall floor after the end of dismantling, the cleaning costs will be charged to the exhibitor. The same applies to the remains of carpets etc.
The exhibitor agrees to comply with these conditions. Non-compliance may result in claims for damages by the organizer or the neighboring exhibitors affected.

8. WLAN (Wireless Local Area Network)
Exhibitors may only set up a WLAN (Wireless Local Area Network), if this has been expressly approved in writing by the Exhibition Services Department (see Form P5).
A WLAN used without approval can lead to serious technical disturbances. The exhibitor is liable for damage caused by the operation of a WLAN without approval. The Exhibition Services Department will be pleased to advise on the approval and setting up of a WLAN.
Bisping & Bisping GmbH & Co. KG is the sole supplier of a WLAN infrastructure for commercial use on the NürnbergMesse site. NürnbergMesse grants Bisping & Bisping GmbH & Co. KG exclusive **frequency control over channels 2 to 13 for WLAN in the 2.4 GHz band** for the full-coverage WLAN service on the NürnbergMesse site.

Important information for embedded world 2021

Info 1

(continued)

Only **channel 1 in the 2.4 GHz band (2412 MHz)** is available on the NürnbergMesse site for use for all other applications/WLAN networks for both operation by ServicePartners of NürnbergMesse (Bisping & Bisping GmbH & Co. KG) and operation of radio/WLAN networks set up by exhibitors themselves.
NürnbergMesse reserves the right to refuse approvals or not to approve applications for exhibitors' own WLAN networks, depending on the number and physical assignment per hall.
As part of quality assurance measures, both unregistered and approved WLAN networks and WLAN networks with excessive transmit power levels will be identified and the operators notified. These networks may possibly be approved after checking or are to be shut down if requested by NürnbergMesse – there is no legal entitlement to approval.
If no amicable solution is possible, technical measures will be implemented to prevent the illegal operation of such WLAN networks.

9. Exhibition priority
An application for exhibition priority has been submitted to the Federal Ministry of Justice. The priority certificate safeguards certain patent rights until application to a patent office in Germany and abroad.

General Terms of Contract for the Exhibitors Info Manual

Info 2

1. The following General Terms of Contract shall apply to the relationship between the exhibitor and NürnbergMesse GmbH (hereinafter referred to as NürnbergMesse) for events at which NürnbergMesse is the organizer.

2. Conflicting contractual terms of the exhibitor are not recognized. Additional agreements shall become effective only after confirmation in writing by NürnbergMesse.

3. The contract is concluded between the exhibitor and NürnbergMesse. The ServicePartner (or subcontractor) stated on the form, who acts as the representative of NürnbergMesse, is the customer's contact for all matters concerning this contract. The forms must be used for all orders. Any illustrations shown are only examples. If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time.

4. If ServicePartners act as subcontractors for NürnbergMesse, the "Special Conditions for Services" of the ServicePartner shall also apply. The "Special Conditions for Services" shall apply in addition to the General Terms of Contract, which take priority.

5. The validity of the "General Conditions for Participation in Fairs and Exhibitions" and the "Special Conditions for Participation" of NürnbergMesse is not affected by the General Terms of Contract. In case of contradictions to the General Terms of Contract, the "General Conditions for Participation in Fairs and Exhibitions" and the "Special Conditions for Participation" shall take priority.

6. NürnbergMesse is not obliged to check the information provided by the exhibitor for correctness and completeness. Any doubts shall be to the detriment of the exhibitor.

7. If services offered by NürnbergMesse are provided by ServicePartners, accounts are settled directly by the ServicePartner on behalf of and for the account of NürnbergMesse. Collection on the stand during the exhibition is admissible. The following credit cards are accepted: MasterCard, American Express, VISA or Diners Club.

8. Unless otherwise indicated, all prices stated are subject to statutory VAT if the service is taxable in Germany. Payments are due in full immediately on receipt of the invoice. Invoices are made out in EUR.

9. If the exhibitor defaults on payments, interest on arrears shall be payable at a rate of 8 % above the currently applicable base lending rate of the German Federal Bank or at a rate of 8 % above the successor instrument designated by the European Central Bank.

10. If the contractually agreed service provided by the ServicePartner is defective or incomplete, claims shall be asserted exclusively against the ServicePartner.

11. The exhibitor is obliged to check the services provided for defects and completeness without delay. In order to avoid the loss of all claims, the exhibitor shall notify the ServicePartner of any apparent defects or incompleteness in writing immediately after detection.

12. NürnbergMesse shall not be liable for any kind of personal injury or damage to property, unless NürnbergMesse or its subcontractors have caused the damage through intent or gross negligence. This restriction shall not apply in the case of violation of substantial obligations.

13. The place of fulfillment is Nürnberg. German law shall prevail.

14. The place of jurisdiction for all legal proceedings is Nürnberg, if the parties to the contract are businessmen or the exhibitor has no place of general jurisdiction in the Federal Republic of Germany.

15. In case of a provision of these General Terms of Contract being or becoming null and void, the effectiveness of the remaining provisions shall not be affected.

16. Once admission has been confirmed, the exhibitor must pay charges even if he withdraws his application or does not exhibit. The organizer also reserves the right to assert claims for damages. If the exhibitor cancels the order for rental exhibition stands and/or other services, the following cancellation fee is payable based on the value of the order.
- 90 days to 15 days before start of assembly (see Special Conditions for Participation) of the event 25 % of the order value
- 14 days to 1 day before start of assembly (see Special Conditions for Participation) of the event 80 % of the order value
- the full amount is payable from the start of the assembly period.

The exhibitor retains the right to prove that the requested compensation for costs incurred is too high.

Information from A–Z

1. Camping site
The parking of caravans and mobile homes at the Exhibition Center Nuremberg is prohibited. Please use the camping site only a few minutes drive away. 160 spaces, opening times: all year round. Prices: on request. Facilities: sanitary facilities, bistro, playground, table tennis, tennis court. You should inquire about vacancies a few days before arrival.
Knaus Camping park Nürnberg
Hans-Kalb-Straße 56, 90471 Nürnberg
T +49 9 11 9 81 27 17, F +49 9 11 9 81 27 18
nuernberg@knauscamp.de, www.knauscamp.de

2. Cash dispensers
Entrance Mitte and Entrance Ost.
Cash obtainable with EC-card or credit card.

3. Catering
Lehrieder Catering-Party-Service GmbH & Co. KG
https://lehrieder.de/messe-kongress/
Exhibition center restaurants, stand catering, catering arrangements for receptions, conferences and meetings.

4. Cleaning

4.1 **General cleaning**
Cleaning of the site, halls and gangways is arranged by the organizer. The cleaning company commences final cleaning at 20:00 on the last assembly day. Cartons, battens, planks, crates etc. still in the gangways at this time will be regarded as refuse and removed (see Info 4, 6.1 – "Waste Management").

4.2 **Stand cleaning**
Form S3.20

Kiefer GmbH	(Halls 3A, 4A, 7A, 3–7)
dias Dickmann Industrie- und Anlagenservice GmbH	(Halls 1, 2, 3C, 8–12)

For security and liability reasons, the stand cleaning to be performed by the exhibitor itself must be completed 30 minutes after closing time.

5. Communication/Telecommunications
Forms S2.40 – S2.46

6. Compressed air supply
Form S2.20
SPIE SAG GmbH
Connections to the main supply network may only be made by the ServicePartner appointed by the organizer. It is recommended that work within the stand is also carried out by this company.

7. Conference/meeting rooms for press conferences
Conference and meeting rooms of all sizes are available for exhibitor press conferences in the Exhibition Center Nuremberg. Please notify us of your requirements, quoting date and number of persons.
Please coordinate the dates planned for press conferences with the NürnbergMesse Public Relations department.
T +49 9 11 86 06-83 23, F +49 9 11 86 06-12 83 23

8. Customs
The customs office on the exhibition site is open for large international exhibitions (ServicePartnerCenter, 1st floor). The opening times are shown in the Last-Minute Information. You can also contact our forwarding agents about customs matters; see Item 23 "Forwarding agent, transport services").

9. Delivery of goods
See Item 46 "Traffic and parking regulations".

10. Dispensing equipment
Dispensing systems intended for operation at the event must be provided with a risk assessment issued by the manufacturer or renter and this must be shown on request.

11. Electric charging station
11 charging pillars with 2 connections each are available on the site of NürnbergMesse GmbH. Information about their location and terms of use is obtainable at www.nuernbergmesse.de/en/e-charging-station.
For further information, please contact:
Harald Knaus – Der Elektroprofi GmbH
T +49 9 11 86 06-88 80
emobility@nuernbergmesse.de

12. Electricity supply
Form S2.10
SPIE SAG GmbH
Connections to the main supply network may only be made by the ServicePartner appointed by the organizer. It is recommended that work within the stand is also carried out by this company.

13. e-mobility – see item 11 electric charging station

14. Empty containers
Form S3.30
The storage of empty containers on the stands, in the halls or in the loading yards is not permitted during assembly, exhibition or dismantling. Containers are to be collected and stored by the respective exhibition forwarding agent.

15. Exhibition Services
The Exhibition Services Team advises you on all kinds of services. The team can be reached before the event on:
T +49 9 11 86 06-80 00, F +49 9 11 86 06-80 01.
During the assembly times and during the event in the ExhibitorShop on site (Service 5/6, top floor) on:
T +49 9 11 86 06-80 05, F +49 9 11 86 06-80 03.
The respective location and the times are given in the Last Minute Information.

16. Exhibitors kitchens
Exhibitors requiring cold or warm water can use **thirteen** kitchens set up for this purpose in the following areas during the event: basements of Service 1, hall 3, hall 3A, hall 3C, Service 4, Service 4/5, Service 7, hall 4A, hall 7A, Service 8/9, Service 9, hall 10, Service 12.0 Nord.

17. ExhibitorShop on site
Service 5/6, top floor
In the ExhibitorShop on site, the Exhibition Services Team and Service-Partners of NürnbergMesse offer their services concentrated in one place to minimize the time spent by exhibitors obtaining information. The respective times at which they are present are given in the Last Minute Information.

18. Fire extinguishers
Form S2.70

19. Fire service
Form P2
Exhibition Center Nuremberg, Feuerwache 5
Fire service staff carry out inspection tours during the assembly period to check that stands comply with the fire prevention regulations. Accurate planning of stands in advance and compliance with instructions avoid delays and interruptions during assembly.
Please observe the fire prevention regulations (Technical regulations Info 4) and ensure that Form P2 is returned, if applicable.

20. First aid service
OperationCenter in the Exhibition Center Nuremberg
Emergency Call at the Exhibition Center Nuremberg
T +49 9 11 86 06-70 00

21. Floral stand decoration and stand design, landscaping services
Forms S1.80, S1.85
The ServicePartners stay in the service areas of the halls in use until the start of the event.

22. Forwarding address
Event, hall, stand number, exhibitor
Messezentrum, 90471 Nürnberg

23. Forwarding agent, transport services
Form S3.30

Schenker Deutschland AG	(Halls 3A, 4A, 7A, 3–7)
Kühne + Nagel (AG & Co.) KG	(Halls 1, 2, 3C, 8–12)

Safety and liability reasons require lifting equipment such as forklift trucks, cranes etc. to be requested solely via the respective exhibition forwarding agent.
Please note: The minimum charging unit for personnel and equipment is 1.0 hour.

24. Furniture rental
Forms S1.50–S1.67

25. get*it!* – Exhibition Services express
Takes care of the things you've forgotten that are not obtainable directly on the exhibition site – quickly and reliably!
T +49 9 11 86 06-80 90, getit@nuernbergmesse.de

26. Guarding of halls and stands
Form S3.40
ESS Erlanger Sicherheits-Service GmbH
Exhibition halls are guarded during the official assembly and dismantling periods and for the duration of the event. However, this does not constitute any liability of the organizer. Additional stand guards are recommended and can only be ordered through the ServicePartner.

27. Hostesses/service personnel/helping hands, exhibition events, staff
Forms S4.30, S4.31, S4.40

28. Insurance
Form S4.70
Insurance cover is recommended for exhibits and stand fittings.
The organizer can arrange exhibition insurance cover (transport and duration of event) and exhibitor liability insurance.

29. Lettering
Forms S1.70, S1.71

30. Lift platforms – see working platforms

31. Media and event equipment
Forms S2.60, S2.61 and S2.62
MAS MEDIEN AKTIV SERVICE GmbH
pave GmbH

32. Medical assistance
See Item 20 "First aid service"
Emergency services
Emergency Call at the Exhibition Center Nuremberg
T +49 9 11 86 06-70 00

33. Order confirmation
Written confirmation is not issued in every case on receipt of service order forms. However, correspondence will follow on points in need of clarification.

34. Parking for exhibitors
Form S3.50

34.1 **Parking for cars**
The marked parking areas are available for parking cars. They are manned on the days of the event from 7:00 to 19:00 or until the end of the respective event each day.
Permanent parking permits are valid only for cars.

34.2 **Parking for trucks, trailers, vans, etc.**
The parking of trucks, trailers, vans, swap bodies, caravans and mobile homes is prohibited during the exhibition in the areas marked as parking areas, in the loading yards of the Exhibition Center Nuremberg (except for delivery, which is restricted to a maximum of 30 minutes) and in the "Große Straße". This regulation also applies to vehicles which give the impression of being trucks, trailers, vans, swap bodies, caravans and mobile homes.
Vehicles can be parked during the exhibition in the parking areas.
The organizer is entitled to remove vehicles parked in the parking areas or the loading yards at 2:00 the morning of the first day of the event by having them towed away at the cost of the vehicle owner or user.
The exhibitor agrees to ensure that third parties appointed by him such as exhibition service companies, hauler etc. also comply with these regulations.
Please also see Item 46.
The display of advertisements, company signs etc. or any other publicity measures on the exhibitors or visitors car parks is prohibited.

35. Photography
Only the ServicePartner is allowed to carry out commercial photography work during an event. Exhibitors can take photographs of their own stand as required. If a photographer other than the approved exhibition photographer Bischof & Broel, T +49 9 11 53 35 33,is to be appointed to carry out commercial photography work, special permission at extra cost **must** be obtained from Exhibition Services by not later than 21 days before the start of the event. This also applies unconditionally for video and other film shootings and productions.
Please contact Exhibition Services, T +49 9 11 86 06-84 45.

36. Public address announcements in halls
In the interests of exhibitors and visitors, paging and advertising announcements in the halls are not permitted.

37. Refuse and waste disposal
Form S3.21
Friedrich Hofmann Betriebsgesellschaft mbH
See Info 4 – "Guidelines for handling waste"

38. Signs, lettering
Forms S1.70, S1.71

39. Scissor work platforms – see working platforms

40. Sinks for use by painters
Paint containers, paint brushes etc. are not to be washed out in the toilets and washrooms etc. Suitable rooms with sinks are provided in the basements of Service 1, 4, 4/5, 7, 8/9, 9 and in halls 3, 3A, 3C, 4A, 7A and 10–12.

41. Stand construction
Forms SV.01, SV.02, S0.10 – S1.45
Mesomondo GmbH
Holtmann Messe + Event
Messebau Wörnlein GmbH

42. Stand fittings, additional
Forms S1.50 – S1.67, S2.50

43. Taxi service
Taxi ranks in the Exhibition Center Nuremberg at the entrance areas
T +49 9 11 1 94 10

44. Telecommunications/Communication
Forms S2.40 – S2.46

45. Toilets
Toilet facilities are available free of charge.

46. Traffic and parking regulations
Parking in the immediate vicinity of halls, especially in loading yards and in front of the exits is prohibited for all types of vehicles for the duration of the event. During the assembly and dismantling periods, vehicles may only halt in these areas for loading and unloading.
Access to interior areas is not possible at all. To prevent possible hindrance to the fire service, vehicles are to be removed immediately on completion of this work and can be parked on the designated parking areas.

Vehicle access to the loading yards is only possible on payment of a **deposit of EUR 100**. The deposit will be refunded if the vehicle leaves the loading yard within the time limits stated below.

Time limits during **assembly**:
- **1 hour** for loading and unloading cars and vehicles **up to 2.8 tons**
- **2 hours** for loading and unloading vehicles **over 2.8 tons**

Time limits during **dismantling**:
Vehicle access to the loading yards on the last day of the event is not possible from 13:00 until approx. 1 hour after the end of the exhibition due to delivery of empty containers by the exhibition forwarding agents.

Access is possible:
- **1 hour after the end of the exhibition** for cars and vehicles **up to 2.8 tons**
- **2 hours after the end of the exhibition** for vehicles **from 2.8 to 7.5 tons**
- **3 hours after the end of the exhibition** for vehicles **over 7.5 tons**

Length of stay:
- **1 hour** for loading and unloading cars and vehicles **up to 2.8 tons**
- **2 hours** for loading and unloading vehicles **from 2.8 to 7.5 tons**
- **3 hours** (extension possible) for loading and unloading vehicles **over 7.5 tons**

The exact access times may vary and are notified at the entrance gates.

47. Travel service, hotel reservations
Forms S4.19, S4.20, S4.21

48. Water supply and drainage
Form S2.30
August & Jean HILPERT Messe-Service GmbH (Halls 3A, 4A, 7A, 3–7)
Brochier Gebäudemanagement GmbH (Halls 1, 2, 3C, 8–12)
Connections to the main supply network may only be made by the ServicePartner appointed by the organizer. It is recommended that work within the stand is also carried out by this company.

49. Wireless LAN
Form S2.42
available throughout the exhibition site, except parking areas.

50. Working equipment – see working platforms

51. Working platforms
Form S3.32
For safety and liability reasons, working platforms etc. may only be requested via our ServicePartner SPIE SAG GmbH.

Your partners in the Exhibition Center Nuremberg

NürnbergMesse GmbH

T +49 9 11 86 06-0, F +49 9 11 86 06-82 28
info@nuernbergmesse.de/info@nuernberg-convention.de
www.nuernbergmesse.de

Exhibition Services

T +49 9 11 86 06-80 00, F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de
www.nuernbergmesse.de
www.standconfigurator.com
hotels.nuernbergmesse.de

ServicePartner

1. Personally present in the ExhibitorShop on site

Service 5/6, top floor

In the ExhibitorShop on site, the Exhibition Services Team and ServicePartners of NürnbergMesse offer their services concentrated in one place to minimize the time spent by exhibitors obtaining information. The respective times at which they are present are given in the Last Minute Information.

Holtmann Messe + Event
Stand construction
T +49 9 11 86 06-60 50, F +49 9 11 86 06-60 59
nuernbergmesse@holtmann.de, www.holtmann.de

Hummel Möbelverleih GmbH
Furniture rental
T +49 9 11 86 06-63 03, F +49 9 11 86 06-63 04
nuernberg@hummel-mietmoebel.de, www.hummel-mietmoebel.de

Messebau Wörnlein GmbH
Stand construction, furniture rental, lettering, sundry materials, flooring, flame retardant impregnation, fire extinguishers
T +49 9 11 81 74 49-0, F +49 9 11 81 74 49-25
info@woernlein.de, www.woernlein.de

Mesomondo GmbH
Stand construction, furniture rental, lettering, graphics, flooring
T +49 9 11 40 08 35-0, F +49 9 11 40 08 35-29
info@mesomondo.de, www.mesomondo.de

2. Personally present in the ServicePartnerCenter

Brochier Gebäudemanagement GmbH
Plumbing installations
T +49 9 11 9 81 29 69, F +49 9 11 9 81 29 79
sp-messe-nbg@a-brochier.de, www.a-brochier.de

Business & Service Brigitte Schmedding GmbH
Hostesses, exhibition events and hotels
T +49 9 11 8 60 76-0, F +49 9 11 8 60 76-11
info@business-und-service.de, www.business-und-service.de

Engelhardt & Co. Parkraummanagement u. Service GmbH
Permanent parking permits for cars, travel tickets
T +49 9 11 98 11 88-55, F +49 9 11 98 11 88-58
info@engelhardt-parkservice.de, www.engelhardt-parkservice.de

ESS Erlanger Sicherheits-Service GmbH
Guarding of stand
T +49 91 31 68 94-0, F +49 91 31 68 94-18
messe-sicherheit@ess-erlangen.de, www.ess-erlangen.de

August & Jean HILPERT Messe-Service GmbH
Plumbing installations
T +49 9 11 37 66 38-0, F +49 9 11 37 66 38-29
service@hilpert-messe.de, www.hilpert-messe.de

Friedrich Hofmann Betriebsgesellschaft mbH
Waste disposal
T +49 9 11 8 12 82 96, F +49 9 11 8 12 82 97
messe@hofmann-denkt.com, www.hofmann-denkt.de

Kiefer GmbH
Stand cleaning
T +49 9 11 9 81 72 15, F +49 9 11 9 81 72-30
info@kiefer-cleaning.de, www.kiefer-cleaning.de

Kühne + Nagel (AG & Co.) KG
Forwarding agent, transport services, container storage
T +49 9 11 98 18 56-0, F +49 9 11 98 18 56-29
exposervice.nuernberg@kuehne-nagel.com, www.kuehne-nagel.com

Schenker Deutschland AG
Forwarding agent, transport services, container storage
T +49 9 11 8 17 48-0, F +49 9 11 8 17 48-25
fairs.nuernberg@dbschenker.com, www.dbschenker.com

SPIE SAG GmbH
Electricity supply, compressed air, ceiling suspensions, working platforms
T +49 9 11 81 88 18-0, F +49 9 11 81 88 18-19
sag-messe@spie.com, www.spie-servicepartner.de

3. Restaurant Behaims, West, Marco Polo and Vasco da Gama

Lehrieder Catering-Party-Service GmbH & Co. KG
Exhibition and congress catering, event and stand catering
T +49 9 11 86 06-61 14, F +49 9 11 86 06-61 15
info@lehrieder.de, www.lehrieder.de

4. Mobile on site

Bisping & Bisping GmbH & Co. KG
IT-Communication, Internet, WLAN
Oskar-Sembach Ring 10. 91207 Lauf
T +49 9 11 86 06-40 00
communication@nuernbergmesse.de

Blumen Kuhn Floraldesign GmbH
Floral stand decoration, event decoration
T +49 9 11 33 01 69, F +49 9 11 20 94 83
messe@blumenkuhn.de, www.blumenkuhn.de

BSS Brandschutz Sichelstiel GmbH
Besprinklerung
T +49 9 11 6 43 77 77 22, F +49 9 11 6 43 77 77 50
volker.otto@brandschutz-sichelstiel.de, www.brandschutz-sichelstiel.de

dias Dickmann Industrie- und Anlagenservice GmbH
Stand cleaning
T +49 9 11 9 80 80 80, F +49 9 11 9 80 80 81
nuernberg.messe@dias-service.de, www.dias-service.de

Foto Bischof & Broel KG
Photo service
T +49 9 11 53 35 33, F +49 9 11 55 05 03
bischof-und-broel@t-online.de, www.bischof-und-broel.de

Gartengestaltung & Service Ronald Grabinger
Landscaping services
T +49 9 11 86 06-52 24, F +49 9 11 40 08 99 39
info@grabinger-gartenservice.de, www.grabinger-gartenservice.de

Lorenz Projekte GmbH & Co. KG
Lorenz Office GmbH & Co. KG
Lorenz Technik GmbH & Co. KG
Dr.-Kurt-Schumacher-Straße 16, 90402 Nürnberg
T +49 9 11 21 46 66 38, F +49 9 11 21 46 66 88
messe@lorenz-personal.de

MAS MEDIEN AKTIV SERVICE GmbH
Media and event equipment
T +49 9 11 60 00 93-0, F +49 9 11 60 00 93-20
info@medien-aktiv-service.de, www.medien-aktiv-service.de

pave GmbH
Media and event technology
T +49 9 11 86 06-60 11, F +49 9 11 32 15 93-1 29
messe@pave.de, www.pave.de

Valentin Internationaler Messeservice GmbH & Co. KG
Kitchen appliances, refrigerated, freezing and catering equipment
Industriestraße 39, 40822 Mettmann
T +49 21 04 91 03-0, F +49 21 04 91 03-91
info@valentin-messeservice.com, www.valentin-messeservice.com

Master 2021/002

Approval of deviations from the fire prevention regulations 2021

P2

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
Exhibition Team
Messezentrum
90471 Nürnberg

F +49 9 11 86 06-85 86
embedded-world@nuernbergmesse.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

Registration of equipment and installations requiring registration, inspection and approval

(in compliance with the fire prevention and fire safety regulations, see Info 4, 4.4 – "Fire prevention and safety regulations".)

Our stand contains the following equipment or installations which are notifiable according to Technical Regulations of NürnbergMesse (Info 4):
(Please tick and explain the corresponding deviations in detail)

☐ Stand with **> 30 m² closed** ceiling area, partly certified, sprinkler-compatible material or alternative measure.

☐ **Decoration material** does not comply with **at least** construction products Class B1 or Euroclass B or C
(floorings, wall coverings, decoration, ceiling material, artificial lawns, …)

☐ **Compressed gas cylinders and technical gases** (on principle)

☐ Actions involving **fire hazard**
(cutting, welding, soldering, grilling, heating, candles, fire gel,...)

☐ Exhibits involving **fire hazard** (ovens, burners, pellets,…)

☐ **Notifiable** equipment (laser equipment, x-ray machines)

☐ **Pyrotechnic** demonstrations (fireworks, fog machine,…)

☐ **Synthetic materials** (polystyrene, PVC, acrylic glass, films,….)

☐ **Combustible** liquids (petrol, oils, fats, alcohols,…)

☐ **Exhaust gas emissions** (engines, heating stoves,…)

☐ **Vehicles** (on principle)

☐ **Potentially explosive substances/materials** (on principle)

☐ **Other:**

Inquiries:
NürnbergMesse GmbH
Bereich Veranstaltungstechnik
Messezentrum
90471 Nürnberg
veranstaltungstechnik@nuernbergmesse.de

Descriptions and explanation of deviations indicated:

Fire protection measures at the exhibition stand:

Place and date

Company stamp and authorized signature

Master 2021/001

Stand usage after the end of the exhibition – Stand party 2021 P4

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
Exhibition Team
Messezentrum
90471 Nürnberg

F +49 9 11 86 06-85 86
embedded-world@nuernbergmesse.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Responsible contact person on location

Tel (mobile)

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐

Stand usage after the end of the exhibition

We are planning a stand party on:

Wednesday, **3.3.2021**

Time (to begin at the earliest at the end of the exhibition, to end at the latest at 24:00)

from p.m. to p.m./a.m.

Expected no. of participants: approx. persons

Stand size: _____ m² (maximum 2 persons per m² accessible event space)

Stand type: _____

The price for holding a stand party depends on the duration.

18:00-22:00	18:00-23:00	18:00-24:00
EUR 690	**EUR 890**	**EUR 1,090**

All prices plus VAT at the statutory rate.

The price includes hall lighting and cleaning, security and cloakroom personnel and the event manager.

Please note that you will have no more than 1 hour for dismantling, conversion, or cleaning work on your stand space after the above-stated end of the stand party. Security personnel will also be provided for this time.

Please order your stand cleaning from the Staff and Services register in our OnlineShop.

Do you intend to work with companies that are not ServicePartners of NürnbergMesse?

Company 1

Person to contact

Tel Fax

Company 2

Person to contact

Tel Fax

The contact person of the above-mentioned company will need a copy of the stand party approval from you. This will then serve as an entry permit to the loading yards. Ongoing exhibition operations up to 18:00 may not be disturbed by the preparations for your stand party.

We recommend the ServicePartner of NürnbergMesse for stand catering:

Lehrieder Catering-Party-Service GmbH & Co. KG
Messezentrum 1
90471 Nürnberg
T +49 9 11 86 06-61 14
F +49 9 11 86 06-61 15
info@lehrieder.de
www.lehrieder.de

Place and date

Company stamp and authorized signature

Information for exhibitors regarding stand usage after the end of the exhibition:

1. The **BayVStättV regulations (Bavarian Venue Regulations)** are applicable to a stand party. They must be observed by the exhibitor. The booked package includes security personnel, including an event manager, provided by ESS Erlanger Sicherheits-Service GmbH.
   The operator's duties are delegated to this company; therefore, the event manager will stop the event in case of threats to public safety and order. His orders must be followed without exception. The exhibitor is still responsible for complying with the site regulations of NürnbergMesse and all technical regulations, particularly including fire protection regulations and all other guidelines. The exhibitor is familiar with the text of the site regulations, which are on display, and the obligations under BayVStättV.
   NürnbergMesse shall not be liable if the event is stopped by the event manager on the basis of the regulations of BayVStättV. Furthermore, NürnbergMesse itself shall have the right to stop the stand usage/ stand party due to violations of the site regulations or public-law regulations, particularly including the BayVStättV, by the exhibitor.
2. The extent of **security personnel** depends on the size, quantity of people and type as well as performance of the stand party. This is meant to ensure that neighboring stands are not affected by the planned activities. You will be charged for damage to neighboring stands that occurs in connection with your stand party.
   NürnbergMesse arranges for the ordering of security personnel. NürnbergMesse assumes no liability for the cloakroom or theft.
3. **Musical performances**, whether taped or live, may not disturb the stand neighbors. Musical performances may begin no earlier than 30 minutes after the end of the exhibition. GEMA fees must be paid for musical performances. The exhibitor itself is responsible for registering with the GEMA Regional Office Stuttgart (Key Account Management, Herdweg 63, 70174 Stuttgart, T +49 7 11 22 52-7 94, F +49 7 11 22 52-8 00, **messe@gema.de, www.gema.de**).
4. Absolute care must be taken to ensure that the audience is not exposed to a hearing risk. Therefore, a maximum **sound level** of 85 dB(A) at the loudest part accessible to the audience is permitted, in accordance with DIN 15905-5. NürnbergMesse reserves the right to prohibit the musical performance if the maximum volume is exceeded or if other exhibitors are bothered.
5. **Guests** who enter the exhibition space before the end of the exhibition will need a valid admission ticket. Guests who enter the exhibition space after the end of the exhibition will need a written invitation from the exhibitor, in combination with a valid admission ticket (by personalize online registration). **No admission without an invitation!**
6. **Shuttle buses** to the parking areas will be available until **one hour after the end of the exhibition**.
7. All **stage and production set-ups** must be erected in accordance with the latest state of the art (DGUV Regulation 17, former BGV C1 and the corresponding implementation instructions). **Scenic effects** (e.g. fog pyrotechnics, activities involving the risk of fire, candles, etc.) must be notified to NürnbergMesse at least 28 days prior to the event. Appropriately qualified personnel (stage and studio specialists) for the type of event and the risk posed by technical set-ups must be employed.
   In general, all **aisles, hall doors, gates and fire protection equipment must be kept clear of set-ups**.
   If more than 200 persons are expected at the stand party or if additional set-ups are brought in (e.g. seats, buffets, stage set-ups, etc.), this must be separately approved by NürnbergMesse. Please send us true-to-scale layout plans of your exhibition stand, including the additional set-ups, at least 28 days prior to the event.
   (The contact for technical permitting procedures at NürnbergMesse is the Event Engineering Department:
   veranstaltungstechnik@nuernbergmesse.de.)
   Care must be taken to ensure that the distance from every part of the exhibition space to a necessary hall aisle is not more than 20 meters, measured as the walking line (§7 VStättV). The number and clear width of aisles must be dimensioned in accordance with §7 VStättV, but must be at least 1.20 meters wide. Seats (table seats) must be arranged in such a way that the distance between tables is not less than 1.50 meters.
8. In setting up **beverage dispending installations and kitchens** and giving out food and beverages, the Food Hygiene Regulation and the Beverage Dispensing System Regulation must be observed and if necessary, a notification must be made to the competent Office of Public Order.
   If buffet tables with **food heating devices** are used, at least one suitable **hand-held fire extinguisher** must be kept on hand.
   As a rule, all walkways, hall doors, gates and fire protection equipment must be kept free of structures, queue spillovers, tables or buffets.
9. The stand party may be cancelled free of charge up to 7 days before the beginning of the event. Cost refunds can no longer be provided after this date.

We request the holding of the stand party and acknowledge the contractual terms and conditions and the current technical guidelines of NürnbergMesse (i4).

Place and date

Company stamp and authorized signature

Registration of exhibitor's own WLAN access point on the stand

P5

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 10
F +49 9 11 86 06-80 01
communication@nuernbergmesse.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

I hereby register with:
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg

Please send fax reply to:
F +49 9 11 86 06-80 01
Any questions?
T +49 9 11 86 06-80 10

Exhibitors are only permitted to operate their own WLAN (Wireless Local Area Network) subject to the explicit written authorization of NürnbergMesse GmbH. The following technical requirements must be observed and will help you do your part to ensure that a large bandwidth is available for all users in the WLAN network and that faults are largely avoided. For this reason every WLAN is assigned to a fixed channel. Registration includes channel planning and monitoring. Note: This is just a registration and does not contain an Internet Provision.

- Only one access point per channel is allowed.
- WLAN transmitters in the 5 GHz band are not permitted.
- **You must use the assigned channel.**
- **Channel bonding is not permitted.**
- The radiated transmit power must not exceed -80 dBm at the edge of the stand.
- An encryption (e.g. WPA2) according to the latest technical standards is mandatory.
- Your own SSID must be visible and login data must not be disclosed to third parties.
- Only WLAN transmitters are to be operated, no other transmitters.

For registration and channel planning we charge you a one-off fee of EUR 150 plus VAT at the statutory rate.

If an exhibitor operates their own equipment **that has not been registered**, NürnbergMesse GmbH reserves the right to prohibit operation. Claims for damages may be enforced in the event of contravention. Registration does not guarantee the functional reliability and operation of the customer's own WLAN network. Orders received at short notice (< 14 days before the start of the event) will be subject to an express processing surcharge amounting to 25 % of the ordered value.

Your details

SSID (WLAN Network Name):

No. of WLAN users

Contact for technical queries:

Company (if different)

Address

Contact person

Tel.

E-mail

Mobil

The customer attests to the correctness of the information provided and acknowledges that in the event of incorrect or incomplete data, NürnbergMesse GmbH shall have the right to block the connection.

Comments:

Place and date

Company stamp and authorized signature

Stand design information/order for stand partition walls

S1

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

This form must be returned in all cases, as we need information about your stand construction and design.

Rental exhibition stand

- ☐ We have already ordered a complete rental stand (including 3 kW power supply and consumption) in addition to the stand space on the application form for embedded world 2021.
- ☐ We order a complete rental stand (including 3 kW power supply and consumption) and choose a complete rental stand from Forms SV.01, SV.02, S0.10 – S0.99 and return the completed form.
- ☐ We order a basic rental exhibition stand (excluding 3 kW power supply and consumption) and choose a rental stand from Forms S1.10 – S1.11 and return the completed form.
- ☐ We will use a stand from another stand construction company **(please note Info 1, Item 7 "Stand layout")**.
- ☐ We will build our own stand **(please note Info 1, Item 7 "Stand layout")**.

Stand partition walls

If none of the above-mentioned stands will be used, stand partition walls (2.50 m high) must be erected on all closed sides of the stand space.

We need stand partition walls and therefore order the following **(the Information you have given in the application form does not constitute an order)**:

- ☐ Stand partition walls **white, plastic-coated (Art. FOMERO)** Axiom system, built by Wörnlein *, approx. 3 cm thick, minimum height approx. 2.50 m, at EUR 34.90 per wall element (max. 1.00 m wide).

It may be necessary for structural reasons to fit support walls (at extra cost). 1 supporting wall is charged for every full 5 meter length of walls in einer Richtung. These support walls can **only** be removed on the organizer's instructions.

Please provide a plan when ordering stand partition walls or a rental stand (see S1.45).

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

All complete rental stands at a glance

Choose the fast way – rental stand, electricity supply, pre-show and daily stand cleaning with one order!

(Art. MSJUNO)
Complete rental stand **JUNO**
Complete price **EUR 75.50/m²**
Minimum size **9 m²**

See Form **S0.10**

(Art. MSPALLAS)
Complete rental stand **PALLAS**
Complete price **EUR 75.50/m²**
Minimum size **9 m²**

See Form **S0.11**

(Art. MSMARS)
Complete rental stand **MARS**
Complete price **EUR 93.50/m²**
Minimum size **9 m²**

See Form **S0.20**

(Art. MSMERKUR)
Complete rental stand **MERKUR**
Complete price **EUR 93.50/m²**
Minimum size **9 m²**

See Form **S0.21**

(Art. MSERDE)
Complete rental stand **ERDE**
Complete price **EUR 122.00/m²**
Minimum size **9 m²**

See Form **S0.30**

(Art. MSMOND)
Complete rental stand **MOND**
Complete price **EUR 122.00/m²**
Minimum size **9 m²**

See Form **S0.31**



(Art. MSBLACK)
Complete rental stand **BLACK**
Complete price **EUR 115.50/m²**
Minimum size **12 m²**

See Form **S0.40**

(Art. MSTRITON)
Complete rental stand **TRITON**
Complete price **EUR 126.90/m²**
Minimum size **9 m²**

See Form **S0.41**

(Art. MSHELIOS)
Complete rental stand **HELIOS**
Complete price **EUR 147.00/m²**
Minimum size **15 m²**

See Form **S0.50**

(Art. MSOBERON)
Complete rental stand **OBERON**
Complete price **EUR 139.50/m²**
Minimum size **15 m²**

See Form **S0.51**

(Art. MSCERES)
Complete rental stand **CERES**
Complete price **EUR 141.00/m²**
Minimum size **12 m²**

See Form **S0.42**



(Art. MSRHEA)
Complete rental stand **RHEA**
Complete price **EUR 146.90/m²**
Minimum size **12 m²**

See Form **S0.43**

All prices are subject to the addition of VAT at the statutory rate.
More stands (excluding electricity supply) can be found on Forms S1.10 ff.

All complete rental stands at a glance

Choose the fast way – rental stand, electricity supply, pre-show and daily stand cleaning with one order!

(Art. MSCALYPS)
Complete rental stand **CALYPSO**
Complete price **EUR 155.90/m²**
Minimum size **15 m²**

See Form **S0.60**

(Art. MSKALLIS)
Complete rental stand **KALLISTO**
Complete price **EUR 155.90/m²**
Minimum size **15 m²**

See Form **S0.61**

(Art. MSTHETYS)
Complete rental stand **THETYS**
Complete price **EUR 148.90/m²**
Minimum size **12 m²**

See Form **S0.46**

(Art. MSPLUTO)
Complete rental stand **PLUTO**
Complete price **EUR 163.00/m²**
Minimum size **24 m²**

See Form **S0.71**

(Art. MSVESTA)
Complete rental stand **VESTA**
Complete price **EUR 184.50/m²**
Minimum size **15 m²**

See Form **S0.81**

(Art. MSSATURN)
Complete rental stand **SATURN**
Complete price **EUR 203.50/m²**
Minimum size **28 m²**

See Form **S0.95**

Now with 6 kW electricity supply

(Art. MSSONNE)
Complete rental stand **SONNE**
Complete price **EUR 297.00/m²**
Minimum size **24 m²**

See Form **S0.99**

Now with 6 kW electricity supply

Individual stand design

See Form **S1.40**

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of your personal exhibition stand. We will be pleased to advise **you** personally:

T +49 9 11 86 06-80 00 or messeservice@nuernbergmesse.de

Master 2021/001

Complete rental stand embedded world 1 SV.01

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

(Art. MSEMBWL1) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 9 m²**

The rental for the duration of the event includes the following equipment:

Walls
white plastic-coated stand partition walls with aluminum frame on all closed sides of the stand space (Syma system; 2.50 m high)

Ribbed carpet
including eding tape, disposal and dust sheet, in anthracite
or: ☐ red ☐ blue ☐ gray

Aluminum colored lattice support with slide in fascia
on all open sides of stand space slide in fascia (290 mm height) in blue
or: ☐ red ☐ white

Round column
at all open corners of stand space in blue
or: ☐ red ☐ white

Lettering (brief company name and place of business)
Helvetica medium, black (with white back ground, otherwise white lettering – including 20 letters)
Logo: price on demand.

Additional packages (only in connection with complete rental stand embedded world 1):

(Art. MSKABR11) Cubicle 1.00 x 1.00 m
with lockable door
☐ at extra cost EUR 103.50

(Art. MSKABR12) Cubicle 2.00 x 2.00 m
with lockable door
☐ at extra cost EUR 118.00

(Art. MSMGCU13) Furniture set "CUBUS 13"
3 chairs with table 700 x 700 mm, white
☐ at extra cost EUR 98.90

(Art. MSZEUS) Furniture set "Zeus"
2 bar stools "Zeta" with high table, top white, round 700 mm diameter
☐ at extra cost EUR 101.60

(Art. MSPOSEID) Furniture set "Poseidon"
1 information counter (not lockable),
1 bar stool "Zeta",
1 leaflet stand
☐ at extra cost EUR 179.30

(Art. BELBRAU1) Lighting package
3 spotlights (LED 25 W), mounted on power rails (2000 mm long) at the fascia. Recommendation: at minimum 1 spot per full 4 m² of stand space
☐ at extra cost EUR 126.90

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket

Cleaning
including basic cleaning before start of the exhibition (also including removal and disposal of carpet dust sheet) and daily cleaning during the exhibition



Complete price EUR 66.90/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC): surcharge EUR 182.00. ☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW (AC): surcharge EUR 263.00.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand embedded world 2 SV.02

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSEMBWL2) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: **front** _____ **m x depth** _____ **m** **minimum size: 9 m²**

The rental for the duration of the event includes the following equipment:

Walls
white plastic-coated stand partition walls on all closed sides of the stand space (Syma system; 2.50 m high), plain
or: ☐ perforated

Needle-felt carpet
including eding tape, disposal and dust sheet, in anthracite
or: ☐ red ☐ blue ☐ gray

Lattice support with fascia
on all open sides of stand space
☐ trapezoidal fascia (1930 x 470 mm), white
or alternatively: ☐ red
☐ rectangular fascia (1500 x 750 mm), white
or alternatively: ☐ blue

Corner column
at all open corners of stand space in white
or: ☐ red ☐ blue

Lettering (brief company name and place of business)
Helvetica medium, black (with white back ground, otherwise white lettering – including 20 letters)
Logo: price on demand.

Additional packages (only in connection with complete rental stand embedded world 2):

(Art. MSKABR21) Cubicle 1.00 x 1.00 m
with lockable door
☐ at extra cost EUR 103.50

(Art. MSKABR22) Cubicle 2.00 x 2.00 m
with lockable door
☐ at extra cost EUR 118.00

(Art. MSMGCU23) Furniture set "CUBUS 23"
3 chairs with table 700 x 700 mm, white
☐ at extra cost EUR 92.30

(Art. MSQUADRO) Furniture set "Rondo"
2 bar stools "Z" with high table, round 700 mm diameter, white
☐ at extra cost EUR 101.70

(Art. MSINFORM) Furniture set "Information"
1 information counter (not lockable), 1 bar stool "Z", 1 leaflet stand
☐ at extra cost EUR 179.40

(Art. BELBRAU2) Lighting package
3 spotlights (LED 14 W), individually adjustable. Recommendation: at minimum 1 Spot per full 4 m² of stand space
☐ at extra cost EUR 126.60

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket

Cleaning
including basic cleaning before start of the exhibition (also including removal and disposal of carpet dust sheet) and daily cleaning during the exhibition



Complete price EUR 66.90/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC): surcharge EUR 182.00. ☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW (AC): surcharge EUR 263.00.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand JUNO

S0.10

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

(Art. MSJUNO) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 9 m²**

The rental for the duration of the event includes the following equipment:

Walls
white, plastic-coated stand partition walls on all closed sides of stand space (Syma system, 2.50 m high)

Carpet, anthracite
ribbed, including edging tape, dust sheet and disposal

(Art. MSTUERHO) Cubicle
diagonal, with curtain, white
☐ or at extra cost 1 lockable hinged door, white EUR 52.90

Graphic panel above cubicle
2.00 x 1.00 m², white with aluminum frame, size of lettering area 1.96 x 0.90 m

Lettering
company name in Helvetiapprox.medium, black, letter height if possible 75 or 100 mm

Lighting
1 x 130 watt extending spotlight per full 4 m² of stand space (at least 3 spots)

Furniture
☐ **(Art. MSTHEKHO)** 1 counter, 0.92 x 0.52 x 1.02 m; white; lockable EUR 89.90
☐ **(Art. MSGARDHO)** 1 coat rack EUR 22.00
☐ **(Art. MSPKHO)** 1 waste paper basket EUR 9.90

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket,
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC) surcharge EUR 182.00
☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW surcharge EUR 263.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Furniture group CUBUS 1

Only in conjunction with rental stand JUNO

Table round; diameter 0.70 m, chair upholstered

☐ **(Art. MSMGCU1)** Group with 3 chairs EUR 81.50
☐ **(Art. MSMGCU2)** Group with 4 chairs EUR 96.50



Complete price EUR 75.50/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

embeddedworld2021
Exhibition&Conference
... it's a smarter world

Company

Contractor: Mesomondo GmbH

Hall/
Stand

S0.10

Additional equipment
Complete rental stand JUNO

Order

All the articles stated below are charged directly by the ServicePartner:

☐ Digital print for graphic panel above cubicle, (2.00 x 1.00 m)
Exhibitor must provide print data 21 days before the event EUR 139.00

☐ Increasing height of one stand partition wall by one panel, 1.00 x 1.00 m including digital print EUR 96.60

☐ **(Art. 60001115)** Additional spotlight as per first page EUR 42.20

Design examples with articles at extra cost:





Additional stand equipment can be found at **www.mesomondo.de.**

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:

1. Working hour at EUR 53.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the JUNO complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand PALLAS

S0.11

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSPALLAS) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: **front** _____ **m x depth** _____ **m** **minimum size: 9 m²**

The rental for the duration of the event includes the following equipment:

Walls
white, plastic-coated stand partition walls on all closed sides of stand space (System Syma, 2.50 m high, top of fascia 3.50 m high)

Magnetic whiteboard
1 wall element, width 1.00 m, writable magnet board, white. Please send in a drawing with the correct position of the magnet board.
Additional equipment:
10 magnetic clamps
or
☐ ____ whiteboard marker, black and blotter

Carpet
needle-felt, including edging tape, dust sheet and disposal, gray or:
☐ blue ☐ red

2 lettering panels
1.00 x 1.00 m, white or alternatively:
☐ gray ☐ blue ☐ red

Lettering
company name in Helvetica medium, black lettering on white background, white on other colors.
Please enter text in "Remarks" box on the right, see overleaf for surcharge for company logo.

Lighting
Spotlight Collus LED 14 Watt, per full 4 m² of stand space (at least 3 spots)

Cubicle
☐ 1.00 x 1.00 m
with lockable hinged door EUR 101.00

Furniture
☐ 1 counter Syma, not lockable, white, width: 0.98 m, depth: 0.50 m
overall height: 1.12 m EUR 87.20

☐ 1 coat rack
with 5 hooks EUR 22.00

☐ 1 waste paper basket EUR 9.90

Power supply (Green Energy)
in the corner, rated at 3 kW (AC), including consumption and 3-way mains socket
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC)
surcharge EUR 182.00
☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW
surcharge EUR 263.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Continued overleaf!

Complete price EUR 75.50/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Master 2021/001

Order (continued)

Furniture group CUBUS 2

Only in conjunction with rental stand PALLAS

Table round; diameter 0.70 m, chair "Opus"

☐ Group with 3 chairs EUR 81.50
☐ Group with 4 chairs EUR 96.50

Additional equipment
Complete rental stand PALLAS

Order

All the articles stated below are charged direct by the ServicePartner:

1. Exclusive variations

False floor (per m²)
(Art. 60004200) 22 mm chipboard; suitable for laying cables; aluminum edging strip
☐ EUR 15.60

Laminate
with false floor 22 mm and aluminum edging strip
☐ beech EUR 35.50
☐ oak EUR 35.50
☐ ash EUR 35.50
☐ hickory EUR 35.50

Additional whiteboard (each)
Surcharge
☐ EUR 87.50

Additional shelf (each)
☐ white EUR 21.70

Additional (each)
Bar stool "Z"
☐ black EUR 26.60
☐ white EUR 26.60

(Art. 60004051) Single-socket outlet (each)
moved to the desired location. Please send in a drawing with the correct place.
☐ EUR 36.90

Additional extending spotlight (each)
☐ Spotlight Collus LED 14 Watt EUR 42.20

Graphics for lettering panels
Surcharge for logo instead of lettering (standard) graphics data has to be sent by the exhibitor. 2 pieces à 1.00 x 1.00 m
☐ EUR 53.35

2. Color digital printing (per m²)

onself-adhesive film
(including mounting, without protection film)
☐ EUR 79.40

Data formats: printable PDF files; also EPS (vector format, fonts converted into paths).
Print lead time: 21 days prior to start of exhibition.
In the case of data that cannot be printed directly, processing fees of EUR 90.50/hour apply.

See Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

More stand equipment components – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:
1. Installation hour at EUR 47.65
2. Machine hour at EUR 67.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the PALLAS complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:

Design examples with articles at extra cost:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand MARS S0.20

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSMARS) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 9 m²**

The rental for the duration of the event includes the following equipment:

Walls
white plastic-coated stand partition walls on all closed sides of the stand space (Syma system; 2.50 m high)

Ribbed carpet
including dust sheet, edging tape and disposal, anthracite or:
☐ red ☐ blue ☐ light gray

Cubicle
size according to stand space;
with curtain in white or:
☐ 1 lockable hinged door
at extra cost EUR 52.90

Design element
attached to fascia; on all open sides of stand space;
(RAL colors: red 3020; gray 7037; yellow 1023; blue 5017; green 6029)
Shapes triangular or:
☐ round ☐ square
blue or:
☐ red ☐ gray ☐ green
☐ yellow
☐ white, at additional costs
EUR 45.90/pc.

Decorative wall element
on all open sides of stand; 0.50 m wide; blue colored plastic coating (RAL colors as above) or:
☐ red ☐ gray ☐ green
☐ yellow

Round column
with cladding in same color as wall element, on all open corners of stand space

Aluminum colored lattice support
with slide-in fascia on all open sides of stand space; red colored plastic coating; (RAL colors as at left) or:
☐ blue ☐ gray ☐ green
☐ yellow ☐ white

Lettering
on fascia; brief company name and place of business in Helvetica medium white or black (in combination with white or yellow fascia)
Please enter text in "Remarks" box on the right, see overleaf for surcharge for company logo.

1 table
chrome frame with white top
0.70 x 0.70 m
(Art. 60002085) 3 black upholstered chairs "Bonni" or:
☐ anthracite

1 counter
0.92 x 0.52 x 1.06 m; white; lockable
☐ **(Art. MSTHEKHO)** at extra cost EUR 89.90
☐ **(Art. MSGARDHO)** 1 coat rack at extra cost EUR 22.00
☐ **(Art. MSPKHO)** 1 waste paper basket at extra cost EUR 9.90

NEW! 1 extending spotlight
130 W for each full 4 m² of stand space

Continued overleaf!

Complete price EUR 93.50/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order (continued)

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket.

☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC)
surcharge EUR 182.00

☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW
surcharge EUR 263.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Additional equipment
Complete rental stand MARS

Order

1. Exclusive variations

1.1 **False floor (per m²)**
105 mm clipboard; suitable for laying cables below; aluminum edging strip
☐ EUR 15.60

1.2 **Wall cladding (per m)**
without visible supports, height 2.50 m (surcharge). These walls are just asking to be used for graphics.
☐ EUR 34.50

1.3 **Larger cubicle (per m²):**
☐ additional space EUR 44.80

2. Additional stand equipment

2.1 **Additional furniture (each):**

Table
chrome frame with white top
0.70 x 0.70 m
☐ EUR 29.50

(Art. 60010027) Upholstered chair "Bonni"
☐ black EUR 23.00
☐ anthracite EUR 23.00

2.2 **(Art. 60001115) Additional spotlights (each)**
☐ 130 W EUR 42.20

3. Logo/graphics

3.1 **Graphics at the wall (per m²)**
digital printing, mounted professionally at the wall
☐ EUR 67.00

3.2 **Slide-in fascia (surcharge per logo):**
Logo as digital print max. 2 m
☐ EUR 44.00

3.3 **Design element:**
Digital print
☐ EUR 50.00

The data for logos and printing – as vectorized file (.eps or .ai) with 300 dpi in 1:10 format – must be received by not later than 21 days before the event!

Floral stand decoration – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Plants and greenery.

Exclusive and additional equipment
can be seen in the stand configurator at **www.standconfigurator.com**.
Additional stand equipment can be found at **www.mesomondo.de.**

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:
1. Working hour at EUR 53.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the MARS complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand MERCURY S0.21

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSMERKUR) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: **front** _____ **m x depth** _____ **m** **minimum size: 9 m²**

The rental for the duration of the event includes the following equipment:

Walls
white plastic-coated stand partition walls on all closed sides of the stand space (Syma system; 2.50 m high)
Needle-felt carpet
including dust sheet, edging tape and disposal needle felt, anthracite or:
☐ blue ☐ gray ☐ red
☐ green ☐ beige
Cubicle
size according to stand space;
with **curtain in gray or**:
☐ blue ☐ black ☐ red
☐ green
☐ **(Art. MSTUERWÖ)** or 1 lockable hinged door at extra cost: EUR 52.90
Graphic elements
colored panel on Axiom wall;
(RAL colors: blue 5017; red 3020; gray 7012; green 6029)
Shapes **triangular or**:
☐ without graphic elements
☐ strip
To see the shapes, please have a look at the backside
colored plastic **in gray or**:
☐ red ☐ blue ☐ black
Quadrate colums
at all open corners of stand space of corner, head and block stands (RAL colors as above) anodized **in gray or**:
☐ blue ☐ red ☐ green
☐ white

Lattice support (System Syma) **with fascia**
on all open sides of the stand space; (RAL colors see graphic elements)
Slide-in fascia 2.00 x 0.295 m or:
☐ rectangular 1.50 m x 0.75
colored plastic **in white or**:
☐ blue ☐ gray ☐ red
☐ green
Lettering
on fascia; brief company name and place of business in Helvetica medium, black lettering with white fascia and white lettering with all other colors. Please enter text in "Remarks" box on the right, see overleaf for surcharge for company logo.
1 white table round
diameter 0.70 m **or**:
☐ square 0.70 x 0.70 m
3 upholstered chairs
"Opus" black
(Art. MSTHEKWÖ) 1 counter Syma, open
width: 0.98 m, depth: 0.50 m
overall height: 1.12 m; white;
1 shelf
☐ at extra cost EUR 89.90
(Art. MSGARDWÖ) 1 coat rack
with 5 hooks
☐ at extra cost EUR 22.00
(Art. MSPKORBWÖ) 1 waste paper basket
☐ at extra cost EUR 9.90
1 halogen spotlight
100 W, per full 4 m² of stand space, mounted on power rails; silver

Continued overleaf!

Complete price EUR 93.50/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order (continued)

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket.

- ☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC) surcharge EUR 182.00
- ☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW surcharge EUR 263.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Shapes of graphic elements

Triangular



Strip



Merasurement in mm

Size rules for cubicles:

up to 24 m² = 1 m²
up to 32 m² = 2 m²
up to 40 m² = 3 m²
more than 40 m² = 4 m²

Additional equipment
Complete rental stand MERCURY

Order

1. Exclusive variations

1.1 **Floor covering (per m²):**

Ribbed
including dust sheet, edging tape and disposal

- ☐ medium gray EUR 1.75
- ☐ red EUR 1.75
- ☐ anthracite EUR 1.75
- ☐ blue EUR 1.75

1.2 **False floor (per m²)**
(Art. 60004200) 22 mm chipboard; suitable for laying cables; aluminum edging strip

- ☐ EUR 15.60

1.3 **Larger cubicle (per m²):**

- ☐ additional space EUR 16.15

1.4 **Counter lockable**
(Art. 60005038) 1 Counter System Syma, lockable
0.98 x 0.50 x 1.12 m; white, with one shelf

- ☐ at extra cost EUR 103.70

2. Additional stand equipment

2.1 **Additional furniture (each):**

Table white

- ☐ **(Art. 60006005)** square 0.70 x 0.70 m EUR 30.50
- ☐ **(Art. 60006015)** round ø 0.70 m EUR 28.40

Chair

- ☐ **(Art. 60007000)** "Opus" black EUR 21.30

2.2 **Additional spotlights (each):**

- ☐ **(Art. 60005020)** Spotlight (100 Watt) EUR 42.52

2.3 **Light column (each)**
2.50 m high, segment-shaped curved acryl glass, back-lit, approx. 1.00 m wide, free-standing arrangement possible (including safety socket).

- ☐ **(Art. 60004055)** without digital printing EUR 304.60
- ☐ **(Art. 60004056)** withdigital printing on one side EUR 471.20
- ☐ **(Art. 60004057)** with digital printing on both sides EUR 633.50

Print data are provided by the customer in each case.

(Art. 60004051) Single-socket outlet, moved to the desired location on the fluorescent pillar.
Please send in a drawing with the correct place. (Price per piece)

- ☐ EUR 36.90

3. Logo (digital print) surcharge per logo:

Slide-in fascia (2.00 x 0.295 m)

- ☐ EUR 61.35

Rectangular fascia (1.50 x 0.75 m)

- ☐ EUR 76.00

Data formats: printable PDF files; also EPS (vector format, fonts converted into paths).
Print lead time: 21 days prior to start of exhibition.
In the case of data that cannot be printed directly, processing fees of EUR 90.50/hour apply.

See Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

Floral stand decoration – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Plants and greenery.

Exclusive and additional equipment can be seen in the stand configurator at **www.standconfigurator.com**.
More stand equipment components – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:

1. Installation hour at EUR 47.65
2. Machine hour at EUR 67.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the MERCURY complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:

Design examples with articles at extra cost:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand EARTH S0.30

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSERDE) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 9 m²**

The rental for the duration of the event includes the following equipment:

Walls
white plastic-coated stand partition walls on all closed sides of the stand space (Syma system; 2.50 m high)

Ribbed carpet
including edging tape, disposal and dust sheet, in anthracite or:
☐ red ☐ blue ☐ gray

(Art. MSTUERHO) Cubicle
size according to stand space; with curtain in white or:
☐ 1 lockable hinged door
at extra cost: EUR 52.90

2 backlit visual elements (with LED)
at all wall ends to the corridor side; dimensions: 1000 × 500 × 3300 mm;
- top front: plexiglass white, backlit (visible area 960 × 2282 mm);
- lower front part: panel white, unlit (visible area 960 × 788 mm);
- side panels: white, non-illuminated

Lettering
at the visual elements, company name and place in Helvetica medium black (height of letters depending on length of text, max. height 150 mm). Please indicate text in the inscription field

Logo: on demand

1 table
chrome frame with white top 0.70 x 0.70 m

4 chairs "Bonni"
upholstered in black

☐ **(Art. MSTHEKHO) 1 counter**
0.92 x 0.52 x 1.06 m; white; lockable EUR 89.90

☐ **(Art. MSGARDHO) 1 coat rack**
EUR 22.00

☐ **(Art. MSPKHO) 1 waste paper basket** EUR 9.90

1 extending spotlight
(LED, 25 W) for each full 4 m² of stand space

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket.
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC) surcharge EUR 182.00
☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW surcharge EUR 263.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.



Complete price EUR 122.00/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

embeddedworld2021
Exhibition&Conference
... it's a smarter world

Company

Hall/
Stand

S0.30

Contractor: Mesomondo GmbH

Additional equipment
Complete rental stand EARTH

Order

1. Exclusive variations

1.1 **Walls:**
Larger cubicle (per m):
☐ EUR 44.90

1.2 **Floor covering (per m²):**
Laminate
with false floor (105 mm); suitable for laying cables below; aluminum edging strip
☐ Polar oak longstrip wood floor EUR 35.50
☐ Maple plank longstrip wood floor EUR 35.50
☐ Walnut patchwood longstrip wood floor EUR 35.50
☐ Oak Cappuccino 1-strip flooring EUR 35.50
☐ Canadian spruce 2-strip plank flooring EUR 35.50

False floor
105 mm chipboard; suitable for laying cables below; aluminum edging strip
☐ EUR 15.60

1.3 **Backlit visual element**
☐ lower front part as lockable wall element (2 sliding doors), including 1 shelf
price per piece EUR 78.40
☐ backlit front top with digital printing (instead of lettering)
price per piece EUR 170.60

2. Additional stand equipment (each)

2.1 **Additional furniture:**
☐ **(Art. 60003015) Table**, chrome frame with white top, 0.70 x 0.70 m EUR 30.50
☐ **Upholstered chair** "Bonni" black EUR 23.00

2.2 **(Art. 60001115) Additional spotlights:**
☐ LED 25 W EUR 42.20

2.3 **Additional lighting option**
per suspended LED floodlight SGM P-2, 18 x 10 watts, 4000 Kelvin
☐ **(Art. MSABSPOT)** halls 1–10 and 12 EUR 195.00
☐ **(Art. MSABSPO1)** halls 3C, 3A, 4A, 7A, 11 EUR 295.00
Quantity: _____ pcs

3. Logo/graphics (surcharge per logo):

3.1 **Graphics at the wall (per m²)**
digital printing, mounted professionally at the wall
☐ EUR 67.00
The data for logos and printing – as vectorized file (.eps or .ai) with 300 dpi in 1:10 format – must be received by not later than 21 days before the event!

Exclusive and additional equipment can be seen in the stand configurator at **www.standconfigurator.com**. Additional stand equipment can be found at **www.mesomondo.de.**

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:

1. Working hour at EUR 53.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the EARTH complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand MOON S0.31

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSMOND) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: **front** _____ **m x depth** _____ **m** **minimum size: 9 m²**

The rental for the duration of the event includes the following equipment:

Walls
plastic-coated stand partition walls, white, on all closed sides of the stand space (Syma system; 2.50 m high)

Carpet, ripped,
including dust sheet, edging tape and disposal
in anthracite or:
☐ gray ☐ blue ☐ red
needle felt:
☐ blue ☐ gray ☐ anthracite
☐ red ☐ green ☐ beige

Cubicle
size according to stand space;
in same color as wall **with curtain in gray or:**
☐ blue ☐ red ☐ black
☐ **(Art. MSTUERWÖ)** or 1 lockable hinged door
at extra cost EUR 52.90

Column element
3 m high; 0.70 m wide; triangular column element in same color as wall on all open stand Standseiten

Digital printing/logo
at the front of the column element you will receive digital printing at a cloth banner (640 x 2995 mm). The data you will be responsible for.
Data format: printable PDF-files; also EPS (vector format , fonts converted into paths).
Print lead time: 21 days prior to start of exhibition. In the case of data that cannot be printed directly, processing fees of EUR 90.50/hour apply.

1 white table
square 0.70 x 0.70 m; chrome frame

4 upholstered chairs "Opus" black or:
☐ "Classic" anthracite
☐ "Classic" blue

(Art. MSTHEKWÖ) 1 counter Syma, open
width: 0.98 m, depth: 0.50 m
overall height: 1.12 m; white; 1 shelf;
☐ at extra cost EUR 89.90

(Art. MSGARDWÖ) 1 coat rack
with 5 hooks
☐ at extra cost EUR 22.00

(Art. MSPKORBWÖ) 1 waste paper basket
☐ at extra cost EUR 9.90

NEW! 1 LED spotlight "Collus"
per full 3 m² of stand space;
individually adjustable

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket.
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC)
surcharge EUR 182.00
☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW
surcharge EUR 263.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Complete price EUR 122.00/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

embeddedworld2021
Exhibition&Conference
... it's a smarter world

Company

Hall/
Stand

S0.31

Contractor: Messebau Wörnlein GmbH

Additional equipment
Complete rental stand MOON

Order

1. Exclusive variations

1.1 **Floor covering (per m²):**

False floor
(Art. 60004200) 22 mm chipboard; suitable for laying cables; aluminum edging strip
☐ EUR 15.60

Laminate
with false floor 22 mm and aluminum edging strip
☐ beech EUR 35.50
☐ oak EUR 35.50
☐ ash EUR 35.50
☐ hickory EUR 35.50

1.2 **Larger cubicle (per m²):**
☐ additional space EUR 16.15

2. Additional stand equipment

2.1 **Additional furniture (each):**

(Art. 60020042) Table
chrome frame with white top; square 0.70 x 0.70 m
☐ EUR 30.50

Upholstered chair
☐ **(Art. 60006095)** "Classic" anthracite EUR 19.40
☐ **(Art. 60006095)** "Classic" blue EUR 19.40
☐ **(Art. 60007000)** "Opus" black EUR 21.30

(Art. 60005038) 1 Counter System Syma, lockable
0.98 x 0.50 x 1.12 m; white, with one shelf
☐ at extra cost EUR 103.70

2.2 **Additional spotlights (each)**
☐ **(Art. 60004213)** Spotlight "Collus", with with LED lamp EUR 42.21

2.3 **Light column (each)**
4.00 m high, segment-shaped curved acryl glass, back-lit, approx. 1.00 m wide, free-standing arrangement possible (including safety socket).
☐ **(Art. 60004055)** without digital printing EUR 451.70
☐ **(Art. 60004056)** with digital printing on one side EUR 690.90
☐ **(Art. 60004057)** with digital printing on both sides EUR 934.10
Print data are provided by the customer in each case.

(Art. 60004051) Single-socket outlet, moved to the desired location. Please send in a drawing with correct place. (Price per piece)
☐ EUR 36.90

2.4 **Additional lighting option**
per suspended LED floodlight SGM P-2, 18 x 10 watts, 4000 Kelvin
☐ **(Art. MSABSPOT)** halls 1–10 and 12 EUR 195.00
☐ **(Art. MSABSPO1)** halls 3C, 3A, 4A, 7A, 11 EUR 295.00
Quantity: _____ pcs

See Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

Floral stand decoration – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Plants and greenery.

Exclusive and additional equipment can be seen in the stand configurator at **www.standconfigurator.com**. More stand equipment components – see Online ExhibitorShop unde Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:

1. Installation hour at EUR 47.65
2. Machine hour at EUR 67.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the MOON complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand BLACK S0.40

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSBLACK) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **Minimum size 12 m²**

The rental for the duration of the event includes the following equipment:

Walls
black, plastic-coated stand partition walls (System Syma, 2.50 m height), plain on all closed sides of the stand space

Cubicle
(1.00 x 1.00 m) with black, lockable hinged door

Ribbed carpet
including edging tape, disposal and dust sheet, in anthracite
or alternatively: ☐ gray

Fascia
white, approx. 1500 x 670 mm

Lettering
black, company name and place of business

Round column
black, on each open side of corner stands

1 table
700 x 700 mm, white

3 chairs
black

1 extending spotlight
(LED 25 W) for each full 4 m² of stand space

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), incl. consumption and 3-way mains socket.

Cleaning
including basic cleaning before start of the exhibition (also including removal and disposal of carpet dust sheet) and daily cleaning during the exhibition. The rental exhibition stand can be fitted with additional equipment in the same system design.

BLACK



Complete price EUR 115.50/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC): surcharge EUR 182.00. ☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW (AC): surcharge EUR 263.00.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand TRITON S0.41

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐

(Art. MSTRITON) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 9 m²**

The rental for the duration of the event includes the following equipment:

Walls
white, plastic-coated stand partition walls on all closed sides of stand space (wall cladding without visible supports, height 2.50 m high)

Carpet
ribbed, including edging tape, dust sheet an disposal, in anthracite
or: ☐ gray ☐ blue ☐ red

Cubicle
diagonal, with curtain, light gray
☐ **(Art. MSTUERBV)** or at extra cost 1 lockable hinged door, no visible system, white EUR 153.80

Graphic panel above cubicle
2000 x 1000 mm, white, size of lettering area 1960 x 900 mm

Lettering
company name in Helvetica medium, black, letter height if possible 75 or 100 mm

Lighting
1 extending spotlight (LED 25 W), for each full 4 m² of stand space (at least 3 spots)

Information counter, system 3000
white, 1 shelf, open back, not lockable, white plinth, overall size
920 x 1080 x 520 mm (W x H x D)

Round standing table
diameter 700 mm, height 1.10 m

2 Bar stools "ZETA"
chrome frame, black upholstery

Coat rack
with 5 hooks, width 900 mm

Waste paper basket

Plastic shelf unit
4 shelves, overall size
870 x 1800 x 430 mm (W x H x D)

Power supply (Green Energy)
in the cubicle of the stand, rated at 3 kW (AC), including consumption and 3-way mains socket.

Cleaning
including basic cleaning before start of the exhibition (also including removal and disposal of carpet dust sheet) and daily cleaning during the exhibition.

On surcharge
(invoiced by Mesomondo GmbH)
☐ **Column showcase "Nice"** with lighting, aluminum frame, 390 x 1800 x 390 mm (W x H x D) EUR 249.80
☐ **Digital print for graphic panel** at the cubicle. Exhibitor must provide print data 20 days before the event EUR 139.00

Complete price EUR 126.90/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC): surcharge EUR 182.00. ☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW (AC): surcharge EUR 263.00.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand CERES S0.42

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSCERES) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **Minimum size 12 m²**

The rental for the duration of the event includes the following equipment:

Walls
white, systemless wall construction with plane walls on all closed sides of the stand space, 2.50 m high

Floor covering
ribbed carpet, blue, including edging tape, dust sheet and disposal

Graphic
1 graphic (approx. 0.5 m², digital printing) at the wall
1 graphic (approx. 0.5 m², digital printing) at the back wall of the counter.
Printing data will be provided by the customer. Data formats: Printable PDF file; also EPS (vectorial, fonts converted into paths). Print data lead time: 21 days before the start of the trade fair. Processing fees of EUR 90.50/hour are charged for data that cannot be printed directly.

Furniture
1 PC-desk/communication counter with cable outlet, with raised rear panel, lockable, white
High table: 750 x 1100 x 1200 mm
Rear panel: 750 x 3500 x 300 mm
2 bar stools "COMA", anthracite
1 brochure rack "STAP"with 4 shelves DIN A4
1 waste paper basket

Lights
1 extending spotlight (LED 14 W) for each full 3 m² of stand space

Additional lighting option
per suspended LED floodlight SGM P-2, 18 x 10 watts, 4000 Kelvin
☐ **(Art. MSABSPOT)** halls 1–10 and 12 EUR 195.00
☐ **(Art. MSABSPO1)** halls 3C, 3A, 4A, 7A, 11 EUR 295.00
Quantity: _____ pcs

Power supply (Green Energy)
in the corner, rated at 3 kW (AC), including consumption and 3-way mains socket
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC) surcharge EUR 182.00
☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW surcharge EUR 263.00

Cleaning
including basic cleaning before start of the exhibition (also including removal and disposal of carpet dust sheet) and daily cleaning during the exhibition

☐ I am interested in additional graphic design, please send me further information. (You will be contacted after stand confilmation.)

Complete price EUR 141.00/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand RHEA

S0.43

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐

(Art. MSRHEA) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **Minimum size 12 m²**

The rental for the duration of the event includes the following equipment:

Wall construction
plain, conventional wall construction (plane white walls, no visible system), height 2.50 m, up to 3 m in one direction without supporting columns

Cubicle
1.00 x 1.00 m, with lockable door, white

Floor covering
ribbed carpet including dust sheet, edging tape and disposal ribbed, in anthracite
or: ☐ blue

Graphic
2 graphics (approx. 0.5 m² per piece, single-color film plot) at the walls
Customer must provide all data for printing. For logos and printing, data – in vectorised file form (.eps or .ai), 300 dpi and 1:10 format – must be delivered not later than 21 days before the event.

Furniture
1 PC desk /counter, white, front backlit, lockable, top plate with cable outlet, 1000 x 500 x 1100 mm
2 bar stools "COMA", white
1 brochure rack "SLAT"
1 waste paper basket
1 coat rack
1 Additional 3-way mains socket, sited on stand space. (Please send in a sketch with the correct place of socket)

Lighting
1 extending spotlight (LED 25 W) for each full 3 m² of stand space

Additional lighting option
per suspended LED floodlight
SGM P-2, 18 x 10 watts, 4000 Kelvin
☐ **(Art. MSABSPOT)** halls 1–10 and 12 EUR 195.00
☐ **(Art. MSABSPO1)** halls 3C, 3A, 4A, 7A, 11 EUR 295.00
Quantity: _____ pcs

Power supply (Green Energy)
in the corner, rated at 3 kW (AC), including consumption and 3-way mains socket
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC) surcharge EUR 182.00
☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW surcharge EUR 263.00

Cleaning
including basic cleaning before start of the exhibition (also including removal and disposal of carpet dust sheet) and daily cleaning during the exhibition

☐ I am interested in additional graphic design, please send me further information. (You will be contacted after stand confirmation)

RHEA

Complete price EUR 146.90/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand THETYS S0.44

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐

(Art. MSTHETYS) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: **front** _____ **m x depth** _____ **m** **Minimum size 12 m²**

The rental for the duration of the event includes the following equipment:

Walls
construction without system, white, height 2.50 m (plain walls without interruption)

Cubicle
1.00 x 1.00 m, with lockable door, white

Floor covering
ribbed carpet blue, including dust sheet, edging tape and disposal

Aluminum construction
4 m² semi-transparent cloth to hedge the seating area

Graphic
1 graphic (approx. 0.5 m², digital printing) at the wall
Data formats: printable PDF files; also EPS (vector format, fonts converted into paths). Print lead time: 21 days prior to start of exhibition.
In the case of data that cannot be printed directly, processing fees of EUR 90.50/hour apply.

Furniture
1 table "RONDO"
3 chairs "KEN"
1 PC-desk /communication counter with cable outlet, with raised rear panel, lockable, white
High table: 750 x 1100 x 1200 mm
Rear panel: 750 x 3500 x 300 mm
2 bar stools "Z", white
1 waste paper basket

1 additional 3-way mains socket, sited on stand space. (Please send in a sketch with the correct place of socket)

Lighting
1 extending spotlight (LED 14 W) for each full 3 m² of stand space

Additional lighting option
per suspended LED floodlight SGM P-2, 18 x 10 watts, 4000 Kelvin
☐ **(Art. MSABSPOT)** halls 1–10 and 12 EUR 195.00
☐ **(Art. MSABSPO1)** halls 3C, 3A, 4A, 7A, 11 EUR 295.00
Quantity: _____ pcs

Power supply (Green Energy)
in the corner, rated at 3 kW (AC), including consumption and 3-way mains socket
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC) surcharge EUR 182.00
☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW surcharge EUR 263.00

Cleaning
including basic cleaning before start of the exhibition (also including removal and disposal of carpet dust sheet) and daily cleaning during the exhibition

☐ I am interested in additional graphic design, please send me further information. (You will be contacted after stand confirmation)

Complete price EUR 148.90/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand HELIOS S0.50

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSHELIOS) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 15 m²**

The rental for the duration of the event includes the following equipment:

Walls
Stand partition walls on all closed side walls of the stand space, 2.50 m high, white panels

NEW! Complete visual wall back-lit mit LED at the back of the stand, **over the whole width**, back-lit wall 3.30 m high, segmented (internal dimensions of segment panel: 0.96 x 0.788 m), white acrylic, can be printed as option.

Logo
in one panel of the visual wall, film plot, single color, see overleaf for surcharge for company logo.

Ribbed carpet anthracite
(including edging tape, dust sheet and disposal) or:
☐ gray ☐ blue ☐ red
☐ green

NEW! Including false floor,
chipboard, concealed water pipes and cables possible, with aluminium edging strip

Cubicle
Size according to stand size, with lockable, white hinged door, side wall in segment design in blue (RAL colors: blue 5017; red 3020; light gray 7035; dark gray 7037; green 6029; yellow 1023) or:
☐ white ☐ red ☐ light gray
☐ dark gray ☐ green ☐ yellow
(panel above door matches cubicle wall)

Counter "SLIM"
lockable, silver, 0.70 x 0.50 x 1.10 m (W x D x H)

Standing table "Tall"
d = 0.60 m, white top

2 bar stools "Move"
Chrome frame with seat in
☐ red ☐ black

1 coat rack

1 waste paper basket

Power supply (Green Energy)
in the cubicle, rated at 6 kW (AC), including consumption and 3-way mains socket.
☐ Power rating increased from 6 to 9 kW (AC) surcharge EUR 195.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Additional lighting option
per suspended LED floodlight SGM P-2, 18 x 10 watts, 4000 Kelvin
☐ **(Art. MSABSPOT)** halls 1–10 and 12 EUR 195.00
☐ **(Art. MSABSPO1)** halls 3C, 3A, 4A, 7A, 11 EUR 295.00
Quantity: _____ pcs

Complete price EUR 147.00/m² NEW! from now on with Green Energy
incl. power supply rated at 6 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

embeddedworld2021
Exhibition&Conference
... it's a smarter world

Company

Hall/
Stand

S0.50

Contractor: Mesomondo GmbH

Additional equipment
Complete rental stand HELIOS

Order

1. Exclusive variations

1.1 **Floor covering (surcharge per m²):**

Velour carpet
- ☐ light gray EUR 5.65
- ☐ blue EUR 5.65
- ☐ anthracite EUR 5.65

Laminate
with 105 mm false floor, suitable for laying cables underneath; aluminum edging strip
- ☐ Polar oak longstrip wood floor EUR 35.50
- ☐ Maple plank longstrip wood floor EUR 35.50
- ☐ Walnut patchwood longstrip wood floor EUR 35.50
- ☐ Oak Cappuccino 1-strip flooring EUR 35.50
- ☐ Canadian spruce 2-strip plank flooring EUR 35.50

1.2 **Cubicle:**
Extension per m of extra segment wall, color as per first page
- ☐ EUR 86.60

1.3 **Wall cladding (per m)**
without visible supports, height 2.50 m (surcharge). These walls are just asking to be used for graphics.
- ☐ EUR 34.50

2. Visual wall
plastic-coated acrylic panels 3 mm

2.1 **In other colors** (Preis per Platte)
- ☐ other colors on request

2.2 **Acrylic panel** (0.96 x 0.78 m) with single-color film plot
- ☐ EUR 92.90

2.3 **Printed acrylic panels** (digital) for back lighting
Exhibitor must provide print data 20 days before the event
- ☐ (purchase price) EUR 160.50

2.4 **Acrylic panel**
for backlighting
- ☐ (rental price) EUR 102.00

2.5 **Acrylic panel** across 4 segments, white, ideal for highlighting graphic/logo, (surcharge in addition to rent)
- ☐ EUR 119.90

2.6 **Graphic design for whole area**
- ☐ on request

2.7 **Product display** in the wall
- ☐ EUR 203.50

2.8 **Additional back-lit mit LED wall per meter**
- ☐ from EUR 287.90

2.9 **Increasing ob back-lit wall**
Height of wall increased by one additional back-lit mit LEDs segment (W x H: 0.99 x 0.818 m, white acrylic); overall height including extra segment approx. 4.118 m
- ☐ _____ panels EUR 101.00

3. Extra furniture
as per first page (price each)
Standing table "Tall"
- ☐ EUR 40.50

Bar stool "Move"
- ☐ EUR 45.00

Counter element
- ☐ EUR 155.70

Floral stand decoration – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Plants and greenery.

Further stand equipment components can be found at **www.mesomondo.de.**

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:

1. Working hour at EUR 53.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the HELIOS complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:

Design example:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand OBERON S0.51

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
D-90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSOBERON) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 15 m²**

The rental for the duration of the event includes the following equipment:

Walls
Stand partition walls (Syma-system) on all closed sides of the stand space; 2.50 m high; Color of wall panel: light gray combined with:
☐ red ☐ blue ☐ black
☐ gray only

Floor covering
Velour carpet
including edging tape, dust sheet and disposal, **gray or:**
☐ blue ☐ red ☐ anthracite

Cubicle, approx. 2 m², curved
size according to stand space; with lockable hinged door in same color as walls

2 shelves, light gray
1.00 x 0.30 m; with supports

2 curved fascias (height of top edge: 3.20 m) each 1/4 of a circle (approx. 1.54 x 0.70 m)

Lettering/logo
on fascia; brief company name and place of business in Helvetica medium (or other computer fonts on request) and logo, **black or**:
☐ red ☐ blue ☐ green
Please enter text and font in "Remarks" box on the right **or:**
☐ graphics as send in

Counter
1/4 circle, external r = 1.00 m; acryl glass front, **back-lit white or**:
☐ red ☐ blue

3 bar stools "Rondo" white or:
☐ "Rondo" beech

1 table "Rondo" light gray
0.70 m diameter; **or**:
☐ beech
☐ basalt gray

4 chairs "Relax" black or:
☐ "Rondo" beech ☐ "Rondo" white

1 coat rack with 5 hooks

1 waste paper basket

NEW! 1 LED spotlight "Collus"
per full 3 m² of stand space; individually adjustable

2 additional spotlights at fascia "Collus"
for fascia; LED

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket.
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC) surcharge EUR 182.00
☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW surcharge EUR 263.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Complete price EUR 139.50/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Additional equipment
Complete rental stand OBERON

Order

1. Exclusive variations

1.1 **Cubicle:**

Cubicle extension (per m²)
☐ Extra space EUR 19.90

1.2 **Floor covering (per m²):**

False floor
(Art. 60004200) 22 mm chipboard; suitable for laying cables underneath; aluminum edging strip
☐ EUR 15.60

Laminate floor
Laid on 22 mm false floor, aluminum edging strip
☐ beech EUR 35.50
☐ oak EUR 35.50
☐ ash EUR 35.50
☐ hickory EUR 35.50

2. Extra stand equipment:

Variation for table & chairs
1 PC table with oval shelf in
☐ beech
☐ light gray
☐ blue
☐ red

per extra shelf
☐ light gray EUR 22.20
☐ anthracite EUR 25.40

3. Extra furniture (per item)

3.1 **Extra chairs**

"Rondo"
☐ **(Art. 60006085)** beech EUR 23.30
☐ **(Art. 60006085)** white EUR 23.30

"Relax"
☐ black EUR 37.60

3.2 **Extra bar stools**

"Rondo"
☐ **(Art. 60007035)** beech EUR 39.00
☐ **(Art. 60007036)** white EUR 44.35

4. Extra spotlight (per item)
(Art. 60004213) Spotlight "Collus" with LED lamp
☐ EUR 42.21

5. (Art. 60004051) Single-socket outlet (each)
moved to the desired location. Please send in a drawing with the correct place.
☐ EUR 36.90

6. Colored digital printing (per m²)

(Art. 60004087) on self-adhesive foil (including mounting)
☐ EUR 79.40

Data formats: printable PDF files; also EPS (vector format, fonts converted into paths).
Print lead time: 21 days prior to start of exhibition.
In the case of data that cannot be printed directly, processing fees of EUR 90.50/hour apply.

See Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

Floral stand decoration – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Plants and greenery.

More stand equipment components – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:
1. Installation hour at EUR 47.65
2. Machine hour at EUR 67.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the OBERON complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by our ServicePartner Fa. Messebau Wörnlein GmbH.

Remarks:

Design examples with articles at extra cost:

Laminate floor beech

PC-counter with bar stool

Laminate floor white

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand CALYPSO S0.60

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSCALYPSO) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 15 m²**

The rental for the duration of the event includes the following equipment:

Walls
Segmented white stand partition walls on all closed sides of the stand space, 2.50 m high, visible support elements on the front end walls in SYMA MOLTO 90 x 90 mm

Ribbed carpet
including edging tape, dust sheet and disposal, anthracite or:
☐ gray ☐ blue ☐ red
☐ green

Cubicle
Size according to stand size, with lockable, white hinged door, side wall in segment design in colors (RAL colors: blue 5017; red 3020; light gray 7035; dark gray 7037; green 6029; yellow 1023), white or:
☐ red
☐ blue ☐ light gray
☐ dark gray ☐ green
☐ yellow
(panel above door matches cubicle wall)

Tower for effective long-range advertising
Long-range advertising element, SYMA MOLTO 90 x 90 mm, for mounting lighting and graphic elements, front view of column is back-lit height 3.50 m in white or:
☐ red ☐ blue

Printed cloth banner
(4 banner for block stands, 3 for head, in-line and corner stands) with logo, cloth banner 1.80 x 0.81 m
Exhibitor must provide print data 21 days before the event.

Counter
1 lockable bar counter "Syma New", white, 0.99 x 0.50 x 1.10 m, white front, silver body

Table "Avangard"
brushed aluminum, 0.70 m diameter

4 chairs "Volt"
white

1 coat rack

1 waste paper basket

HQI spotlight
1 x 150 W spotlight per 5 m² of stand space

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket.
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC) surcharge EUR 182.00
☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW surcharge EUR 263.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Complete price EUR 155.90/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

embeddedworld2021
Exhibition&Conference
... it's a smarter world

Company

Hall/
Stand

S0.60

Contractor: Mesomondo GmbH

Additional equipment
Complete rental stand CALYPSO

Order

1. Exclusive variations

1.1 **Floor covering (surcharge per m²):**

Velour carpet

☐ light gray	EUR 5.65
☐ blue	EUR 5.65
☐ anthracite	EUR 5.65
☐ other color	on request

False floor
105 mm chipboard; suitable for laying cables underneath; aluminum edging strip

☐	EUR 15.60

Laminate
with 105 mm false floor, suitable for laying cables underneath; aluminum edging strip

☐ Polar oak longstrip wood floor	EUR 35.50
☐ Maple plank longstrip wood floor	EUR 35.50
☐ Walnut patchwood longstrip wood floor	EUR 35.50
☐ Oak Cappuccino 1-strip flooring	EUR 35.50
☐ Canadian spruce 2-strip plank flooring	EUR 35.50

1.2 **Cubicle:**

Extension per meter of extra segment wall, color as per first page

☐	EUR 86.40

2. Extra furniture
as per first page (price each)
Table

☐	EUR 50.50

(Art. 60002090) Chair

☐	EUR 25.00

Counter element

☐	EUR 122.00

3. Extra lighting
(Art. 60001116) HQI spotlight, 150 W

☐	EUR 79.30

Floral stand decoration – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Plants and greenery.

Further stand equipment components can be found at **www.mesomondo.de.**

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:

1. Working hour at EUR 53.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the CALYPSO complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:

Design example with products at additional costs:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand KALLISTO S0.61

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSKALLISTO) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: **front** _____ **m x depth** _____ **m** **minimum size: 15 m²**

The rental for the duration of the event includes the following equipment:

Walls
Stand partition walls (Syma-system) on all closed sides of the stand space; 2.50 m high
Color of wall panel light gray or:
☐ blue ☐ red ☐ anthracite

Floor covering
Velour carpet
including edging tape, dust sheet and disposal, **gray or:**
☐ blue ☐ red ☐ anthracite

Cubicle
size according to stand space; with lockable hinged door with same color as the walls

Ceiling construction
Syma-system with aluminum supports (91 x 91 mm), height to top edge = 3.00 m
Corner stand with integrated fascia 0.966 x 0.424 m

Illuminated wall (on cubicle)
2.00 m wide, 3.00 m high;
Fabric covering with digital print, back-lit

Data formats: printable PDF files; also EPS (vector format, fonts converted into paths).

Print lead time: 21 days prior to start of exhibition.
In the case of data that cannot be printed directly, processing fees of EUR 90.50/hour apply.
See Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

Counter "Circle"
1.50 x 0.60 x 1.10 m;
gray body; silver front with back-lit colored acrylic glass strips, in white **or:**
☐ blue ☐ red

1 table half-round (h = 0.75 m)
1.125 x 0.96 m, silver, fixed to support, with screen of satinized acrylic glass at head and corner stands

3 chairs „Relax", leather black

1 bar stool "Coma", anthracite

2 wall leaflet trays (DIN A4, at wall)

1 coat rack with 5 hooks

1 waste paper basket

1 LED spotlight "Collus"
for each full 4 m² of stand space

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket.
☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC) surcharge EUR 182.00
☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW surcharge EUR 263.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

KALLISTO

Complete price EUR 152.90/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption, pre-show and daily cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Additional equipment
Complete rental stand KALLISTO

Order

1. Exclusive variations

1.1 **Floor covering (per m²):**

False floor
(Art. 60004200) 22 mm chipboard; suitable for laying cables underneath; aluminum edging strip
☐ EUR 15.60

Laminate floor
Laid on 22 mm false floor, aluminum edging strip
☐ beech EUR 35.50
☐ oak EUR 35.50
☐ ash EUR 35.50
☐ hickory EUR 35.50

2. Variants:

2.1 **Variation for "Relax" table and chairs:**
3 "Coma" bar stools and table
Half-round, h = 1.10 m
☐ EUR 42.00

3. Extra furniture (per item):

3.1 **(Art. 60005040) Counter "Circle"** EUR 329.60
1.50 x 0.60 x 1.10 m; gray body; silver front with back-lit colored acrylic glass strips
☐ white ☐ blue ☐ red

3.2 **Chair "Relax"**
☐ Leather black EUR 37.60

3.3 **(Art. 60007020) Bar stool "Coma"**
☐ anthracite EUR 45.90

3.4 **(Art. 60006025) Table "Rondo" round, 0.70 m diameter**
☐ light gray EUR 41.40
☐ beech EUR 41.40
☐ anthracite EUR 41.40

3.5 **Table square 0.70 x 0.70 m**
☐ light gray EUR 29.60
☐ **(Art. 60006008)** beech EUR 31.20
☐ **(Art. 60006005)** anthracite EUR 30.50

4. Additional spotlight (per piece):
(Art. 60004213) Spotlight "Collus" with LED lamp
☐ EUR 42.21

5. (Art. 60004051) Single-socket outlet (each)
moved to the desired location. Please send in a drawing with the correct place.
☐ EUR 36.90

6. Colored digital print (per m²)
(Art. 60004087) on self-adhesive film (including mounting)
☐ EUR 79.40

Data formats: printable PDF files; also EPS (vector format, fonts converted into paths).
Print lead time: 21 days prior to start of exhibition.
In the case of data that cannot be printed directly, processing fees of EUR 90.50/hour apply.

See Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

Floral stand decoration – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Plants and greenery.

Exclusive and additional equipment can be seen in the stand configurator at **www.standconfigurator.com**.
More stand equipment components – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:

1. Installation hour at EUR 47.65
2. Machine hour at EUR 67.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the KALLISTO complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:

Design examples with articles at extra cost:

Laminat oak

Additional wall construction:
meeting room

Variation:
3 bar stools and high table

Laminate beech

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand SIRIUS

S0.70

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐

(Art. MSSIRIUS) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 24 m²**

The rental for the duration of the event includes the following equipment:

Walls
conventional walls, white,
height 2.50 m, on all closed sides of the stand space
(no system material visible)

Ribbed carpet
including dust sheet and disposal, anthracite; with false floor of chipboard and all-round aluminum edging strip
or:
☐ green ☐ gray ☐ red ☐ blue

Cubicle
approx. 3 m², with lockable hinged door, height 2.50 m, segmented side walls, acryl glass panels, white or:
☐ orange ☐ blue

Visual wall (on the cubicle)
height 4.00 m, conventional wall design, white, with 6 sockets for mounting shelves or leaflet holders with 1 shelf, 1.50 x 0.20 m, white

Light box (on the cubicle)
large, back-lit on one side, including digital print on fabric, width 2.00 m, height 3.00 m

Lettering an Visualwand (back-lit)
light box, back-lit on one side, including 1 logo digital printing, width 1.50 m, height 0.40 m
Exhibitor must provide print data 21 days before the event.

1 table
silver frame, white top;
0.70 m diameter

4 chairs
☐ "Bonni", chrome frame, upholstered, black or:
☐ red ☐ blue

1 counter "Madrid"
white, lockable
(W x D x H) 1.70 x 0.60 x 1.10 m

☐ Alternative to seating group (1 table and 4 "Bonni" chairs) for a surcharge 321.50
1 "Toledo 130" high table (130 x 0.60 x 1.10 m) and 4 "New Samba" bar stools (transparent plastic)

At extra cost
☐ **(Art. MSGARDHO)** 1 coat rack EUR 22.00
☐ **(Art. MSPKHO)** 1 waste paper basket EUR 9.90

1 bar stool

1 room divider
white, width suitable to stand size, depth approx. 0.30 m, height 0.80 m, including plants

Continued overleaf!

Complete price EUR 169.00/m² NEW! from now on with Green Energy
incl. power supply rated at 6 kW, consumption and pre-show cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Master 2021/001

Order (continued)

Lighting
one 400 watt HQI flat spotlight per full 8 m² of stand space, mounted on a 30 x 30 cm truss and suspended from the ceiling, position: truss mounted at front of stand (on longer gangway side for corner stands) approx. 1.50 m from edge height: top edge of truss approx. 5.00 m (unless a lower maximum height is specified for the event)

Power supply (Green Energy)
in the cubicle, rated at 6 kW (AC), including consumption and 3-way mains socket.

☐ Power rating increased from 6 kW to 9 kW (AC) surcharge EUR 195.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection. Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Additional equipment
Complete rental stand SIRIUS
Order

1. Floor covering (per m²):
Surcharge for laminated floor
- ☐ Polar oak longstrip wood floor EUR 35.50
- ☐ Maple plank longstrip wood floor EUR 35.50
- ☐ Walnut patchwood longstrip wood floor EUR 35.50
- ☐ Oak Cappuccino 1-strip flooring EUR 35.50
- ☐ Canadian spruce 2-strip plank flooring EUR 35.50

2. Larger cubicle
☐ on request

3. Height of wall
increases to 3.50 m height, white (per m) EUR 23.30

4. Additional equipment on visual wall

4.1 **Display unit on visual wall (each)**
Extra shelf, white, including shelf holder, 1.50 x 0.20 m
☐ EUR 122.50

Acrylic glass leaflet holder, DIN A4
☐ EUR 66.30

4.2 **LCD display, 48" LCD**, including USB player modul (MPEG4, H 264, AVI, FLU, WMV, MOV), including mounting on visual wall, zuzüglich Montagewand see 5.3
☐ EUR 532.00

4.3 **Mounting wall for display** (on visual wall), white, 2.00 x 3.00 m EUR 217.90

5. Additional wall decoration

5.1 **Graphics (per m²)**
Digital print for wall element or counters, print including assembly
☐ EUR 67.00

6. Furniture
Further furniture
☐ on request

Exclusive and additional equipment
can be seen in the stand configurator at **www.standconfigurator.com**. Additional stand equipment can be found at **www.mesomondo.de.**

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:

1. Working hour at EUR 53.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the SIRIUS complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:



Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand PLUTO

S0.71

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSPLUTO) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: **front** _____ **m x depth** _____ **m** **minimum size: 24 m²**

The rental for the duration of the event includes the following equipment:

Walls
Stand partition walls (wall design hides system material) on all closed sides of the stand space; 2.50 m high in white
or:
☐ light gray

Velour carpet
including dust sheet, edging tape and disposal, **gray or:**
☐ anthracite ☐ red ☐ blue

Cubicle
size according to stand space; with lockable hinged door in same color as walls

Corner column
0.25 x 0.25 m; in anthracite; at all open corners of head or block stands; with mounting slots

2 slatted walls, white
2.50 x 1.00 m; with slots for fixing various presentation aids, **or**:
☐ light gray

2 shelves
1.00 x 0.30 m; with supports, **in white or**:
☐ light gray ☐ anthracite
☐ beech

Design wall (on cubicle)
2.50 m high; with raised wall design element 3.00 m high (RAL color: 7012) anthracite **or:**
☐ wooden slats ☐ web panel

NEW! 3 LED spots "Collus"
on the wall behind the counter

Ceiling construction
"Cupan" in silver with fascia attached (web panel); triangular 2.00 x 1.40 m
or:
☐ rectangular 2.00 x 0.50 m

Lettering/logo as digital printing on fascia
Logo (digital printing) or brief company name and place of business in Helvetica medium (or other computer fonts on request) and company logo in black **or**:
☐ white ☐ red
☐ blue ☐ green
Please enter text and font in "Remarks" box on the right.

Counter
2.00 x 0.50 x 1.10 m; basalt „"U" frame with 1 shelf; front with
☐ wooden slats ☐ web panel

1 table 0.70 m diameter; "Rondo" **white or**:
☐ gray ☐ beech

4 chairs "Thonet" black or:
☐ "m.o.d" with arm rest
☐ "Relax" black

2 bar stools "Rondo" white or:
☐ "Rondo" beech

☐ **(Art. MSGARDWÖ)** 1 coat rack with 5 hooks at extra cost EUR 22.00

☐ **(Art. MSPKORBWÖ)** 1 waste paper basket at extra cost EUR 9.90

1 halogen spotlight
100 W for each full 4 m² of stand space; silver; mounted on power rail; designer light

Continued overleaf!

Complete price EUR 163.00/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption and pre-show cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Master 2021/001

Order (continued)

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket.

☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC) surcharge EUR 182.00

☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW surcharge EUR 263.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Additional equipment
Complete rental stand PLUTO

Order

1. Exclusive variations

1.1 **Cubicle:**

Larger cubicle (per m²)
☐ additional space EUR 19.75

1.2 **Floor covering (per m²):**

False floor
(Art. 60004200) 22 mm chipboard; suitable for laying cables below; aluminum edging strip
☐ EUR 15.60

Laminate
with false floor (22 mm) and aluminum edging strip
☐ beech EUR 35.50
☐ oak EUR 35.50
☐ ash EUR 35.50
☐ hickory EUR 35.50

1.3 **Design wall element (each):**
☐ milky acryl glass EUR 89.95
☐ satinized red EUR 128.80
☐ satinized blue EUR 128.80
☐ satinized smoke gray EUR 128.80

1.4 **Counter front:**
☐ milky acryl glass EUR 39.80
☐ satinized red EUR 65.90
☐ satinized blue EUR 65.90
☐ satinized smoke gray EUR 65.90
☐ back-lit red EUR 124.70
☐ back-lit blue EUR 124.70
☐ back-lit gray EUR 124.70

2. Additional stand equipment:

2.1 **Variations for slatted wall (2 items)**
☐ beech EUR 52.90

Additional slatted walls
☐ white EUR 88.30
☐ light gray EUR 113.50
☐ beech EUR 113.50

2.2 **Per additional shelf**
☐ white EUR 36.28
☐ light gray EUR 36.28
☐ beech EUR 36.28
☐ anthracite EUR 36.28

2.3 **Per podest "U"**
0.50 x 0.50 m; anthracite
☐ 0.75 m high EUR 126.50
☐ 1.05 m high EUR 140.00
☐ 1.35 m high EUR 153.60

Showcase "U"
podest "U" with showcase (height 50 cm) on top
☐ podest 0.75 m EUR 163.70
☐ podest 1.05 m EUR 177.70
☐ podest 1.35 m EUR 191.10

3. Additional furniture (each):

3.1 **(Art. 60006025) Table "Rondo" 0.70 m diameter**
☐ white EUR 41.40
☐ light gray EUR 41.40
☐ beech EUR 41.40

3.2 **Chairs**
☐ "Thonet" black EUR 44.90
☐ **(Art. 60006065)** "m.o.d" with arm rest EUR 41.40
☐ **(Art. 60006065)** "m.o.d" without arm rest EUR 41.40
☐ "Relax" black EUR 37.60

3.3 **Bar stools**
☐ **(Art. 60007036)** "Rondo" white EUR 44.35
☐ **(Art. 60007035)** "Rondo" beech EUR 39.00

4. Additional lighting (each)
☐ **(Art. 60005020)** Spotlight (100 Watt) EUR 42.52

5. (Art. 60004051) Single-socket outlet (each)
moved to the desired location. Please send in a drawing with the correct place.
☐ EUR 36.90

Floral stand decoration – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Plants and greenery.

Exclusive and additional equipment can be seen in the stand configurator at **www.standconfigurator.com**. More stand equipment components – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:

1. Installation hour at EUR 47.65
2. Machine hour at EUR 67.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the PLUTO complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:

Design examples with articles at extra cost:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand VESTA S0.81

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSVESTA) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: **front** _____ **m x depth** _____ **m** **minimum size: 15 m²**

The rental for the duration of the event includes the following equipment:

Walls
Stand partition walls (no system material visible) on all closed sides of the stand space; 2.50 m high, white **or**:
☐ light gray ☐ ivory

Floor covering
Velour carpet
including edging tape, dust sheet and disposal, **silver or**:
☐ anthracite ☐ red ☐ blue

Cubicle
size according to stand space; with lockable hinged door in same color as walls

1 slatted wall
2.50 x 1.00 m; with grooves for fixing various presentation aids, **white or**:
☐ gray ☐ beech

2 shelves for slatted wall
1.00 x 0.30 m; white **or**:
☐ gray ☐ beech

Illuminated wall, 0.80 x 2.38 m (on cubicle):
☐ Acrylic glass, satinized and back-lit
☐ Display: Print on self-adhesive film

Printing based on provided data (see text below).

Ceiling construction
Syma-system Aluminum supports (91 x 91 mm), overall height = 3.50 m

1 LED fascia (please indicate position)
Light box 1.50 x 0.50 m; with digital print on fabric at front, back-lit withe LEDs. Printing based on provided data (see text below).

Data formats: printable PDF files; also EPS (vector format, fonts converted into paths).
Print lead time: 21 days prior to start of exhibition.
In the case of data that cannot be printed directly, processing fees of EUR 90.50/hour apply.
See Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

Counter
1.00 x 0.60 x 1.10 m; "L-Form"; fixed to support in variable position, **anthracite or**:
☐ beech

2 bar stools "Coma", gray

1 Side table "Domino"
Chrome frame with clear glass top

2 Arm chair "Romeo", black leather

1 coat rack with 5 hooks

1 waste paper basket

NEW! 1 LED spotlight "Collus"
130 W for each full 4 m² of stand space

Continued overleaf!

VESTA

Complete price EUR 184.50/m² NEW! from now on with Green Energy
incl. power supply rated at 3 kW, consumption and pre-show cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or
messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Master 2021/001

Order (continued)

Power supply (Green Energy)
in the cubicle, rated at 3 kW (AC), including consumption and 3-way mains socket.

☐ **(Art. STROM6KW)** Power rating increased from 3 kW to 6 kW (AC) surcharge EUR 182.00

☐ **(Art. STROM9KW)** Power rating increased from 3 kW to 9 kW surcharge EUR 263.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Additional equipment
Complete rental stand VESTA

Order

1. Exclusive variations

1.1 **Cubicle:**

Cubicle extension (per m²)
☐ Extra space EUR 19.90

1.2 **Floor covering (per m²):**

False floor
(Art. 60004200) 22 mm chipboard; suitable for laying cables underneath; aluminum edging strip
☐ EUR 15.60

Laminate floor
Laid on 2 mm false floor, aluminum edging strip
☐ beech EUR 35.50
☐ oak EUR 35.50
☐ ash EUR 35.50
☐ hickory EUR 35.50

2. Extra stand equipment:

2.1 **Extra slatted walls**
☐ light gray EUR 113.50
☐ white EUR 88.30
☐ anthracite EUR 113.50
☐ beech EUR 113.50

2.2 **Extra shelf (each)**
☐ white EUR 36.30
☐ light gray EUR 36.30
☐ beech EUR 36.30

3. Equipment for aluminum construction (per item):

Extra LED-light box
☐ EUR 203.60

Leaflet tray
(metal, DIN A4 portrait)
☐ EUR 53.20

4. Extra furniture (per item):

Counter, "L" form fixed to supports
☐ beech EUR 180.50
☐ anthracite EUR 180.50
Please indicate position.

(Art. 60007020) Bar stool "Coma"
☐ EUR 45.90

(Art. 60004210) Side table "Domino", glass
☐ EUR 49.40

(Art. 60007045) Leather chair "Romeo"
☐ black leather EUR 65.60

5. (Art. 60004051) Single-socket outlet (each)
moved to the desired location. Please send in a drawing with the correct place.
☐ EUR 36.90

6. Extra spotlight

(Art. 60004213) Spotlight "Collus" with LED lamp
☐ EUR 42.21

7. Colored digital printing (per m²)

(Art. 60004087) on Self-adhesive film (including mounting)
☐ EUR 79.40

Data formats: printable PDF files; also EPS (vector format, fonts converted into paths).
Print lead time: 21 days prior to start of exhibition.
In the case of data that cannot be printed directly, processing fees of EUR 90.50/hour apply.

Floral stand decoration – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Plants and greenery.

More stand equipment components – see Online ExhibitorShop under Stand Construction – Extra stand equipment / floor coverings / furniture – Stand equipment (contractor: Messebau Wörnlein GmbH).

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:

1. Installation hour at EUR 47.65
2. Machine hour at EUR 67.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the VESTA complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

The charges for additional equipment are invoiced by the ServicePartner.

Remarks:

Design examples with articles at extra cost:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand SATURN S0.95

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

(Art. MSSATURN) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 28 m²**

The rental for the duration of the event includes the following equipment:

Walls
white stand partition walls in grid design on all closed sides of the stand space (Syma system; 3.00 m high)

Ribbed carpet
with false floor on chipboard and all-round aluminum edging strip, including protective plastic covering, edging tape and disposal; anthracite or:
☐ red ☐ blue

Cubicle
size according to stand space;
white; panel design;
with lockable door;
same design as wall

2 visuals
in grid design, with white acrylic glass, back-lit, 4.00 m high, 1.00 m width, back panels white

Lettering/logo
1 color plot, black; please enter text in "Remarks" box onthe right

2 side table "Stylus"
round, 0.50 cm; chrome base with glass top; 0.51 m high

6 Lounge stool "Dado"
chromium frame, upholstery synthetic leather, white

Spotlight
130 W, 1 spotlight for each full 4 m² stand space; including low-voltage spotlights built into ceiling

Power supply (Green Energy)
in the cubicle, rated at 6 kW (AC), including consumption and 3-way mains socket.
☐ Power rating increased from 6 kW to 9 kW (AC) surcharge EUR 195.00

Power supply of more than 9 kW – see Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

Including pre-show and daily cleaning, removing and disposal of carpet dust sheet.

Complete price EUR 203.50/m² NEW! from now on with Green Energy incl. power supply rated at 6 kW, consumption and pre-show cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

embeddedworld2021
Exhibition&Conference
... it's a smarter world

Company

Hall/
Stand

S0.95

Contractor: Mesomondo GmbH

Additional equipment
Complete rental stand SATURN

Order

1. Exclusive variations

1.1 **Floor covering**
(at extra cost per m²):

Velours

☐ wine red	EUR 5.65
☐ blue	EUR 5.65
☐ gray	EUR 5.65
☐ slate	EUR 5.65

Laminate
with false floor, 105 mm, (chip-board) and aluminum profiles

☐ Polar oak longstrip wood floor	EUR 35.50
☐ Maple plank longstrip wood floor	EUR 35.50
☐ Walnut patchwood longstrip wood floor	EUR 35.50
☐ Oak Cappuccino 1-strip flooring	EUR 35.50
☐ Canadian spruce 2-strip plank flooring	EUR 35.50

1.2 **Visuals (2 items):**
complete visuals back-lit

☐ integrated full size banner, back-lit, including full digital print	EUR 237.40
☐ colored acrylic glass	on request

Exhibitor must provide print data 21 days before the event.

1.3 **Stand furniture:**

1.4 **Additional furniture (each):**

Lounge chair "Dado"
☐ EUR 108.50

Side table "Stylus"
☐ EUR 52.00

Info counter "Slide"
☐ EUR 132.50

Bar stool "Cube"
☐ EUR 53.50

Lounge furniture "High Chair"
anthracite, upholstery fabric
☐ EUR 325.00

1.5 **Additional lighting (each):**

(Art. 60001115) Extending spotlight
130 W, energy saver
☐ EUR 42.20

Floral stand decoration – see Online ExhibitorShop under Stand service – Stand furnishings & equipment – Plants and greenery.

Exclusive and additional equipment
can be seen in the stand configurator at **www.standconfigurator.com**. Additional stand equipment can be found at **www.mesomondo.de.**

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:

1. Working hour at EUR 53.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the SATURN complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

Remarks:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Complete rental stand SUN S0.99

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

(Art. MSSONNE) Order

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 24 m²**

The rental for the duration of the event includes the following equipment:

Wall construction
Molto 90 substructure, height 4 m, full surface, also includes LED-backlit facing edges.
Wall surfaces hung with digitally printed fabric banner.

Cabin (incl. door also fully back-lit)
1894 x 1479 mm, with lockable side-hung door, door and walls fully hung with back-lit, digitally printed fabric banner.

Customer to supply all data for printing. For logos and printing, data – in vectorised file form (.eps or .ai), 300 dpi and 1:10 format – must be supplied no later than 21 days before the event.

Velour carpeting
Including edge trim, carpet disposal and cover sheeting, with double floor (105 mm high, suitable for running power cables and water/waste water pipes out of sight, particleboard; double-layered) and surrounding aluminium trim in anthracite shades or
☐ blue ☐ green ☐ grey ☐ red

Furnishings
The sample furnishings in the image can be booked overleaf. Additional furnishings and design options can also be found in our stand configurator: www.standkonfigurator.de.

Lighting
The complete wall structure is back-lit with LEDs; flood lamps hung from the ceiling can be booked in addition.

Additional lighting option
per suspended LED floodlight
SGM P-2, 18 x 10 watts, 4000 Kelvin
☐ **(Art. MSABSPOT)** halls 1–10 and 12 EUR 195.00
☐ **(Art. MSABSPO1)** halls 3C, 3A, 4A, 7A, 11 EUR 295.00
Quantity: _____ pcs

Power supply (Green Energy)
in cabin with connected load of up to 6 kW (AC), including power consumption and triple mains socket.
☐ Power can be increased from 6 kW to 9 kW (AC) Surcharge EUR 195.00

Power supplies in excess of 9 kW can be found in the online ExhibitorShop under the headings Technical & Logistics – Electricity Supply – Main Connection.

Price includes basic cleaning and cleaning during the show, and removal of cover sheeting.

Complete price EUR 297.00/m² NEW! from now on with Green Energy incl. power supply rated at 6 kW, consumption and pre-show cleaning

You can use our practical online aid on the Internet at **www.standconfigurator.com** to visualize the shape, color and equipment of **your** personal exhibition stand. We will be pleased to advise you personally:

T +49 9 11 86 06-80 00 or messeservice@nuernbergmesse.de

Additional services, special equipment and individual requirements are obtainable on request and can be ordered overleaf.

Text for lettering on fascia:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

embeddedworld2021
Exhibition&Conference
... it's a smarter world

Company

Hall/
Stand

S0.99

Contractor: Mesomondo GmbH

Additional equipment
Complete rental stand SUN

Order

1. Exclusive variation options

1.1 **Laminate flooring (surcharge per m²):**
Supported by 105 mm double floor; cable routing available; aluminium trim

- ☐ Polar oak blank flooring EUR 35.50
- ☐ Maple plank flooring EUR 35.50
- ☐ Patchwood walnut plank flooring EUR 35.50
- ☐ Cappuccino oak wide planks EUR 35.50
- ☐ Canadian spruce wide plank, 2-strip EUR 35.50

2. Furnishings (Price per item):

2.1 **Two-seater, "Nero"**

- ☐ Faux leather upholstery black EUR 207.00
- ☐ Faux leather upholstery white EUR 207.00
- ☐ Fabric upholstery black EUR 207.00

2.2 **Side table, "Tria"**
Height 57/50/37 cm, matt chrome frame, black top

- ☐ EUR 78.00

2.3 **(Art. 60010135) Counter "Milano"**
120 cm wide, 110 cm high, 50 cm deep, body white, front back-lit with white Plexiglass, 1 shelf, rear lockable

- ☐ 355.50

2.4 **Brochure display stands, "PZ 6"**
6 DIN A4 pockets, 42/30/154 cm high, clear acrylic

- ☐ EUR 93.00

2.5 **Coat racks "Flag"**
Metal-polypropylene frame, white or

- ☐ black EUR 42.00
- ☐ red EUR 42.00

Exclusive and additional equipment
can be seen in the stand configurator at **www.standconfigurator.com**.
Additional stand equipment can be found at **www.mesomondo.de.**

All prices
are subject to the addition of VAT at the statutory rate.

Services on request
The following hourly flat rates are charged plus VAT at the statutory rate:
1. Working hour at EUR 53.70

The NürnbergMesse GmbH is responsible for assembling and dismantling the SUN complete rental stand.

The complete rental stand and its equipment must not be pasted over, nailed, painted or damaged in any other way.

The exhibitor is liable for damage caused during the rental period and will be charged with the costs.

Remarks:

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Basic rental stand Syma system S1.10

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

Order (Special Conditions for Services overleaf)

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 9 m²**

The rental for the duration of the event includes the following equipment:

The rental for the Syma system stand is:

EUR 64.80/m² (up to 20 m² stand space)
EUR 63.70/m² (from 21 m² to 30 m² stand space)
EUR 59.90/m² (from 31 m²2 stand space).

We will be pleased to advise you on the individual design of your exhibition stand.

Can be extended with information counter, product display units and shelves on request (extra charge). Please order in the Online ExhibitorShop under Stand service – Stand furnishings & equipment (contractor: Mesomondo GmbH).

Equipment for Syma system stand

Standard equipment (tick as applicable)

Carpet over complete stand floor
including dust sheet, anthracite or: ☐ light gray ☐ blue

Wall elements white, plain or: ☐ perforated

Cubicle with hinged door
standard size 1 m²; please indicate other size (at additional costs):
_____ m x _____ m

Sliding fascia, white or: ☐ blue

Company name/place of business on 1 fascia
with self-adhesive letters in black or white with blue fascia
Please state the text for the sliding fascia overleaf.

1 table 0.70 x 0.70 m;
with 4 chair, black or: ☐ light gray ☐ blue

Special color for walls.
Extra charge per side of wall element on request. RAL: _____



* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Text for lettering on fascia:

Additional lettering:

Self-adhesive letters (Swiss 721 Md) including mounting.
Different color letters and graphic design of logos, etc. on request. Please order in the Online ExhibitorShop under – Stand furnishings & equipment – Lettering/prints (contractor: Mesomondo GmbH).

Electrical equipment (including installation)

Please order power supply on Form S2.10.

☐ **(Art. 60001115)** Spotlight 130 W at EUR 42.20 _____ Qty.

Other additional stand equipment:

Please order rental furniture, lattice ceilings with light units, shelves, etc. in the Online ExhibitorShop under Stand service – Stand furnishings & equipment (contractor: Mesomondo GmbH).

Special Conditions for Services provided by Mesomondo GmbH

Messezentrum 1, 90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de, www.mesomondo.de

Rental conditions

1. Unless otherwise stated, the rental charge is calculated for the duration of the event and is due for payment in full immediately on receipt of the invoice.
2. Unless otherwise stated, all items listed are available for rental only. The rental goods are not suitable for use outdoors.
3. The price quoted includes delivery, assembly and dismantling.
4. Reductions in the price per m² cannot be considered for any deduction in services requested by the exhibitor.
5. Missing or damaged rental goods will be charged at the cost of replacement. The exhibitor's liability for stand elements and furniture commences on delivery and ceases on collection by the ServicePartner (even if exhibitor has already left the stand), up to a maximum of 24 hours after the end of event.
6. Please note: The following surcharges will be made for orders and orders with incomplete information received less than 21 days before the start of the event:
   Services at fixed prices (e.g. furniture ...) 25 %
   hourly work (e.g. modifications ...) 50 %.
7. Immediately following delivery, the lessee is obliged to convince himself/herself of the proper condition of the rental items and the completeness of the delivery.
   By accepting receipt of the goods, the lessee confirms flawless service. Potential complaints by the lessee with respect to services not in conformity with the contract must be made within 24 hours at Mesomondo GmbH. Later objections are invalid.
   The lessee is aware that the rental goods are used repeatedly and not always in mint condition. Normal traces of use do not constitute a reason for complaint.
   Cancellation by the customer:
   The latest date that a customer can cancel a binding order is up to 21 calendar days before the beginning of the event.
   This cancellation must be sent in writing to Mesomondo GmbH.
   Notwithstanding the above, Mesomondo GmbH is entitled to the agreed-upon compensation for the services rendered up to that point.
8. All prices are subject to the addition of VAT at the statutory rate.
9. Foreign exhibitors not settling invoices in cash will be debited with any bank charges incurred. International checks, credit cards and credit transfer from outside the EUR (€)-area will be charged with EUR 30.
10. A processing fee of EUR 50 plus VAT at the statutory rate will be charged for issuing a new invoice due to incorrect information provided by the applicant. This fee will be included in the new invoice issued.
11. The place of fulfillment and jurisdiction for both parties, including debt collection proceedings, is Nürnberg.
12. **The stand holder is liable for any damage caused by inappropriate handling of walls and fascias, for example, screwing, nailing and use of strong adhesives.**
    The use of screws, nails or adhesive tapes is not allowed.
    We must charge you for any damaged, soiled or stuck stand material.
    To clean adhesives from our rental equipment we have to charge you the costs listed below:
    - Wall panel EUR 21.00 each, net
    - Support EUR 20.00 each, net
    - Frame EUR 17.00 each, net
13. This order form also acts as the contract to supply goods, unless cancelled by us.

Services and orders made as part of the Last Minute Service are due for payment immediately.

Fitters hourly rate

The following hourly flat rates are charged plus VAT at the statutory rate:

1. Working hour at EUR 53.70

Payment by credit card

☐ We wish to pay by credit card:

Issuer: ☐ MasterCard ☐ American Express ☐ VISA ☐ Diners Club

Card no.: _____ / _____ / _____ / _____

Card verification no.: (The last 3 digits next to the signature on the back of the card or for AMEX 4 digits on the front) | | | | |

Valid until: _____

Holder of card: _____

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Basic rental stand PRIMO S1.11

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

Order (Special Conditions for Services overleaf)

Stand type (Please enclose plan):

☐ **in-line stand** ☐ **corner stand** ☐ **head stand** ☐ **block stand**

Stand size: front _____ **m x depth** _____ **m** **minimum size: 9 m²**

The rental for the duration of the event includes the following equipment:

Equipment for rental stand PRIMO (System Syma)

Standard equipment (tick as applicable)

1. **Felt carpet**
   Rolls, brand-new, over complete stand floor, including dust sheet edging tape and disposal, anthracite or:
   ☐ beige ☐ gray ☐ blue
   ☐ red ☐ green
2. **Stand partition walls, white, matt or:**
   ☐ white; perforated panel
   ☐ Wood décor, "antique white"
   Other colors and finishes on request.
3. **Cubicle**
   with DIN hinged door, lockable (folding door at extra cost).
   Please indicate dimensions, position and door opening direction on the plan in the Online ExhibitorShop under Stand service – Stand variants – Stand partition walls.
4. **Fascia,** height: 0.30 m
   white or: ☐ blue ☐ red
   Special colors on request.
5. **Fascia lettering**
   Company name and place of business on each open side of stand. Font: Helvetica semi-bold, black (with white background) or white (other colors)
   Please state the text for the fascia overleaf. If nothing is specified, the company name and location are automatically used.
6. **Table, white, round 0.70 m diameter or:**
   ☐ square 0.70 x 0.70 m
7. **Chairs**
   4 chairs; please enter the desired item number from the form "Rental of extra stand equipment, floor coverings and furniture", which can be found in the Online ExhibitorShop under Stand service – Stand furnishings & equipment (contractor: Messebau Wörnlein GmbH) onwards:
   _____
8. **Collus LED,** 130 W
   1 piece per 4 m²

The rental for the meroform system stand is:

EUR 70.60/m²
EUR 67.20/m² (21 m² or more)
EUR 62.00/m² (31 m² or more).

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Text for lettering on fascia:

Additional lettering:

Please order special lettering and logos in the Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH).

Electrical equipment

Spotlights can be ordered in the Online ExhibitorShop under Stand service – Stand furnishings & equipment (contractor: Messebau Wörnlein GmbH).

A power supply can be ordered in the Online ExhibitorShop under Technical services & logistics – Electrical supply – Main connection.

messebau wörnlein

ServicePartner:
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Special Conditions for Services provided by Messebau Wörnlein GmbH

1. This order form also acts as the contract to supply goods, unless cancelled by us.
2. Unless otherwise stated, the rental charge is calculated for the duration of the event.
3. Please note: The following surcharges will be made for orders and orders with incomplete information received less than 21 days before the start of the event:
   Services at fixed prices (e.g. furniture ...) 25 %
   hourly work (e.g. modifications ...) 50 %.
4. The price quoted includes delivery, assembly and dismantling. Reductions in the price per m^2 of rental and exhibition stands cannot be considered for any deduction in services requested by the exhibitor.
5. Unless otherwise stated, all items listed are available for rental only.
6. **The stand holder is liable for any damage caused by inappropriate handling of walls and fascias, for example, screwing, nailing and use of strong adhesives.**
7. Missing or damaged rental goods will be charged at the cost of replacement. The exhibitor's liability commences on delivery and ceases on collection by the ServicePartner (even if exhibitor has already left the stand), up to a maximum of 24 hours after the end of event.
   Rental articles are not insured.
   Exhibition insurance is therefore recommended!
8. **Cancellation by the customer:**
   The latest date that a customer can cancel a binding order is up to 21 calendar days before the beginning of the event. This cancellation must be sent in writing to Messebau Wörnlein GmbH. Notwithstanding the above, Messebau Wörnlein GmbH is entitled to the agreed-upon compensation for the services rendered up to that point.
   Immediately following delivery, the lessee is obliged to convince himself/herself of the proper condition of the rental items and the completeness of the delivery.
   By accepting receipt of the goods, the lessee confirms flawless service. Potential complaints by the lessee with respect to services not in conformity with the contract must be made within 12 hours. Later objections are invalid.
   The lessee is aware that the rental goods are used repeatedly and not always in mint condition. Normal traces of use do not constitute a reason for complaint.
9. Payment is due in full immediately on receipt of the invoice. International checks, credit cards and credit transfer from outside the EUR (€)-area will be charged with EUR 13.95.
10. A processing fee of EUR 30 plus VAT at the statutory rate will be charged for issuing a new invoice due to incorrect information provided by the applicant. This fee will be included in the new invoice issued.
11. **All prices are subject to the addition of VAT at the statutory rate.**
12. The place of fulfillment and jurisdiction for both parties, including debt collection proceedings, is Nürnberg.

The ServicePartner settles accounts with exhibitors during the event.

The following credit cards are accepted: MasterCard, American Express, VISA.

Please make sure you have not already ordered a basic rental stand on the application form!

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Presentation with pep: Stylish not standard!

Individuality guarantees success. You are only noticed and remembered if you are different. We therefore design an unusual stand for you, a stand that highlights your company, your philosophy and your products in a credible and exciting way.
In short: An individual stand that guarantees you a successful exhibition.

We implement, plan and design your ideas with you. With our some 30 partners, we offer advice and genuine full service – for a really successful presentation.

Have we aroused your interest? If so, please fill in the questionnaire overleaf and fax to Exhibition Services.

Enquiry for individual stand design: Ask for an offer! S1.40

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Internet

1. At what other exhibition(s) do you exhibit?

2. What is your reason for exhibiting?
(Please indicate order of priority if you tick more than one box)

- ☐ Customer care
- ☐ Image care
- ☐ Gaining new contacts
- ☐ Exchanging views
- ☐ Gaining new customers
- ☐ Sales transactions
- ☐ Presentation of new products
- ☐ Observation of competition
- ☐ General information about your products
- ☐ Other:

3. What is your budget for stand construction and exhibition presentation?
(in EUR)

4. What products and/or services will you offer?

5. What colors, shapes and logos would you like for your stand?

6. What and how many exhibits will you present at the exhibition?
(Please state dimensions)

7. What advertising materials (brochures, flyers, graphics, media, etc.) will you bring with you?

8. What did you particularly like or dislike the last time you exhibited – especially in terms of stand construction?

This is only initial information for us. We will be pleased to discuss further details with you personally.

Your Exhibition Services Team

Master 2021/001

Plan of stand

S1.45

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Company stamp:

Hall/Stand

Please draw your plan accurately to avoid misunderstandings.
Please enter the required article numbers on the plan.

Key:



Scale (please tick as applicable) ☐ **1:200** ☐ **1:100** ☐ **1:50**

Place and date

Company stamp and authorized signature

Master 2021/001

Furniture sets S1.50

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Furniture sets 1 – 4
Fa. Messebau Wörnlein GmbH

Furniture sets 5 – 24
Fa. Hummel Möbelverleih GmbH

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

Order

Description	Quantity	EUR
1. Set of table and chairs "m.o.d."		
☐ **(Art. MSMOD3)** Set with 3 chairs		165.60
☐ **(Art. MSMOD4)** Set with 4 chairs		207.00
Table "Rondo" Height: 0.70 m; Ø 0.70 m Frame: chrome; top: anthracite Designer chair "m.o.d." Finish: gray, frame: silver effect		
2. PC table with bar stool "Z"		
PC table Width: 0.70 m, depth: 0.50 m Overall height: 1.05 m White top with black rounded edge and built-in mains sockets. Base column (aluminum) with HDMI and network cables inside.		
☐ **(Art. MSPULTMZ) With bar stool "Z"** Height: 0.90 m Upholstery: ☐ black or ☐ white		187.40

Description	Quantity	EUR
3. ☐ **(Art. MSUOBH) Bar counter "U"**		321.20
1.18 x 0.55 x 1.09 m light gray base unit, lockable doors, all-round aluminum support, shelf at top 0.30 m deep ☐ front and top shelf glossy red ☐ front and top shelf glossy anthracite		
☐ **(Art. MSUMBH) Bar counter "U" with bar stool "Coma"** Chrome/black, height 0.75 m		367.90
4. Set "Domino"		
☐ **(Art. MSDOMIN2)** Set with 2 synthetic leather armchairs and 1 side table		180.60
☐ **(Art. MSDOMIN4)** Set with 4 synthetic leather armchairs and 2 side tables		361.20

ServicePartner for furniture sets 1 – 4:
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order (continued)

Description	Quantity	EUR
5. Furniture set "Pocket"		
☐ **(Art. MSPOCKE3)** Set with 3 chairs		85.50
☐ **(Art. MSPOCKE4)** Set with 4 chairs		100.50
Chair "Pocket", gray metal frame, plastic seat and back ☐ blue ☐ white ☐ charcoal gray Round table, matt-finish chromium frame, white top, Ø 0.80/0.75 m high		
6. Furniture set "Bonni white"		
☐ **(Art. MSBONNW3)** Set with 3 chairs		90.00
☐ **(Art. MSBONNIW)** Set with 4 chairs		106.50
Chair "Bonni", plastic seat and back, white Round table "Tonda" white top, 0.80 m		
7. Furniture set "Bonni"		
☐ **(Art. MSKICCA3)** Set with 3 chairs		109.50
☐ **(Art. MSKICCA4)** Set with 4 chairs		132.50
Upholstered chair "Bonni" ☐ black ☐ red ☐ blue Matt chrome table, white top, Ø 0.80/0.75 m high		

Description	Quantity	EUR
8. Furniture set "Gliss"		
☐ **(Art. MSGLISS3)** Set with 3 chairs		160.50
☐ **(Art. MSGLISS4)** Set with 4 chairs		200.50
Chair "Gliss", chromium frame, polypropylene seat shell ☐ white ☐ black ☐ red Round table, matt-finish chromium frame, white top, Ø 0.80/0.75 m high		
9. Furniture set "Breeze"		
☐ **(Art. MSBREEZ3)** Set with 3 chairs		158.50
☐ **(Art. MSBREEZE)** Set with 4 chairs		192.00
Chair "Breeze" ☐ white ☐ black ☐ red ☐ blue ☐ gray Table "Sea", round, Ø 0.80 m, Frame polished aluminum, 0.73 m high White top		
10. Furniture set "Catifa"		
☐ **(Art. MSCATIF3)** Set with 3 chairs		151.00
☐ **(Art. MSCATIF4)** Set with 4 chairs		187.50
Chair "Catifa", chromium frame, white plastic seat and back Round table "Inox", matt-finish chromium frame, white top, Ø 0.80/0.74 m high		

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order (continued)

Description	Quantity	EUR
11. Furniture set chair "Kuadra"		
☐ **(Art. MSKUAST3)** Set with 3 chairs		129.00
☐ **(Art. MSKUASTU)** Set with 4 chairs		158.50
Chair "Kuadra", matt chromium frame plastic seat and back ☐ white ☐ red Round table "Tonda" white top, 0.80 m		
12. Furniture set bar stool "Kuadra"		
☐ **(Art. MSKUABAR)** Set with 2 bar stools		138.00
☐ **(Art. MSKUABA3)** Set with 3 bar stools		177.00
Bar stool "Kuadra", matt chromium frame white plastic seat and back High table "Tonda" round, white top, 0.60 m		
13. Set "Kicca"		
☐ **(Art. MSKICCA3)** Set with 3 chairs		138.00
☐ **(Art. MSKICCA4)** Set with 4 chairs		170.50
Chair "Kicca", chromium frame, plastic seat and back ☐ white ☐ black ☐ anthracite		

Description	Quantity	EUR
14. Furniture set bar stool "Kicca"		
☐ **(Art. MSKICBH2)** Set with 2 bar stools		162.00
☐ **(Art. MSKICBH3)** Set with 3 bar stools		213.00
Bar stool "Kicca", chromium frame, plastic seat and back ☐ white ☐ black ☐ anthracite		
15. Furniture set chair "Tweet"		
☐ **(Art. MSTWEST3)** Set with 3 chairs		138.00
☐ **(Art. MSTWEST4)** Set with 4 chairs		170.50
Chair "Tweet", matt chromium frame, combination of color ☐ white/black ☐ white/gray ☐ white/orange ☐ white/green ☐ white/red Table, matt chromium frame, Ø 0.80 m/0.75 m high, white top		
16. Furniture set bar stool "Tweet"		
☐ **(Art. MSTWEBH2)** Set with 2 bar stools		152.00
☐ **(Art. MSTWEBH3)** Set with 3 bar stools		198.00
Bar stool "Tweet", matt chromium frame, combination of color ☐ white/black ☐ white/gray ☐ white/orange ☐ white/green ☐ white/red High table, matt chromium frame, round		

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order (continued)

Description	Quantity	EUR
17. Furniture set "Beech"		
☐ **(Art. MSBUCHE2)** Set with 2 bar stools		122.50
☐ **(Art. MSBUCHE3)** Set with 3 bar stools		148.50
Bar stool "Z", chromium frame, seat in natural beech		
Round table, matt-finish chromium frame, natural beech top, Ø 0.60/1.14 m high		
18. Furniture set "Cube"		
☐ **(Art. MSMGCUBE)** Set with 2 bar stools		167.00
☐ **(Art. MSMGCUB3)** Set with 3 bar stools		220.50
Bar stool "Cube" and high table "Inox", top 0.60/0.60 m		
☐ white ☐ black		
19. Furniture set "Lem"		
☐ **(Art. MSLEM)** Set with 2 bar stools		208.00
☐ **(Art. MSLEM3)** Set with 3 bar stools		282.00
Bar stool "Lem"		
☐ white ☐ black ☐ beech ☐ nut		
Round standing table, matt chromium frame		
Top "Inox", Ø 0.60/1.14 m high		
☐ white ☐ black		

Description	Quantity	EUR
20. Furniture set "Toledo 130 and 170"		
☐ **(Art. MSTOLEHD)**		343.00
Toledo 130, white 4 x bar stool "Cube" 1 x high table "Toledo" 1.30/0.60/1.10 m		
☐ **(Art. MSTOLEHS)**		460.00
Toledo 170, white 6 x bar stool "Cube" 1 x high table "Toledo" 1.70/0.60/1.10 m		
21. Furniture set "Bar"		
☐ **(Art. MSBAR2)** Set with 2 bar stools		174.00
☐ **(Art. MSBAR3)** Set with 3 bar stools		200.00
Bar counter "Syma New", aluminum profile, white panel, 1.00 x 0.50 x 1.25 m		
Bar stool "Z", black		
22. Furniture set cube chair "Ben"		
☐ **(Art. MSSWBEN3)** Set with 3 cube chairs		156.00
☐ **(Art. MSSWBEN4)** Set with 4 cube chairs		182.00
Cube chair "Ben", synthetic leather		
☐ white ☐ black		
Side table "Tria", matt-finished chromium frame, 0.57 x 0.50 m, 0.37 m high		
☐ white ☐ black		

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order (continued)

Description	Quantity	EUR
23. Furniture set lounge "Host-Modular" ☐ **(Art. MSLHMOBT)** 1 x 2-seater and side table ☐ **(Art. MSLHMOB2)** 1 x 2-seater and 2 x 1-seater and side table 1- or 2-seater "Host-Modular", matt-finished chromium frame, upholstery synthetic leather ☐ white ☐ black Side table " Tria", matt-finished chromium frame, 0.57 x 0.50 m, 0.37 m high Top ☐ white ☐ black		233.00 443.00
24. Furniture set lounge "Qubo" ☐ **(Art. MSQUOBT)** 2 x 1-seater and side table "Tria" ☐ **(Art. MSQUOB2)** 2 x 1-seater and 1 x 2-seater and side table "Tria" 1- or 2-seater "Qubo", matt-finished chromium frame, Polster upholstery synthetic leather ☐ white ☐ black Side table " Tria", matt-finished chromium frame, 0.57 x 0.50 m, 0.37 m high Top ☐ white ☐ black		282.00 467.50

ServicePartner for furniture sets 5 – 24:
Hummel Möbelverleih GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-63 03
F +49 9 11 86 06-63 04
nuernberg@hummel-mietmoebel.de
www.hummel-mietmoebel.de

Special Conditions for Services for furniture sets

Rental conditions

1. The rental object is only made available for the agreed purpose and for the agreed period. An extension of the rental period shall require the written consent of the rental company. The rental company is entitled to invoice an additional rental charge if the rental object is not returned by the agreed time.

2. The rental prices are calculated according to the duration of rental on the basis of the currently valid price list. The statutory VAT is to be added. For objects rented for a trade fair or exhibition the rental prices shall also include the costs for delivery and collection of the rental object within the exhibition grounds. Invoiced rental prices are payable net. Direct orders directly before and during a trade fair are to be paid on award of the order.

3. For loss or damage of the rental object compensation amounting to the cost of replacement may be claimed from the renter or the cost of repair if this does not exceed the replacement value. Liability shall commence with the takeover of the rental object by the renter and end with its collection by the rental company. In the case of objects rented for a trade fair, liability shall commence with delivery to the exhibition stand and end when it is collected from there. This shall also apply if the exhibition stand is not occupied. Liability shall end 24 hours after the end of the trade fair at the latest unless the rental object was not made available for collection or another collection date has been agreed. The rental company shall not be liable for damage to property or injury to persons in connection with the use of the rental object unless it is due to wilful action or gross negligence on the part of the rental company.

4. The rental object is not insured. Insurance of the rental object for the period of a trade fair, including the stand construction and dismantling period, is recommended. If desired, you can order insurance with Form S4.70.

5. All orders with no specified date will be delivered in good time so that the rental object is available at the start of the fair. After the end of the fair the rental object will be collected as quickly as possible. The renter must make the rental object available for collection. If delivery or collection of the rental object is prevented by fault of the renter, the rental company shall be entitled to charge for any additional expenditure incurred. In the event of default of payment the rental company reserves the right to refuse delivery of the rental object or to fetch back delivered objects at an earlier date.

6. Rental objects ordered in advance and reserved but not taken delivery of will be charged to the customer in full. If it is possible to rent them elsewhere the customer shall bear the costs incurred for delivery and collection and for any loss of rental fees.
In cases of unforeseeable damage the rental company reserves the right to supply equivalent or better replacement objects in place of the ordered rental objects. No claims can be asserted as a result of such replacements.

7. All the stated items are only provided for rental.

8. Any complaints the renter may have must be made within 24 hours of the items concerned having been delivered. Any complaints made after this time will not be accepted.

9. Place of performance and jurisdiction for the renter and rental company shall be the registered office of the rental company. The laws of the Federal Republic of Germany shall apply even for transactions with foreign customers.

Orders received later than 21 days before the start of the event will be billed an express surcharge of 25 %, subject to a minimum surcharge of EUR 10 per order.
All prices stated are subject to the addition of **VAT at the statutory rate.**
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Rental of extra stand equipment, floor coverings and furniture

S1.60

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

Order: for Special Conditions for Services have a look at the Online ExhibitorShop under Stand service – Stand furnishings & equipment (contractor: Mesomondo GmbH).

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Floor coverings

Equipment	Description	m Qty. m²	EUR
 1.	☐ **60001000 Raised floor**, with laying boards, 120 mm high with, aluminum edging, without floor covering. Ideal for laying cables, pipes or water connections under the floor m²		37.20
2.	**60001010 Ribbed carpet in rolls**, brand-new, disposable goods, including laying, disposal and dust sheet ☐ gray ☐ anthracite ☐ blue ☐ red Other colors on request ☐ up to 50 m² m² ☐ > 50 m² m²		10.20 on request
 3.	**60001015 Velour**, carpet in rolls, brand-new, disposable goods, including laying, disposal and dust sheet ☐ gray ☐ anthracite ☐ blue ☐ beige ☐ brown ☐ red ☐ green Other colors on request ☐ up to 50 m² m² ☐ > 50 m² m²		15.20 on request
4.	**60001020 Laminate**, laid on chipboard, including aluminum edging strip ☐ Polar oak longstrip wood floor ☐ Maple plank longstrip wood floor ☐ Walnut patchwood longstrip wood floor ☐ Oak Cappuccino 1-strip flooring ☐ Canadian spruce 2-strip plank flooring ☐ up to 50 m² m² ☐ > 50 m² m²		38.90 on request
5.	☐ **660001022 PVC flooring**, 2000 mm wide, 2 mm thick, brand new, including disposal, available in plain colours or various patterns m²		19.00

Walls and doors

Please note our terms and conditions stated on order form S1.62 paragraph 12!

6.	**Syma system wall element**, aluminum frame construction, grid size 990 mm, height 2485 mm ☐ **60001030** plain panel, single-sided white m ☐ **60001031** perforated panel, single-sided white m ☐ **60001032** plain panel, double-sided white m ☐ **60001033** perforated panel, double-sided white m ☐ **60001034** surcharge for panel in trend colors per side of wall m ☐ **60001090 Slatted wall element** professional presentation of your products,white m **Wall extension** (to achieve overall height of 3.5 m, with visible intermediate frame, smooth filling) price per element ☐ **60001100** singel-sided white m ☐ **60001101** double-sided white m ☐ **60001102** singel-sided trend colors m		35.90 34.80 45.50 45.50 72.50 167.00 63.50 82.00 130.60
7.	**Syma Segment wall**, 3 segments, grid size 990 mm, height 2485 mm ☐ **60001045** white m ☐ **60001046** gray m ☐ **60001047** trend colors m ☐ **60001048** transparent glass m		71.10 77.60 85.10 91.80

Equipment	Description	m Qty. m²	EUR
8.	**60001050 Wall cladding**, without visible supports, height 2500 mm, (surcharge) ☐ white m ☐ gray m ☐ trend colors m ☐ **60001053 Mounting wall** white surface, height 2485 mm, inner measure 960 mm, thickness 19 mm to be used for mounting of exhibitor goods, plasmas e.g. (for purchase) each ☐ **60001105 Single-leaf wall consisting** of 19 mm coated chipboard with top and bottom light metal profile, height 2500 mm, white lfm ☐ **60001106 Single-leaf wall consisting** of 19 mm coated chipboard with top and bottom light metal profile, visible joint at 250 cm, overall height 3500 mm, white lfm ☐ **60001107 Door to single-leaf wall structure**, consisting of 19 mm coated chipboard, height 2500 mm, white lfm		34.50 on request on request 112.20 75.20 98.50 189.50
9.	**60001055 Curtain** for cubicle, entrance width 960 mm ☐ white each		35.70
10.	☐ **60001110 Hinged door**, DIN right or left each		85.00

Ceilings and fascias

11.	**60001065 Slide-in fascia**, lattice support ☐ blue ☐ white ☐ gray ☐ green ☐ yellow ☐ red m		17.40
12.	☐ **60001070 Lattice support**, natural aluminum m **Graphic carrier** for lattice support with or without slide-in fascia ☐ **60001072 Dolphin fascia**, approx. 1500 x 700 mm each All fascias possible in following colors: ☐ blue ☐ white ☐ gray ☐ green ☐ yellow ☐ red		12.60 72.40

Lightning

13.	**Lightning** ☐ **60001115** LED 25 Extending spotlight each ☐ **60001116** LED 50 HQI spotlight each ☐ **60001117** Installation of single earthed power socket outlet (please send sketch) each ☐ **60001118** Installation of triple earthed power socket outlet (please send sketch) each		42.20 79.30 33.20 39.10

Shelves and product presentation

14.	☐ **60001075 Shelf, max. load 8 kg**, 990 x 300 mm, white, please indicate position and height! m ☐ **60001076** special sizes ☐ **60001077** glass shelves		22.20 on request 38.50
15.	☐ **60001080 Sloping shelf** White, e.g. for DIN A4 leaflets, please indicate position and height! m		32.90

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Showcases (Continued)

Equipment	Description	m Qty. m²	EUR

Showcases

Illuminated showcases incl. 5 m extension cable. **Attention:** Please contact your stand construction company or SPIE SAG GmbH (Form S2.10) if you need a longer cable.

	16.	☐ **60002015 Platform showcase** bottom unit white, lockable, 500 x 500 x 1050 mm, including glass top unit: 470 x 470 x 500 mm	each	220.20

Counters and sideboards

	17.	☐ **60002049 Counter "Barcelona"** white, lockable, (1100 x 600 x 1100 mm – W/D/H)	each	198.50
		Graphics pillar suitable for Barcelona counter		
		☐ Body white, 500 x 2500 x 19 mm	each	59.40
		☐ Single-sided, full-surface graphic (digital print) on front of pillar	each	85.30
		☐ Graphic on front of counter (digital print)	each	82.70
	18.	☐ **60002052 Counter "Madrid"** white, lockable, (1700 x 600 x 1100 mm – W/D/H)	each	308.50
		Free-standing graphics pillar suitable for Madrid counter		
		☐ Body white, 500 x 2500 x 500 mm	each	108.60
		☐ Single-sided, full-surface graphic (digital print) on front of pillar	each	85.30
		☐ Graphic on front of counter (digital print)	each	127.80
	19.	☐ **60002055 Counter "SLIM"** Front segmented, white acryl glass, 1 shelf, lockable, overall size 700 x 600, height 1100 mm	each	155.70
	20.	**Counter "MILANO"** Body white, white plexiglass, backlit, lockable		
		☐ **60010135** 1200 x 500 x 1100 mm	each	355.50
		☐ **60001120** Digital print for front of Milano counter	each	124.66
		☐ **60010136** 2040 x 500 x 1100 mm	each	529.40
		☐ **60001121** Digital print for front of Milano counter	each	225.60
	21.	☐ **60002070 Base cupboard**, Frame construction, 1 shelf, lockable sliding doors, overall size 990 x 495, height 750 mm	each	86.50

Chairs

Equipment	Description	m Qty. m²	EUR

Chairs

Lounge furniture in various sizes and colors — on request

	22.	☐ **60002081 2-seat "NERO" sofa** 1800 x 660 x 880 mm, seat depth: 540 mm, seat height: 430 mm, cover: white material	each	207.00

Bar stools

	23.	**60003000 Bar stool "ZETA"** Upholstered ☐ white upholstery ☐ black upholstery	each	26.50
	24.	☐ **60003010 Bar stool "LEM"** chrome frame, matt finish, height-adjustable, white	each	77.00

Further chairs/office chairs on request

Tables

	25.	**Square table** Overall size 700 x 700 mm, height 750 mm		
		☐ **60003015** white	each	30.50
		☐ **60003020** black	each	32.00
	26.	**Rectangular table** Overall size 700 x 1200 mm, height 750 mm		
		☐ **60003025** white	each	35.90
		☐ **60003026** black	each	43.00
	27.	**Round table** Diameter 700 mm, height 750 mm		
		☐ **60003030** white	each	41.40
		☐ **60003031** black	each	43.10
	28.	**Round standing table** Diameter 700 mm, height 1100 mm		
		☐ **60003035** white	each	48.60
		☐ **60003036** black	each	52.00

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Platforms (Continued)

Equipment	Description	m Qty. m²	EUR
29.	**Platforms**, max. load 50 kg, height 750 mm, top always white		
	☐ **60003080** 525 x 1020 mm, sides white each		36.20
	60003081 525 x 1020 mm, sides in trend colors ☐ blue ☐ red ☐ yellow ☐ green ☐ gray each		67.10
	☐ **60003082** 1020 x 1020 mm, sides white each		49.70
	60003083 1020 x 1020 mm, sides in trend colors ☐ blue ☐ red ☐ yellow ☐ green ☐ gray each		80.20
	☐ **60003084** special colors and versions		on request

Coat racks

30.	☐ **60003055 Coat rack** With 5 hooks, width 900 mm each		22.00

Kitchen equipment

31.	☐ **60003060 Refrigerator with freezer compartment** 140 l, overall size 600 x 600 mm, height 850 mm each		71.00
32.	☐ **60003065 Plastic kitchen shelf unit** 4 shelves, overall size 870 x 430 mm, height 1800 mm each		43.90
33.	☐ **60003070 Waste bin** each with 3 bags		21.90
34.	☐ **60003075 Waste paper basket** each		9.90

Fitters hourly rate

The following hourly flat rates are charged plus VAT at the statutory rate:

1. Working hour at EUR 53.70

Special Conditions for Services provided by Mesomondo GmbH

Messezentrum 1, 90471 Nürnberg
T +49 9 11 40 08 35-0, F +49 9 11 40 08 35-29
info@mesomondo.de, www.mesomondo.de

Rental conditions

1. Unless otherwise stated, the rental charge is calculated for the duration of the event and is due for payment in full immediately on receipt of the invoice.

2. Unless otherwise stated, all items listed are available for rental only. The rental goods are not suitable for use outdoors.

3. The price quoted includes delivery, assembly and dismantling.

4. Reductions in the price per m² cannot be considered for any deduction in services requested by the exhibitor.

5. Missing or damaged rental goods will be charged at the cost of replacement. The exhibitor's liability for stand elements and furniture commences on delivery and ceases on collection by the ServicePartner (even if exhibitor has already left the stand), up to a maximum of 24 hours after the end of event.

6. Please note: The following surcharges will be made for orders and orders with incomplete information received less than 14 days before the start of the event:
Services at fixed prices (e.g. furniture ...) 25 %
hourly work (e.g. modifications ...) 50 %.

7. Immediately following delivery, the lessee is obliged to convince himself/herself of the proper condition of the rental items and the completeness of the delivery. By accepting receipt of the goods, the lessee confirms flawless service. Potential complaints by the lessee with respect to services not in conformity with the contract must be made within 24 hours at Mesomondo GmbH. Later objections are invalid.
The lessee is aware that the rental goods are used repeatedly and not always in mint condition. Normal traces of use do not constitute a reason for complaint.
Cancellation by the customer:
The latest date that a customer can cancel a binding order is up to 21 calendar days before the beginning of the event.
This cancellation must be sent in writing to Mesomondo GmbH.
Notwithstanding the above, Mesomondo GmbH is entitled to the agreed-upon compensation for the services rendered up to that point.

8. All prices are subject to the addition of VAT at the statutory rate.

9. Foreign exhibitors not settling invoices in cash will be debited with any bank charges incurred. International checks, credit cards and credit transfer from outside the EUR (€)-area will be charged with EUR 30.

10. A processing fee of EUR 50 plus VAT at the statutory rate will be charged for issuing a new invoice due to incorrect information provided by the applicant. This fee will be included in the new invoice issued.

11. The place of fulfillment and jurisdiction for both parties, including debt collection proceedings, is Nürnberg.

12. **The stand holder is liable for any damage caused by inappropriate handling of walls and fascias, for example, screwing, nailing and use of strong adhesives.**
The use of screws, nails or adhesive tapes is not allowed.
We must charge you for any damaged, soiled or stuck stand material.
To clean adhesives from our rental equipment we have to charge you the costs listed below:
- Wall panel EUR 21.00 each, net
- Support EUR 20.00 each, net
- Frame EUR 17.00 each, net

13. This order form also acts as the contract to supply goods, unless cancelled by us.

Services and orders made as part of the Last Minute Service are due for payment immediately.

Payment by credit card

☐ We wish to pay by credit card:

Issuer: ☐ MasterCard ☐ American Express ☐ VISA ☐ Diners Club

Card no.: ____ / ____ / ____ / ____

Card verification no.: (The last 3 digits next to the signature on the back of the card or for AMEX 4 digits on the front) ☐☐☐☐

Valid until: _____

Holder of card: _____

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Rental of extra stand equipment, floor coverings and furniture

S1.64

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

Please indicate the desired article numbers and quantities, if possible on your plan of the stand, the plan can be obtained in the Online ExhibitorShop under Stand service – Stand variants – Stand partition walls.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Floor coverings

Equipment	Description	Qty./ m/m²	EUR
1.	**Art.** **Carpet,** in rolls, new, including disposal and dust sheet		
	☐ **60004000 Felt carpet,** colors: m²		10.10
	☐ gray ☐ anthracite ☐ blue ☐ red ☐ green ☐ beige		
	☐ **60004001 Ribbed carpet,** colors: m²		10.20
	☐ gray ☐ anthracite ☐ black ☐ medium blue ☐ dark blue ☐ red ☐ green ☐ brown		
	☐ other colors and qualities		on request
2. 	**Art.**		
	☐ **60004200 False floor** m² 22 mm chipboard; suitable for laying cables; aluminum edging strip		15.60
	a) **60004004 Laminate**, from 24 m², m² incl. sub-structure and aluminum border		38.90
	☐ beech ☐ oak ☐ ash ☐ hickory oak		
	b) **Vinyl flooring in:**		
	☐ **60004201** Griffo (dark gray) m²		18.80
	☐ **60004201** white m²		18.80
	☐ **60004201** concrete optic m²		18.80
	☐ **60004201** walnut tree optic m²		18.80
	☐ **60004202** block pavement optic m²		19.40

Wall elements, doors, curtains

	Wall element with metal frame height: 2.50 m, width: 1.00 m (also available in widths: 0.25/0.35/0.50/0.70 m)		
3.	**Art.**		
	a) **Wall elements Syma** (Alu)		
	☐ **60004100** plastic coated, matt white each		35.60
	☐ **60004203** black each		51.00
	☐ **60004203** blue each		51.00
	☐ **60004203** red each		51.00
	☐ **60004105** transparent filling each		121.05
	☐ **60004101** perforated board, white each		37.00
	b) **60004102 Door elements, Syma**		
	☐ hinged door, white each		85.00
	c) **60004106 Wall extension Syma, 1 m** each ☐ white, smooth		29.30
	d) **60004107 Wall extension Syma,1 m** each ☐ black ☐ red ☐ blue		41.50
4.	**Art.**		
	a) **Wall element,** Axiom system, white		
	☐ **60004030** plastic-coated, matt white each		35.90
	b) **Door,** Axiom system		
	☐ **60004032** hinged door, white each		85.00
	☐ **60004033** folding door, white each		114.20
5.	**Art.**		
	Screen wall element (in addition to the system wall)		
	a) **Height: 2.55 m**		
	☐ **60004037** white, thickness 19 mm each		73.07
	☐ **60004037** light gray, thickness 19 mm each		73.07
	☐ **60004038** MDF (medium density fibreboard) abrasive, non-painted, thickness 16 mm each		80.55
	b) **Height: 3.55 m**		
	☐ **60004041** white, thickness 19 mm each		107.84
	☐ **60004041** light gray, thickness 19 mm each		107.84
	☐ **60004042** MDF (medium density fibreboard) abrasive, non-painted, thickness 16 mm each		116.05

Equipment	Description	Qty./ m/m²	EUR
6.	**Art.** **Wall without visible supports** single-leaf wall white coated chipboard, u-channel at the top for cabling, 1 m wide		
	a) **Height 2.5 m**		
	☐ **60004027** Wall element 1 m wide each		75.20
	☐ **60004028** Door element each		203.70
	b) **Height 3 m**		
	☐ **60004029** Wall element 1 m wide each		91.20
7.	**Art.**		
	☐ **60004040 Cubicle curtain** each height: 2.20 m, width: 1.00 m		35.70
	☐ gray ☐ blue ☐ black ☐ red please indicate position on plan		
8.	**Art.**		
	Light column 2.50 m high, segment-shaped curved acryl glass, back-lit, approx. 1.00 m wide, free-standing arrangement possible.		
	☐ **60004055** without digital printing each		304.60
	☐ **60004056** with digital printing on one side each		471.20
	☐ **60004057** with digital printing on both sides each Print data are provided by the customer in each case.		633.50
	Light column 4.00 m high, as above		
	☐ **60004058** without digital printing each		451.70
	☐ **60004059** with digital printing on one side each		690.90
	☐ **60004060** with digital printing on both sides each		934.10
	☐ **60004051 1-way power point** each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are working with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the light column/order it from them.		36.90
	LED pylon Size 2000x3000 mm incl. banner, 2 feet 350x1000 mm, weight around 120 kg,		
	☐ **60004061** Lighting one side each		759.70
	☐ **60004062** Lighting both sides each		964.10

Painting, fabrics, digital printing

9.	**Art.**		
	60004074 Painted MDF board, including acrylization m²		18.50
	☐ please state RAL no.: _____ or enclose color sample!		
10.	**Art.**		
	☐ **Decorative fabric** m various colors on request width: 1.30 m flame-retardant impregnation		9.25
	☐ **Decorative fabric,** as above, m including guying, removing and disposal		15.30
* Please have a look at the Online ExhibitorShop under Stand furnishings & equipment – Lettering/prints (contractor: Messebau Wörnlein GmbH). 11.	**Art.** * **Digital print on self-adhesive foil**		
	☐ **60004087** including assembly m²		79.40

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Fascias, supports (continued)

Equipment	Description	Qty./ m/m²	EUR
12.	**Art.** ☐ **60004095 Fascia,** plastic-coated, height: 0.30 m m ☐ white (similar to RAL 9010) ☐ blue (similar to RAL 5017) ☐ yellow (similar to RAL 1023) ☐ brown (similar to RAL 8014)		17.40
	☐ **60004096 Special color** m similar to RAL no.: _____ or enclosed color sample		25.35
	☐ other versions and sizes		on request
	☐ **60004098 Light fascia** each 1.50 m x 0.50 m, 0.09 m, aluminum frame with LED edge illumination, incl. digital printing on fabric (print data are provided by the customer)		203.60

System constructions

13.	**Art.** **System construction** adapted to the choosen wall element		
	☐ **60005002 Lattice support** m		12.60
	☐ **60005000 Support** each		17.80
14.	**Art.** **Module crossbars**		
	☐ **60005008 Q125** m aluminum, 12.5/12.5 cm		37.94
	☐ **60005003 Q91** m aluminum, 9.1/9.1 cm		33.57
15.	**Art.** ☐ **60005009 Lattice fabric,** m² flame-retardant and suitable for use below sprinklers, excluding fitting		20.64

Lighting Please order electricity supply separately.

16.	**Art.** **Spotlights,** plug-in, individually adjustable		
	☐ **60005017** Halogen (300 watt) each ☐ **60005018** HQI (150 watt) each		79.51 78.69
	☐ **60004213** LED spotlight "Collus" type LED 14 watt each		42.21
	Spotlights for power rail, minimum of 2 per rail (2.00 m) ☐ **60005020** "lightspot" (100 watt), silver each		42.52

Shelves

Equipment	Description	Qty./ m/m²	EUR
17.	**Art.** **Shelfs** for various systems (as choosen wall element – Axiom, Syma, Mero or standard wall element) **Shelf 30** depth: 0.30 m		
	☐ **60005025** white each ☐ **60005026** beech each ☐ **60005026** silver each ☐ **60005027** glass each		22.20 22.80 22.80 39.65
	Shelf 50 depth: 0.50 m		
	☐ **60005028** white each ☐ **60005029** glass each		23.90 41.40
	Shelf, sloping with lip depth: 0.30 m		
	☐ **60005030** white each		23.90

Sideboards

18.	**Art.** ☐ **60005032 Sideboard Syma, lockable** each width: 0.98 m, depth: 0.50 m overall height: 0.72 m corpus: white, 1 shelf, sliding doors		80.30

Counters

19.	**Art.** ☐ **60005038 Counter Syma, lockable** each width: 0.98. m, depth: 0.50 m overall height: 1.12 m corpus: white, 1 shelf, sliding doors		103.70
20.	**Art.** ☐ **Info counter Modul, lockable** each width: 1.05 m, depth: 0.55 m height of raised top: 0.25 m overall height: 1.30 m, 1 shelf, backside with sliding doors: lockable corpus: white		113.65
21.	**Art.** ☐ **60005039 Info counter Mero with curved raised top** each width: 1.05 m, depth: 0.55 m; overall height: 1.10 m top: approximately 1.60 x 0.40 m; color of main unit: ☐ white ☐ anthracite color of top: ☐ blue ☐ red ☐ beech		167.30
22.	**Art.** ☐ **60005040 Counter** "Circle" each gray, door at back, silver front with back-lit acryl glass strips: ☐ red ☐ blue ☐ green ☐ white glass top, width 1.50 m, depth: 0.60 m, overall height: 1.10 m		329.60
	☐ **60005140** other widths		on request
	☐ **60004051 1-way power point** each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are working with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the counter/order it from them.		36.90

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Counters (continued)

Equipment	Description	Qty./ m/m²	EUR
23.	**Art.** ☐ **60005042 Counter** "Cube" each corpus gray, back side 1/2 open, 1/2 lockable, width: 2.33 m, depth: 0.60 m, height: 1.10 m, clip afloat 0.40 m deep: ☐ red ☐ blue ☐ basalt gray		439.30
24.	**Art.** ☐ **60005044 Counter** "Unit" white body, back-lit acryl glass front panel, 1.25 x 0.64 m, h = 1.15 m each ☐ **60005045 Corner element** "Unit", white body, back-lit acryl glass front panel, 0.77 x 0.77 m, h = 1.15 m each ☐ **60004051 1-way power point** each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are working with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the counter/order it from them.		338.60 285.15 36.90

All counters can be extended or fitted around corners on request.

Showcases

Equipment	Description	Qty./ m/m²	EUR
25.	**Art.** ☐ **60005050 Table showcase Syma,** each **with base unit,** width: 1.05 m, depth: 0.55 m, overall height: 1.05 m; glass case: 0.35 m, lockable, base unit: with sliding door, lockable ☐ **60005051 LED lighting** for table showcase Syma each ☐ **60004051 1-way power point** each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are working with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the showcase/order it from them.		139.10 64.30 36.90
26.	**Art.** ☐ **60005060 Showcase lean,** **with base unit,** width: 0.50 m, each depth: 0.50 m, aluminum, base unit: closed, overall height: 1,88 m; aluminum frame with glass, lockable, with 3 glass shelves and light. ☐ **60005061 Extra glass shelf** each ☐ **60004051 1-way power point** each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are working with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the showcase/order it from them.		246.90 19.30 36.90
27.	**Art.** ☐ **60005065 Showcase broad,** each **fully glazed,** width: 1.00 m, depth: 0.55 m, overall height: 1.88 m, lockable, aluminum frame with glass, with 3 glass shelves and light. ☐ **60005066 Extra glass shelf** each ☐ **60004051 1-way power point** each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are working with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the showcase/order it from them.		287.70 25.00 36.90

Equipment	Description	Qty./ m/m²	EUR
28.	**Art.** ☐ **60005070 Showcase lean,** **fully glazed** each width: 0.52 m, depth: 0.55 m, overall height: 1.88 m, lockable, aluminum frame with glass, with 3 glass shelves and light ☐ **60005071 Extra glass shelf** each ☐ **60004051 1-way power point** each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are working with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the showcase/order it from them.		237.70 19.30 36.90

PC furniture

Equipment	Description	Qty./ m/m²	EUR
29.	**Art.** ☐ **60005080 PC furniture** "Design" S each corpus (W x D) 0.75 m x 0.44 m, height: 1.07 m, corpus lockable, frame light gray with filling silver perforated top oval 1.20 m x 0.60 m with cable outlet: ☐ beech ☐ light gray ☐ blue ☐ red ☐ **60004051 1-way power point** each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are working with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the PC furniture/order it from them.		176.30 36.90
	☐ **60005081 PC furniture** "Design" S+ each as "Design" S, top oval, red with top part, light gray, 1.40 x 0.80 m ☐ **60004051 1-way power point** each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are working with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the PC furniture/order it from them.		253.25 36.90
30.	**Art.** ☐ **60005082 PC furniture** each width: 0.70 m, depth: 0.50 m height: 1.05 m top white, with rounded black edges and integrated socket aluminum frame with hidden HDMI- and network cables. ☐ **60004051 1-way power point** each Installed at the required location on the stand (only possible with stand assembly conducted by Wörnlein). If you are working with another stand assembly firm, please inform them or SPIE SAG GmbH about the power point required for the PC furniture/order it from them.		160.80 36.90

Other PC furniture available on request.
We are pleased to manufacture special furniture to individual order.

Leaflet stands

Equipment	Description	Qty./ m/m²	EUR
31.	**Art.** ☐ **60005086 Mero leaflet stand** each width: 0.75 m, overall height: 1.25 m, 3 shelves 0.70 m/0.30 m, for 3 stacks of DIN A4 portrait format leaflets		67.25

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Leaflet stands (continued)

Equipment	Description	Qty./ m/m²	EUR
32.	**Art.** ☐ **60005090 Leaflet stand** "Stap" each width: 0.27 m, overall height: 1.16 m, 4 shelves for DIN A4 portrait		62.90
33.	**Art.** ☐ **60005095 Leaflet stand** "Slat" each width: 0.30 m, overall height: 1.65 m, 3 shelves for DIN A4 portrait format ☐ **60005096** per additional shelf, each up to maximum 12		83.50 15.50
34.	**Art.** ☐ **60004208 Leaflet holder** "Spectro" each frame: perl gray, shelves: HPL-board white, 0.30 x 0.29 x 1.70 m		96.10

Tables, standing tables

35.	**Art.** **Table,** height: 0.70 m, frame: chrome, color of top: ☐ white ☐ anthracite ☐ **60006005** 0.70 x 0.70 m each ☐ **60006007** 0.70 x 1.20 m each ☐ beech ☐ **60006008** 0.70 x 0.70 m each ☐ **60006010** 0.70 x 1.20 m each		 30.50 35.90 31.20 40.00
36.	**Art.** **Table round,** height: 0.70 m, frame: chrome, top: white ☐ **60006015** diameter: 0.70 m each		28.40
37.	**Art.** ☐ **60006030 Table "Global",** each height: 0.70 m, diameter: 0.70 m, frame: beech/aluminum, top: beech		39.40
38.	**Art.** ☐ **60006025 Table "Rondo",** each height: 0.70 m, diameter: 0.71 m frame: aluminum, top: ☐ beech ☐ white ☐ anthracite		41.40
39.	**Art.** ☐ **60006035 Standing table "Rondo"** each height: 1.10 m, diameter: 0.70 m, frame: aluminum, color of top: ☐ beech ☐ white ☐ anthracite		48.50
40.	**Art.** ☐ **60006047 Table "Pixo"** each Inox frame top: ☐ white or ☐ anthracite 0.70 x 0.70 m		40.80

Equipment	Description	Qty./ m/m²	EUR
41.	**Art.** **60006048 Standing table "Pixo"** each Inox frame top: ☐ white or ☐ anthracite 0.70 x 0.70 m		48.50
42.	**Art.** **60006051 Table "Asto"** each frame: stainless steel top: ☐ white or ☐ anthracite 0.70 m diameter		40.80
43.	**Art.** **60006052 Standing table "Asto"** each frame: stainless steel top: ☐ white or ☐ anthracite 0.70 m diameter		48.50
44.	**Art.** ☐ **60006020 Glass table "high tech",** height: 0.71 m, each frame: stainless steel, satinized glass top, round, 0.70 m diameter		68.40
45.	**Art.** ☐ **60006045 Standing table "high tech"** each height: 1.10 m, diameter: 0.70 m, frame: stainless steel top: satinized glass, 8 mm		93.00

Chairs

46.	**Art.** ☐ **Upholstered chair "Thonet"** each with arm rest, frame: chrome upholstery: black		44.90
47.	**Art.** ☐ **60006065 Chair "m.o.d."** each frame: silver effect, seat: ☐ with armrest		41.40
48.	**Art.** ☐ **60006070 Chair "Relax"** each frame: gray, seat: black leather		37.60
49.	**Art.** ☐ **60006075 Designer chair "SiM"** each frame: chrome seat: white plastic		39.55
50.	**Art.** ☐ **60006085 Chair "Rondo"** each frame: chrome, seat: beech ☐ natural beech ☐ red ☐ orange ☐ light blue ☐ apple green ☐ gray ☐ white		23.30
51.	**Art.** ☐ **60006090 Designer chair "Ken"** each frame: chrome, seat: beech varnished in wenge color		22.90
52.	**Art.** ☐ **60004209 Designer chair "Ken"** each frame: metall black, seat: white		22.90

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Chairs (continued)

Equipment	Description	Qty./ m/m²	EUR
53.	**Art.** **60006095 Upholstered chair "Classic"** each ☐ frame: chrome/anthracite, upholstery: ☐ anthracite ☐ blue ☐ brown		19.40
54.	**Art.** ☐ **60007070 Upholstered chair "Opus"** each frame: chrome, upholstery: black		21.30
55.	**Art.** ☐ **60007010 Plastic chair**, frame chrome each plastic: gray, upholstery: gray		15.20
56.	**Art.** ☐ **60007015 Folding chair** each ☐ beech ☐ metal, white		12.70

Bar stools

57.	**Art.** ☐ **60007020 Bar stool "Coma"** each seat height: 0.75 m, frame: silver/chrome, seat: anthracite		45.90
58.	**Art.** ☐ **Bar stool "Z"** seat height: 0.90 m, upholstery: imitation leather, frame: chrome ☐ **60007025** black each ☐ **60007025** white each ☐ **60007026** red each ☐ **60007026** apple green each ☐ **60007026** orange each		 26.60 26.60 31.80 31.80 31.80
59.	**Art.** ☐ **Bar stool "Rondo"** seat height: 0.90 m, frame: chrome ☐ **60007035** seat: beech each ☐ **60007036** seat: white each		 39.00 44.35

Lounge furniture

60.	**Art.** ☐ **60007045 Armchair "Romeo"** each seat: black leather		65.60
61.	**Art.** ☐ **60007046 "Domino" armchair** each imitation leather, anthracite, WxHxD 0.63x0.74x0.55 m		65.60
62.	**Art.** ☐ **60007055 Bench** each width: 1.20 m, depth: 0.45 m height: 0.46 m upholstery synthetic leather ☐ red ☐ anthracite		67.70

Equipment	Description	Qty./ m/m²	EUR
63.	**Art.** ☐ **60007060 Cube seat** each imitation leather, 0.45 x 0.45 x 0.45 m ☐ red ☐ gray ☐ anthracite ☐ black		23.20
64.	**Art.** ☐ **60007061 Tray for cube seat/stool** each 0.45m/0.45m/0.45m		20.95
65.	**Art.** ☐ **60004210 Side table "Domino"** each chromium frame, glass top, diameter: 0.46 m, height: 0.48 m		49.40

Coat stands, refrigerators, miscellaneous

66.	**Art.** ☐ **60004211 Coat rack "Knigge"** each steel matt finished, height: 1.70 m		26.60
 67.	**Art.** ☐ **60007070 Coat rack** with 5 hooks each color: white		22.00
68.	**Art.** ☐ **60007075 Kitchen shelf unit of plastic** each 0.80 x 0.40 x 1.87 m black, 4 shelves load 50 kg per shelf		43.90
69.	**Art.** ☐ **60007080 Refrigerator** each width: 0.60 m, depth: 0.60 m, height: 0.80 m, capacity: approximately 140 liters		75.50
70.	**Art.** ☐ **60007085 Coffee percolator** for 10 cups each		18.90
71.	**Art.** ☐ **60007090 Waste paper basket** each		9.90

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Hourly rates, flame-retardant impregnation (Items 1–3b)

Item 1	**Work at hourly rate**	at	EUR 47.65
Item 2	**Carpentry work:**		
Item 2a	Machine hour	at	EUR 67.70
Item 2b	Installation hour	at	EUR 47.65
Item 3a	**Flame-retardant impregnation** (natural fibers only) at hourly rate	at	EUR 47.65
Item 3b	**Flame-retardant agent**	liter	EUR 25.50
Item 4	**Computer graphics**	per hour	EUR 77.10

Special Conditions for Services provided by Messebau Wörnlein GmbH

1. This order form also acts as the contract to supply goods, unless cancelled by us.
2. Unless otherwise stated, the rental charge is calculated for the duration of the event.
3. Please note: The following surcharges will be made for orders and orders with incomplete information received less than 21 days before the start of the event:
   Services at fixed prices (e.g. furniture ...) 25 %
   hourly work (e.g. modifications ...) 50 %.
4. The price quoted includes delivery, assembly and dismantling. Reductions in the price per m^2 of rental and exhibition stands cannot be considered for any deduction in services requested by the exhibitor.
5. Unless otherwise stated, all items listed are available for rental only.
6. **The stand holder is liable for any damage caused by inappropriate handling of walls and fascias, for example, screwing, nailing and use of strong adhesives.**
7. Missing or damaged rental goods will be charged at the cost of replacement. The exhibitor's liability commences on delivery and ceases on collection by the ServicePartner (even if exhibitor has already left the stand), up to a maximum of 24 hours after the end of event.
   Rental articles are not insured.
   Exhibition insurance is therefore recommended!
8. **Cancellation by the customer:**
   The latest date that a customer can cancel a binding order is up to 21 calendar days before the beginning of the event. This cancellation must be sent in writing to Messebau Wörnlein GmbH. Notwithstanding the above, Messebau Wörnlein GmbH is entitled to the agreed-upon compensation for the services rendered up to that point.
   Immediately following delivery, the lessee is obliged to convince himself/herself of the proper condition of the rental items and the completeness of the delivery.
   By accepting receipt of the goods, the lessee confirms flawless service. Potential complaints by the lessee with respect to services not in conformity with the contract must be made within 12 hours. Later objections are invalid.
   The lessee is aware that the rental goods are used repeatedly and not always in mint condition. Normal traces of use do not constitute a reason for complaint.
9. Payment is due in full immediately on receipt of the invoice. International checks, credit cards and credit transfer from outside the EUR (€)-area will be charged with EUR 13.95.
10. A processing fee of EUR 30 plus VAT at the statutory rate will be charged for issuing a new invoice due to incorrect information provided by the applicant. This fee will be included in the new invoice issued.
11. **All prices are subject to the addition of VAT at the statutory rate.**
12. The place of fulfillment and jurisdiction for both parties, including debt collection proceedings, is Nürnberg.

The ServicePartner settles accounts with exhibitors during the event.

The following credit cards are accepted: MasterCard, American Express, VISA.

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Furniture Rental

S1.67

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Hummel Möbelverleih GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-63 03
F +49 9 11 86 06-63 04
nuernberg@hummel-mietmoebel.de
www.hummel-mietmoebel.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

Order (for Special Conditions for Services see back of Form S1.67)

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

Order: Chairs

Item	Description	Qty.	EUR
	Art. 1157 About A Chair, chair with armrest, frame oak natural, seat polypropylene ☐ white ☐ black ☐ grey		49.00
	Art. 1157 About A Chair Black Edition, chair with armrest, frame oak black, seat cushion fabric ☐ grey		65.00
	Art. 1157 About A Chair Fabric, chair with armrest, frame oak natural, seat polypropylene, cushion fabric ☐ white/grey		65.00

Item	Description	Qty.	EUR
	Art. 1101 AP, stool, frame oak, ☐ oak bleached ☐ black		62.50
	Art. 1161 Babila, chair, frame chrome, seat plastic ☐ white		32.50
	Art. 1161 Babila, chair, frame metal black, seat wood black, cushion grey ☐ black/grey		50.00

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Chairs (continued)

Item	Description	Qty.	EUR
	Art. 1161 Babila, chair, frame metal white, seat ash-tree ☐ ash-tree natural		41.00
	Art. 1166 Babila, chair with armrest, frame chrome, seat plastic ☐ white		36.00
	Art. 1166 Babila, chair with armrest, frame metal white, seat plastic ☐ white		36.00
	Art. 1166 Babila, chair with armrest, frame metal black, seat plastic ☐ black		36.00
	Art. 1166 Babila Wood, chair with armrest, frame oak, seat plastic ☐ white ☐ mustard ☐ orange ☐ grey		45.00
	Art. 1167 Babila Wood, chair with armrest, frame wood, seat cushion fabric ☐ grey		69.00
	Art. 1142 Bankett, chair, frame metal, seat cushion fabric ☐ red		17.50
	Art. 1060 Bender, stool, frame metal, seat metal ☐ industrial varnish vintage		35.00
	Art. 1116 Black, lecture chair, frame metal black, seat plastic, with tablet arm ☐ black		21.00
	Art. 1138 Body to Body, chair, frame chrome, seat plastic ☐ white ☐ clear red ☐ clear blue		31.50
	Art. 1117 Bonni, lecture chair, frame chrome, seat cushion fabric, with tablet arm ☐ black		28.50
	Art. 1120 Bonni, chair, frame chrome, seat plastic ☐ white		16.50
	Art. 1125 Bonni, chair, frame chrome, seat cushion fabric ☐ black ☐ red ☐ blue		23.00
	Art. 1121 Bonni, chair with armrest, frame chrome, seat cushion fabric ☐ black ☐ red ☐ blue		28.00
	Art. 1149 Breeze, chair with armrest, frame aluminum, seat plastic ☐ white ☐ black ☐ red ☐ blue ☐ grey		33.50
	Art. 1134 Catifa, chair, frame chrome, seat plastic ☐ white ☐ white/beige ☐ white/red ☐ white/green ☐ white/dove blue ☐ white/anthracite ☐ white/black		36.50
	Art. 1134 Catifa Kufe, chair, frame metal black, seat plastic ☐ black ☐ grey		37.50

Item	Description	Qty.	EUR
	Art. 1134 Catifa Meeting, chair, frame chrome, seat ECO-leather, swivelling ☐ white ☐ black		69.00
	Art. 1134 Catifa Wood, chair, frame oak, seat plastic ☐ white ☐ white/anthracite		52.00
	Art. 1134 Catifa Wood Eco, chair, frame oak, seat ECO-leather ☐ white ☐ black		75.00
	Art. 1147 Cloud, chair with armrest, frame aluminum, seat plastic ☐ red ☐ blue ☐ anthracite		35.00
	Art. 1178 DAW, chair with armrest, frame maple varnished, seat polypropylene ☐ white ☐ mustard ☐ red ☐ marine blue		55.00
	Art. 1162 Dax, bench, Multiplex coated ☐ dark grey		182.00
	Art. 1324 Delby, swivel chair with armrests, frame plastic with castors, seat cushion fabric, height adjustable ☐ black		62.50
	Art. 1168 DSW, chair, frame varnished maple, seat polypropylene ☐ white		51.00
	Art. 1118 Elena, chair, frame chrome, seat plastic ☐ anthracite		12.00
	Art. 1135 Felix.3, chair, frame metal white, seat plastic ☐ white		36.00
	Art. 1133 Gliss, chair, frame chrome, seat polypropylene ☐ white ☐ black ☐ red		40.00
	Art. 1132 Hoop, chair, frame chrome, seat plastic ☐ white ☐ red ☐ blue ☐ anthracite		34.50
	Art. 1152 Ikon, bench, polypropylene ☐ white ☐ black		81.50
	Art. 1150 Kicca, chair, frame chrome, seat polypropylene ☐ white ☐ black ☐ orange ☐ red ☐ green ☐ anthracite		32.50
	Art. 1136 Kuadra, chair, frame chrome, seat plastic ☐ white		29.50
	Art. 1136 Kuadra, chair, frame chrome matt, seat plastic ☐ red ☐ opal		29.50
	Art. 1136 Kuadra XL, chair, frame chrome, seat plastic ☐ black		31.50
	Art. 1115 Laja, chair with armrest, frame aluminum white, seat synthetic leather white upholstered ☐ red ☐ grey		89.00

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Chairs (continued)

Item	Description	Qty.	EUR
	Art. 1164 Liù, chair, frame wood, seat cushion fabric ☐ grey		64.00
	Art. 1326 Luxy, swivel chair with armrests, frame metal, seat leather black, height adjustable ☐ with castors ☐ with glides		94.00
	Art. 1123 Mambo, stool, frame metal, seat plastic, height adjustable ☐ clear ☐ clear red ☐ clear blue		41.50
	Art. 1165 Monaco, chair, solid pine ☐ dark brown		19.00
	Art. 1144 Nami, chair with armrest, frame chrome, seat polypropylene ☐ white ☐ black		45.50
	Art. 1130 Noa, chair, frame metal white, seat plastic white upholstery ☐ grey		43.00
	Art. 1320 Office, swivel chair, frame plastic with castors, seat cushion fabric, height adjustable ☐ black		42.00
	Art. 1171 Olymp, cantilever chair, frame chrome, seat cushion fabric ☐ black		78.00
	Art. 1140 Panton, chair, polypropylene ☐ white ☐ red		44.00
	Art. 1183 Platero, chair, aluminum ☐ aluminum		24.00
	Art. 1176 Pocket, chair, frame metal grey, seat plastic, folding ☐ white ☐ blue ☐ anthracite		15.00
	Art. 1148 PoppyStar, chair with armrest, thermoplastic ☐ black ☐ cream ☐ red ☐ blue ☐ light grey		30.00
	Art. 1160 Sat, stool, plastic body, tablet arm wood ☐ white ☐ light grey		70.00
	Art. 1143 Sidus, bench, plastic ☐ white ☐ black		62.00
	Art. 1151 Tweet, chair, frame chrome, seat plastic ☐ white/black ☐ white/orange ☐ white/red ☐ white/green ☐ white/grey		32.50
	Art. 1153 Tweet, chair with armrest, frame metal black, seat plastic ☐ white/black		41.00
	Art. 1153 Tweet Fabric, chair with armrest, frame metal black, seat cushion fabric ☐ grey		82.50

Item	Description	Qty.	EUR
	Art. 1190 TX, stool, frame chrome matt, seat cushion synthetic leather ☐ white ☐ black		40.50
	Art. 1156 Verge, chair, frame wood, seat plastic ☐ white		49.00
	Art. 1131 Vitra.03, chair, frame metal grey, seat plastic ☐ black		69.50
	Art. 1154 Volt, chair, polypropylene, suitable for outdoor use ☐ white ☐ red ☐ blue ☐ anthracite		25.00
	Art. 1155 Volt, chair with armrest, polypropylene, suitable for outdoor use ☐ white ☐ red ☐ blue ☐ anthracite		32.00
	Art. 1113 Well, chair with armrest, frame chrome, seat cushion fabric ☐ black		67.00
	Art. 1126 Wood, chair, frame chrome, seat beech ☐ white ☐ black ☐ beech natural		23.00
	Art. 1177 Young, chair, oak ☐ oak natural		56.00

Easy chairs/sofas

	Art. 2062 Babila Comfort, easy chair, frame wood, seat cushion fabric ☐ grey		149.00
	Art. 2063 Babila Comfort, easy chair, frame wood black, seat cushion fabric ☐ grey		149.00
	Art. 2064 Babila Comfort, easy chair, frame 5-star base metal black, seat cushion fabric ☐ grey		149.00
	Art. 2912 Bahama, 1-seater, woven rattan brown, seat cushion fabric ☐ beige		101.00
	Art. 2913 Bahama, 2-seater, woven rattan brown, seat cushion fabric ☐ beige		200.00
	Art. 2102 Ben 39/39, stool, seat cushion synthetic leather, 39/39 cm / 39 cm high ☐ white ☐ black		26.00
	Art. 2065 Ben 45/45, stool, seat cushion synthetic leather, 45/45 cm / 45 cm high ☐ white		29.00
	Art. 2066 Ben 160/45, bench, seat cushion synthetic leather, 160/45 cm / 45 cm high ☐ white ☐ black ☐ red		62.00
	Art. 2099 Big Ben, stool, seat cushion synthetic leather, 100/100 cm / 40 cm high ☐ white		78.00

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Easy chairs/sofas (continued)

Item	Description	Qty.	EUR
	Art. 2188 Buddy, stool, frame metal black, seat cushion fabric ☐ grey		89.00
	Art. 2189 Buddy, stool with backrest, frame metal black, seat cushion fabric ☐ grey		117.00
	Art. 2191 Buddy, bench, frame metal black, seat cushion fabric ☐ grey		128.00
	Art. 2192 Buddy, bench with backrest, frame metal black, seat cushion fabric ☐ grey		177.00
	Art. 2087 Dado, stool, frame chrome, seat cushion synthetic leather ☐ white ☐ black		75.00
	Art. 2088 Dado, 1-seater, frame chrome, seat cushion synthetic leather ☐ white ☐ black		108.50
	Art. 2089 Dado, corner seat,, frame chrome, seat cushion synthetic leather ☐ white ☐ black		135.00
	Art. 2107 Delta, 1-seater, aluminium feet, seat cushion fabric ☐ black ☐ red ☐ grey		175.00
	Art. 2108 Delta, 2-seater, aluminium feet, seat cushion fabric ☐ black ☐ red ☐ grey		316.50
	Art. 2907 Highchair, 2-seater, cushion fabric ☐ anthracite		325.00
	Art. 2109 Host, stool, frame chrome, seat cushion synthetic leather ☐ white ☐ black		88.50
	Art. 2110 Host, 1-seater, frame chrome, seat cushion synthetic leather ☐ white ☐ black		106.50
	Art. 2095 Host Modular, stool, frame chrome, seat cushion synthetic leather ☐ white ☐ black		87.50
	Art. 2096 Host Modular, 1-seater, frame chrome, seat cushion synthetic leather ☐ white ☐ black		105.00
	Art. 2097 Host Modular, 2-seater, frame chrome, seat cushion synthetic leather ☐ white ☐ black		155.00
	Art. 2098 Host Modular, corner seat,, frame chrome, seat cushion synthetic leather ☐ white ☐ black		125.00
	Art. 2139 Jet, easy chair, plastic, suitable for outdoor use ☐ white ☐ black		50.00
	Art. 2908 Klasse, 1-seater, frame aluminum, seat cushion synthetic leather ☐ black		125.00
	Art. 2909 Klasse, 2-seater, frame aluminum, seat cushion synthetic leather ☐ black		250.00

Item	Description	Qty.	EUR
	Art. 2079 Lazy, beanbag, synthetic fibre, polystyrene ball filling ☐ red ☐ olive ☐ blue		68.00
	Art. 2159 Log, easy chair, cushion fabric ☐ grey		78.00
	Art. 2185 Log Lounge, 1-seater, cushion fabric ☐ yellow ☐ grey		169.00
	Art. 2186 Log Lounge, 2-seater, cushion fabric ☐ yellow ☐ grey		249.00
	Art. 2106 Nero synthetic leather, 2-seater, metal feet, seat cushion synthetic leather ☐ white ☐ black		207.00
	Art. 2106 Nero Stoff, 2-seater, metal feet, seat cushion fabric ☐ black		207.00
	Art. 2086 Nimrod, easy chair, frame polyethylene, seat cushion fabric ☐ orange ☐ green ☐ purple		145.00
	Art. 2187 Nita, easy chair, frame metal black, seat cushion fabric ☐ anthracite		89.00
	Art. 2158 Pass, easy chair, frame metal white, seat cushion fabric ☐ red		99.00
	Art. 2158 Pass, easy chair, frame metal black, seat cushion fabric ☐ anthracite		99.00
	Art. 2918 Qubo, 1-seater, metal feet, seat cushion synthetic leather ☐ white ☐ black		102.00
	Art. 2919 Qubo, 2-seater, metal feet, seat cushion synthetic leather ☐ white ☐ black		185.50
	Art. 2085 Rio, easy chair, frame chrome, seat cushion fabric ☐ red ☐ anthracite		160.50
	Art. 2114 Ro, easy chair, frame metal grey, seat cushion fabric ☐ black ☐ grey		96.00
	Art. 2111 Rondo, easy chair, frame synthetic leather, seat cushion synthetic leather ☐ white ☐ black		71.00
	Art. 2077 Social, 3-seater, frame metal black, seat cushion fabric ☐ grey		338.00
	Art. 2103 Tamago, easy chair, frame chrome, seat cushion fabric ☐ anthracite		64.50
	Art. 2061 Tarifa, stool, seat cushion leather ☐ beige		85.00
	Art. 2061 Tarifa, stool, seat cushion fabric ☐ turquoise		85.00

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Easy chairs/sofas (continued)

Item	Description	Qty.	EUR
	Art. 2910 Vega, 1-seater, frame chrome matt, seat cushion leather ☐ black		187.50
	Art. 2911 Vega, 2-seater, frame chrome matt, seat cushion leather ☐ black		364.00
	Art. 2090 Wow, stool, square, seat cushion synthetic leather, 36/36 cm / 48 cm high ☐ white ☐ black		41.00
	Art. 2091 Wow, bench, square, seat cushion synthetic leather, 91/36 cm / 48 cm high ☐ white ☐ black		60.50
	Art. 2092 Wow, stool, round, seat cushion synthetic leather, Ø 40 cm /48 cm high ☐ white ☐ black		41.00
	Art. 2093 Wow, stool, round, seat cushion synthetic leather, Ø 65 cm / 43 cm high ☐ white ☐ black		58.00
	Art. 2905 Zippo 100, 2-seater, frame metal black, seat cushion fabric ☐ grey		365.00
	Art. 2906 Zippo 140, 2-seater, frame metal black, seat cushion fabric ☐ grey		365.00

Barstool

	Art. 3433 About A Stool, barstool, frame oak natural, seat polypropylene ☐ white ☐ black ☐ grey		51.00
	Art. 3433 About A Stool Black Edition, barstool, frame oak black, seat cushion fabric ☐ grey		69.00
	Art. 3433 About A Stool Fabric, barstool, frame oak natural, seat cushion fabric ☐ grey		69.00
	Art. 3437 About A Stool Metall, barstool, frame metal black, seat polypropylene, seat height 65 cm ☐ black		69.00
	Art. 3438 About A Stool Metall, barstool, frame metal black, seat polypropylene, seat height 75 cm ☐ black		69.00
	Art. 3440 Arki Stool, barstool, wood, height adjustable ☐ oak natural ☐ wood black		59.00
	Art. 3441 Babar, barstool, frame chrome matt, seat polyurethane, height adjustable ☐ white ☐ black		67.00
	Art. 3435 Babila, barstool, wood, seat height 65 cm ☐ ash-tree natural ☐ ash-tree grey		42.00
	Art. 3436 Babila, barstool, wood, seat height 75 cm ☐ ash-tree natural ☐ ash-tree grey		47.00

Item	Description	Qty.	EUR
	Art. 3439 Bender, barstool, metal ☐ industrial varnish vintage		45.00
	Art. 3414 Bilbao, barstool, frame aluminum, seat beech ☐ beech natural		42.50
	Art. 3421 Bitter, barstool, aluminum ☐ aluminum		48.00
	Art. 3428 Breeze, barstool, frame aluminum, seat plastic ☐ white ☐ black ☐ red ☐ blue ☐ grey		46.00
	Art. 3442 Chic, barstool, frame chrome, seat cushion synthetic leather, height adjustable ☐ white ☐ black		47.00
	Art. 3409 Coma, barstool, frame aluminum, seat polypropylene ☐ white ☐ black ☐ orange ☐ red ☐ green ☐ blue		45.00
	Art. 3420 Cube, barstool, frame chrome matt, seat cushion synthetic leather ☐ white ☐ black		53.50
	Art. 3445 Dynamic, barstool, frame chrome, seat plywood, height adjustable ☐ white ☐ black		46.00
	Art. 3419 Gliss, barstool, seat plastic white ☐ frame white ☐ frame chrome		51.00
	Art. 3424 Hoop, barstool, frame chrome, seat plastic ☐ white ☐ red ☐ blue ☐ anthracite		51.00
	Art. 3417 Kicca, barstool, frame chrome, seat polypropylene ☐ white ☐ black ☐ orange ☐ red ☐ green ☐ anthracite		51.00
	Art. 3415 Kuadra, barstool, seat plastic white ☐ frame white ☐ frame chrome		39.00
	Art. 3429 Lem, barstool, frame chrome matt, seat wood, height adjustable ☐ white ☐ black ☐ beech natural ☐ walnut		69.00
	Art. 3429 Lem Fabric, barstool, frame chrome matt, seat cushion fabric, height adjustable ☐ black		74.00
	Art. 3429 Lem New, barstool, frame metal white, seat wood, height adjustable ☐ white		74.00
	Art. 3429 Lem New, barstool, frame metal black, seat wood, height adjustable ☐ black		74.00
	Art. 3429 Lem New Fabric, barstool, frame metal white, seat cushion fabric, height adjustable ☐ orange ☐ red ☐ light green ☐ dark green ☐ blue ☐ purple		74.00

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: bar stool (continued)

Item	Description	Qty.	EUR
	Art. 3430 Leo, barstool, frame aluminum, seat leather ☐ white ☐ black		50.00
	Art. 3418 Malaga, barstool, aluminum, suitable for outdoor use ☐ aluminum		31.50
	Art. 3427 Mambo, barstool, frame metal, seat plastic, clear, height adjustable ☐ clear ☐ clear red ☐ clear blue		75.00
	Art. 3410 Miura, barstool, frame polypropylene, suitable for outdoor use ☐ white ☐ black ☐ orange ☐ red ☐ dark red ☐ light green ☐ light blue		41.50
	Art. 3412 Move, barstool, frame chrome, seat leather, swivelling ☐ black ☐ red		45.00
	Art. 3411 Rio, barstool, frame chrome, seat cushion fabric ☐ black ☐ blue		32.50
	Art. 3443 Ryo, standing seat, frame metal white, seat ash-tree, height adjustable ☐ ash-tree natural		65.00
	Art. 3443 Ryo, standing seat, frame metal black, seat ash-tree, height adjustable ☐ black		65.00
	Art. 3444 Slot Machine, barstool, frame chrome, seat plywood ☐ white ☐ black		38.00
	Art. 3426 Stella, barstool, frame chrome, seat moulded ☐ blackwood ☐ moccawood		71.00
	Art. 3446 Thin, barstool, frame chrome matt, seat wood, height adjustable ☐ white		74.00
	Art. 3434 Tweet, barstool, frame chrome, seat polypropylene ☐ white/black		46.00
	Art. 3431 Tweet Black, barstool, frame metal black, seat polypropylene ☐ white/black		51.00
	Art. 3425 TX, barstool, frame chrome matt, seat cushion synthetic leather ☐ white ☐ black		53.50
	Art. 3422 Volt, barstool, frame polypropylene ☐ white ☐ red ☐ blue ☐ anthracite		45.00
	Art. 3416 Z, barstool, frame chrome, seat ☐ cushion white ☐ cushion black ☐ beech natural		26.00

Tables

	Art. 4298 About A Hightable, bar table, frame oak natural, round, 110 cm high ☐ top white ☐ Ø 60 ☐ Ø 70 ☐ Ø 80 ☐ top black ☐ Ø 60 ☐ Ø 70 ☐ Ø 80 ☐ top anthracite ☐ Ø 60 ☐ Ø 70 ☐ Ø 80		61.00 61.00 61.00

Item	Description	Qty.	EUR
	Art. 4298 About A Hightable 60/60, bar table, frame oak natural, 60/60 cm / 110 cm high ☐ top white ☐ top black ☐ top anthracite		61.00
	Art. 4298 About A Hightable 70/70, bar table, frame oak natural, 70/70 cm / 110 cm high ☐ top white ☐ top black ☐ top anthracite		61.00
	Art. 4248 About A Table, regular table, frame oak natural, round, 72 cm high, ☐ top white ☐ Ø 70 ☐ Ø 80 ☐ top black ☐ Ø 70 ☐ Ø 80 ☐ top anthracite ☐ Ø 70 ☐ Ø 80		57.00 57.00 57.00
	Art. 4248 About A Table 70/70, regular table, frame oak natural, 70/70 cm / 72 cm high ☐ top white ☐ top black ☐ top anthracite		57.00
	Art. 4248 About A Table 80/80, regular table, frame oak natural, 80/80 cm / 72 cm high ☐ top white ☐ top black ☐ top anthracite		57.00
	Art. 4071 About A Sidetable, side table, frame oak natural, round, Ø 60 cm / 45 cm high ☐ top white ☐ top black ☐ top anthracite		50.00
	Art. 4218 Alpha, side table, aluminium feet, 55/55 cm / 27 cm high ☐ top grey		59.50
	Art. 4213 Arki, regular table, frame oak natural, round, Ø 139 cm / 74 cm high ☐ top white		220.00
	Art. 4213 Arki, regular table, frame metal white, round, Ø 139 cm / 74 cm high ☐ top white		220.00
	Art. 4213 Arki 89/89, regular table, frame oak natural, 89/89 cm / 74 cm high ☐ top black		220.00
	Art. 4213 Arki 200/100, regular table, frame metal white, 200/100 cm / 74 cm high ☐ top white		365.00
	Art. 4283 Avangard, regular table, frame aluminum, round, Ø 70 / 73 cm high ☐ top Inox		50.50
	Art. 4246 Babila Meeting, regular table, frame ash-tree, 200/100 cm / 74 cm high ☐ top white		320.00
	Art. 4222 Bahama, side table, woven rattan brown, 51/51 cm / 42 cm high ☐ top glass		50.00
	Art. 4226 Barcelona, side table, frame chrome, 90/90 cm / 46 cm high ☐ top glass		130.00
	Art. 4070 Basic, side table, coated wood-based material, 55/55 cm /45 cm high ☐ white		26.00
	Art. 4217 Bonni, conference table, frame chrome, 160/80 cm / 72 cm high, folding ☐ top white ☐ top black		122.00
	Art. 4069 Buddy, side table, frame metal black, 59/59 cm /31 cm high ☐ top black		45.00
	Art. 4297 COP, high table, frame ash-tree black, 200/80 cm / 105 cm high ☐ top black		312.00

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Tables (continued)

Item	Description	Qty.	EUR
	Art. 4233 COP, regular table, frame ash-tree black, round, Ø 90 / 74 cm high ☐ top black		125.00
	Art. 4208 Divo 120/70, regular table, frame chrome matt, 120/70 cm / 72 cm high ☐ top beech		66.00
	Art. 4208 Divo 140/80, regular table, frame chrome matt, 140/80 cm / 74 cm high ☐ top white ☐ top black		92.00
	Art. 4208 Divo 180/80, regular table, frame chrome matt, 180/80 cm / 74 cm high ☐ top white ☐ top black		139.50
	Art. 4225 Eileen Gray, side table, frame chrome, round, Ø 51 cm / 60 -100 cm high, height adjustable ☐ top glass		80.00
	Art. 4227 Granada, side table, frame chrome, round, Ø 70 cm / 53 cm high ☐ top glass		130.00
	Art. 4282 Greece, regular table, frame aluminum, round, Ø 60 / 73 cm high ☐ top Inox		32.00
	Art. 4296 Ikon, bar table, frame polypropylene, round, Ø 60 / 110 cm high ☐ top/frame white ☐ top/frame black		76.50
	Art. 4231 Ikon, regular table, frame polypropylene white, round, 73 cm high ☐ top/frame white ☐ Ø 60 ☐ Ø 80 ☐ top/frame black ☐ Ø 60 ☐ Ø 80		59.00 59.00
	Art. 4082 Ikon, side table, frame polypropylene, round, Ø 60 cm / 46 cm high ☐ top/frame white ☐ top/frame black		59.00
	Art. 4290 Inox, bar table, frame chrome matt, round, 114 cm high ☐ top white ☐ Ø 60 ☐ Ø 70 ☐ top black ☐ Ø 60 ☐ Ø 70 ☐ top anthracite ☐ Ø 60 ☐ Ø 70		60.00 60.00 60.00
	Art. 4290 Inox, bar table, frame chrome matt, round, 114 cm high ☐ top beech natural ☐ Ø 60		65.00
	Art. 4290 Inox, bar table, frame chrome matt, round, 114 cm high ☐ top glass clear ☐ Ø 60 ☐ Ø 70 ☐ top glass satin ☐ Ø 60 ☐ Ø 70		85.00 85.00
	Art. 4290 Inox 60/60, bar table, frame chrome matt, 60/60 cm / 114 cm high ☐ top white ☐ top black		60.00
	Art. 4290 Inox 60/60, bar table, frame chrome matt, 60/60 cm / 114 cm high ☐ top walnut		63.00
	Art. 4290 Inox Grande 120/60, bar table, 2 x frame chrome matt, 120/60 cm / 114 cm high ☐ top white ☐ top black		120.00
	Art. 4230 Inox, regular table, frame chrome matt, round, 74 cm high ☐ top white ☐ Ø 60 ☐ Ø 70 ☐ Ø 80		41.50

Item	Description	Qty.	EUR
	Art. 4230 Inox, regular table, frame chrome matt, round, 74 cm high ☐ top black ☐ Ø 60 ☐ Ø 70 ☐ Ø 80 ☐ top anthracite ☐ Ø 60 ☐ Ø 70 ☐ Ø 80		43.50 43.50
	Art. 4230 Inox, regular table, frame chrome matt, round, 74 cm high ☐ top beech natural ☐ Ø 60 ☐ Ø 80		54.00
	Art. 4230 Inox, regular table, frame chrome matt, round, 74 cm high ☐ top glass clear ☐ Ø 60 ☐ Ø 70 ☐ top glass satin ☐ Ø 60 ☐ Ø 70		76.50 76.50
	Art. 4230 Inox 60/60, regular table, frame chrome matt, 60/60 cm / 74 cm high ☐ top white ☐ top black ☐ top walnut		42.50
	Art. 4230 Inox 70/70, regular table, frame chrome matt, 70/70 cm / 74 cm high ☐ top white ☐ top black		42.50
	Art. 4230 Inox Grande 120/80, regular table, 2 x frame chrome matt, 120/80 cm / 74 cm high ☐ top white ☐ top black		125.00
	Art. 4230 Inox Grande 150/80, regular table, 2 x frame chrome matt, 150/80 cm / 74 cm high ☐ top white ☐ top black		125.00
	Art. 4230 Inox Grande 150/80, regular table, 2 x frame chrome matt, 150/80 cm / 74 cm high ☐ top ash-tree natural		146.00
	Art. 4230 Inox Grande 200/80, regular table, 2 x frame chrome matt, 200/80 cm / 74 cm high ☐ top white ☐ top black		130.00
	Art. 4230 Inox Grande 200/80, regular table, 2 x frame chrome matt, 200/80 cm / 74 cm high ☐ top ash-tree natural		151.00
	Art. 4202 Laja 60/60, regular table, frame metal white, 60/60 cm / 73 cm high ☐ top white		48.00
	Art. 4203 Laja 80/80, regular table, frame metal white, 80/80 cm / 73 cm high ☐ top white		51.00
	Art. 4299 Luna, bar table, frame metal black, 69/69 cm / 106 cm high ☐ top black		69.00
	Art. 4245 Luna, regular table, frame metal black, 79/79 cm / 74 cm high ☐ top black		64.00
	Art. 4238 Major, regular table, frame black, round, 75 cm high ☐ top white ☐ Ø 110 ☐ Ø 120		61.00
	Art. 4238 Major, regular table, frame chrome, round, 75 cm high ☐ top white ☐ Ø 110 ☐ Ø 120		61.00
	Art. 4215 Mondo, regular table, frame chrome, 120/80 cm / 75 cm high, folding ☐ top white ☐ top black		41.50
	Art. 4294 Multi 200/80, bar table, wood material coated, 200/80 cm / 110 cm high ☐ top/frame white ☐ top/frame black		151.00
	Art. 4239 Multi 200/80, regular table, wood material coated, 200/80 cm / 75 cm high ☐ top/frame white ☐ top/frame black		151.00
	Art. 4207 Munich 80/80, regular table, frame chrome, 80/80 cm / 72 cm high ☐ top white		34.50

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Tables (continued)

Item	Description	Qty.	EUR
	Art. 4209 Munich 120/80, regular table, frame chrome, 120/80 cm / 72 cm high ☐ top white		40.00
	Art. 4243 Oak 160/90, regular table, frame solid oak, 160/90 cm / 76 cm high ☐ top oak		322.50
	Art. 4243 Oak 220/90, regular table, frame solid oak, 220/90 cm / 76 cm high ☐ top oak		374.50
	Art. 4080 Pocket, side table, frame metal white, 40/60 cm / 55 cm high ☐ top white		66.00
	Art. 4289 Quadro 60/60, bar table, frame chrome matt, 60/60 cm / 113 cm high ☐ top white ☐ top black		60.00
	Art. 4289 Quadro 60/60, bar table, frame chrome matt, 60/60 cm / 113 cm high ☐ top Inox		70.50
	Art. 4289 Quadro 70/70, bar table, frame chrome matt, 70/70 cm / 113 cm high ☐ top white ☐ top black		60.00
	Art. 4241 Quadro 70/70, regular table, frame chrome matt, 70/70 cm / 75 cm high ☐ top white ☐ top black		42.50
	Art. 4241 Quadro 79/79, regular table, frame chrome matt, 79/79 cm / 75 cm high ☐ top black ☐ top grey		59.00
	Art. 4241 Quadro 80/80, regular table, frame chrome matt, 80/80 cm / 75 cm high ☐ top white ☐ top black		42.50
	Art. 4288 Quickstep, bar table, round, 113 cm high, suitable for outdoor use ☐ white ☐ graphite		29.00
	Art. 4293 Sea, bar table, frame aluminum polished, round, 108 cm high ☐ top white ☐ Ø 60 ☐ Ø 70 ☐ top black ☐ Ø 60 ☐ Ø 70 ☐ top anthracite ☐ Ø 60 ☐ Ø 70		66.50 66.50 66.50
	Art. 4293 Sea 60/60, bar table, frame aluminum polished, 60/60 cm / 108 cm high ☐ top white ☐ top black		66.50
	Art. 4235 Sea, regular table, frame aluminum polished, round, Ø 80 / 73 cm high ☐ top white ☐ top black ☐ top anthracite		58.00
	Art. 4235 Sea 70/70, regular table, frame aluminum polished, 70/70 cm / 73 cm high ☐ top white ☐ top black		58.00
	Art. 4084 Sea, side table, frame aluminum polished, round, 43 cm high ☐ top white ☐ Ø 60 ☐ Ø 70 ☐ top black ☐ Ø 60 ☐ Ø 70 ☐ top anthracite ☐ Ø 60 ☐ Ø 70		52.00 52.00 52.00
	Art. 4211 Semi, regular table, frame chrome, 120/40 cm / 74 cm high, folding ☐ top white		34.50
	Art. 4200 Simple 70/70, regular table, frame chrome, 70/70 cm / 72 cm high ☐ top white ☐ top black		29.50
	Art. 4210 Simple 120/70, regular table, frame chrome, 120/70 cm / 72 cm high ☐ top white ☐ top black		34.50

Item	Description	Qty.	EUR
	Art. 4223 Slide, side table, frame chrome, 64/64 cm / 38 cm high ☐ top white		37.50
	Art. 4201 Square, regular table, frame metal black, 70/70 cm / 72 cm high ☐ top white ☐ top black		41.00
	Art. 4236 Step, regular table, frame metal black, round, 72 cm high ☐ top white ☐ Ø 90 ☐ Ø 100 ☐ top black ☐ Ø 90 ☐ Ø 100		45.50 45.50
	Art. 4284 Stylus, bar table, frame metal white, round, 114 cm high ☐ top white ☐ Ø 69 ☐ Ø 79		68.00
	Art. 4284 Stylus 59/59, bar table, frame metal, 59/59 cm / 114 cm high ☐ top/frame white ☐ top/frame black		68.00
	Art. 4204 Stylus 69/69, regular table, frame metal, 69/69 cm / 74 cm high ☐ top/frame white ☐ top/frame black		57.50
	Art. 4205 Stylus 79/79, regular table, frame metal, 79/79 cm / 74 cm high ☐ top/frame white ☐ top/frame black		62.50
	Art. 4078 Stylus Lounge, side table, frame metal white, round, Ø 69 cm / 50 cm high ☐ top white		52.00
	Art. 4081 Stylus 59/59, side table, frame metal, 59/59 cm / 50 cm high ☐ top/frame white ☐ top/frame black		52.00
	Art. 4285 Tall, bar table, frame metal black, round, 114 cm high ☐ top white ☐ Ø 60 ☐ Ø 70 ☐ top black ☐ Ø 60 ☐ Ø 70 ☐ top anthracite ☐ Ø 60 ☐ Ø 70 ☐ top beech imitation ☐ Ø 60		40.50 40.50 40.50 40.50
	Art. 4285 Tall 60/60, bar table, frame metal black, 60/60 cm / 114 cm high ☐ top white ☐ top black		40.50
	Art. 4220 Toe 70/70, side table, frame chrome matt, 70/70 cm / 34 cm high ☐ top white		79.50
	Art. 4224 Toe 128/64, side table, frame chrome matt, 128/64 cm / 34 cm high ☐ top white		101.00
	Art. 4295 Toledo 60, bar table, wood material coated, 60/60 cm / 110 cm high ☐ top/frame white ☐ top/frame black		119.00
	Art. 4295 Toledo 130, bar table, wood material coated, 130/60 cm / 110 cm high ☐ top/frame white ☐ top/frame black		129.00
	Art. 4295 Toledo 170, bar table, wood material coated, 170/60 cm / 110 cm high ☐ top/frame white ☐ top/frame black		139.00
	Art. 4295 Toledo 200, bar table, wood material coated, 200/60 cm / 110 cm high ☐ top/frame white ☐ top/frame black		159.00
	Art. 4216 Toledo 130, regular table, wood material coated, 130/60 cm / 75 cm high ☐ top/frame white ☐ top/frame black		129.00
	Art. 4216 Toledo 170, regular table, wood material coated, 170/60 cm / 75 cm high ☐ top/frame white ☐ top/frame black		139.00
	Art. 4216 Toledo 200, regular table, wood material coated, 200/60 cm / 75 cm high ☐ top/frame white ☐ top/frame black		159.00

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Tables (continued)

Item	Description	Qty.	EUR
	Art. 4083 Toledo 45, side table, wood material coated, 45/45 cm / 45 cm high ☐ top/frame white ☐ top/frame black		62.50
	Art. 4287 Tonda, bar table, frame chrome matt, round, 114 cm high ☐ top white ☐ Ø 60 ☐ Ø 70 ☐ top black ☐ Ø 60 ☐ Ø 70 ☐ top anthracite ☐ Ø 60 ☐ Ø 70		60.00 60.00 60.00
	Art. 4287 Tonda, bar table, frame chrome matt, round, 114 cm high ☐ top beech natural ☐ Ø 60		70.50
	Art. 4287 Tonda, bar table, frame chrome matt, round, 114 cm high ☐ top glass clear ☐ Ø 60 ☐ Ø 70 ☐ top glass satin ☐ Ø 60 ☐ Ø 70		85.00 85.00
	Art. 4287 Tonda 60/60, bar table, frame chrome matt, 60/60 cm / 114 cm high ☐ top white ☐ top black		60.00
	Art. 4287 Tonda 60/60, bar table, frame chrome matt, 60/60 cm / 114 cm high ☐ top walnut		63.00
	Art. 4229 Tonda, regular table, frame chrome matt, round, 75 cm high ☐ top white ☐ Ø 60 ☐ Ø 70 ☐ Ø 80		40.50
	Art. 4229 Tonda, regular table, frame chrome matt, round, 75 cm high ☐ top black ☐ Ø 60 ☐ Ø 70 ☐ Ø 80 ☐ top anthracite ☐ Ø 60 ☐ Ø 70 ☐ Ø 80		42.50 42.50
	Art. 4229 Tonda, regular table, frame chrome matt, round, 75 cm high ☐ top beech natural ☐ Ø 60 ☐ Ø 80		54.00
	Art. 4229 Tonda, regular table, frame chrome matt, round, 75 cm high ☐ top glass clear ☐ Ø 60 ☐ Ø 70 ☐ top glass satin ☐ Ø 60 ☐ Ø 70		76.50 76.50
	Art. 4229 Tonda 60/60, regular table, frame chrome matt, 60/60 cm / 75 cm high ☐ top white ☐ top black ☐ top walnut		41.50
	Art. 4229 Tonda 70/70, regular table, frame chrome matt, 70/70 cm / 75 cm high ☐ top white ☐ top black		41.50
	Art. 4228 Tonda, side table, frame chrome matt, round, Ø 50 cm / 51 cm high ☐ top glass clear ☐ top glass satin		62.50
	Art. 4228 Tonda, side table, frame chrome polished, round, Ø 50 cm / 51 cm high ☐ top glass clear ☐ top glass satin		62.50
	Art. 4228 Tonda, side table, frame chrome matt, round, Ø 60 cm / 51 cm high ☐ top glass clear ☐ top glass satin		62.50
	Art. 4228 Tonda, side table, frame chrome polished, round, Ø 60 cm / 51 cm high ☐ top glass clear ☐ top glass satin		62.50
	Art. 4221 Tria, side table, frame chrome matt, 57/50 cm / 37 cm high ☐ top white ☐ top black		78.00
	Art. 4291 Viena, bar table, frame aluminum, round, Ø 60 / 113 cm high ☐ top Inox		63.00
	Art. 4286 Ypsilon, bar table, frame metal, round, Ø 60 / 113 cm high ☐ top Inox		48.50

Item	Description	Qty.	EUR
	Art. 4286 Ypsilon, bar table, frame metal white, round, Ø 60 / 113 cm high ☐ top white		48.50
	Art. 4232 Ypsilon, regular table, frame metal white, round, 74 cm high ☐ top white ☐ Ø 60 ☐ Ø 70		62.50
	Art. 4244 Zenith 80/80, regular table, frame powder coated anthracite, 80/80 cm / 72 cm high ☐ top wood natural		98.00
	Art. 4244 Zenith 160/80, regular table, frame powder coated anthracite, 160/80 cm / 72 cm high ☐ top white ☐ top black ☐ top wood natural		127.00

Counters/cupboards

	Art. 5370 Big, locker cabinet, metal, 4 lockers, 68/50 cm / 180 cm high ☐ grey		101.00
	Art. 5583 Bosse, highboard, chrome-plated frame, 79/39 cm / 109 cm high, lockable ☐ white ☐ black		151.00
	Art. 5584 Dax, sideboard, silver body, top Multiplex birch, 100/50 cm / 75 cm high, lockable ☐ silver		139.50
	Art. 5594 Dax, counter, silver body, top Multiplex birch, 150/50 cm / 100 cm high, lockable ☐ silver		224.00
	Art. 5593 Dax, round counter, silver body, top Multiplex birch, 170/50 cm / 100 cm high, lockable ☐ silver		333.00
	Art. 5529 Heavy, heavy duty shelf unit, metal, 5 heavy duty shelves, 90/40 cm / 200 cm high ☐ silver galvanised		65.00
	Art. 5606 Igloo, bar counter, plastic, 140/70 cm / 108 cm high, with lighting ☐ white		213.50
	Art. 5605 Igloo, corner element bar counter, plastic, 90/79 cm / 108 cm high, with lighting ☐ white		192.50
	Art. 5547 Kant, lectern, wood material coated, 60/60 cm /120 cm high ☐ white		195.00
	Art. 5582 Kant, display desk, wood material coated, with cable outlet, 60/60 cm / 110 cm high, lockable ☐ white		120.00
	Art. 5586 Kant, decoration platform, wood material coated, 100/50 cm /50 cm high ☐ white		62.50
	Art. 5590 Kant, decoration column, wood material coated, 50/50 cm / 100 cm high ☐ white		62.50
	Art. 5610 Nea, counter, wood material coated, 150/44 cm / 110 cm high ☐ white		390.00

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Counters/cupboards (continued)

Item	Description	Qty.	EUR
	Art. 5592 Real, counter, body stainless steel, top maple, 98/79 cm / 117 cm high, lockable ☐ silver		311.00
	Art. 5373 Reno, sideboard, wood material coated, 80/40 cm / 80 cm high, lockable ☐ white ☐ black		92.00
	Art. 5374 Reno, counter, wood material coated, 80/40 cm / 100 cm high, lockable ☐ white		105.00
	Art. 5613 Reno, bar counter, wood material coated, 118/76 cm / 110 cm high, lockable, with lighting ☐ white		225.00
	Art. 5614 Reno, corner element bar, wood material coated, 76/76 cm / 110 cm high, with lighting ☐ white		155.00
	Art. 5375 Reno, filing cabinet, wood material coated, 80/40 cm / 190 cm high, lockable ☐ white		149.00
	Art. 5372 Reno, locker cabinet, wood material coated, 4 lockers, 35/50 cm / 200 cm high, lockable ☐ white		94.00
	Art. 5371 Silver, locker cabinet, metal, 4 lockers, 36/50 cm / 180 cm high ☐ grey		94.00
	Art. 5585 Syma Easy, sideboard, frame white, fill white,100/50 cm / 75 cm high ☐ white		88.50
	Art. 5588 Syma Easy, counter, frame white, fill white, 100/50 cm / 95 cm high ☐ white		100.00
	Art. 5589 Syma Easy, corner element counter, frame white, fill white, 50/50 cm / 95 cm high ☐ white		76.00
	Art. 5401 Syma Easy, bar counter, frame white, fill white, 100/50 cm / 125 cm high ☐ white		116.50
	Art. 5406 Syma Easy, corner element bar, frame white, fill white, 50/50 cm / 125 cm high ☐ white		104.00
	Art. 5585 Syma New, sideboard, frame aluminum, fill white, 100/50 cm / 75 cm high ☐ white		88.50
	Art. 5585 Syma New, sideboard, frame aluminum, fill black, 100/50 cm / 75 cm high ☐ black		95.00
	Art. 5588 Syma New, counter, frame aluminum, fill white, 100/50 cm / 95 cm high ☐ white		103.00
	Art. 5588 Syma New, counter, frame aluminum, fill black, 100/50 cm / 95 cm high ☐ black		108.50
	Art. 5589 Syma New, corner element counter, frame aluminum, fill white, 50/50 cm / 95 cm high ☐ white		78.00

Item	Description	Qty.	EUR
	Art. 5589 Syma New, corner element counter, frame aluminum, fill black, 50/50 cm / 95 cm high ☐ black		83.50
	Art. 5401 Syma New, bar counter, frame aluminum, fill white, 100/50 cm / 125 cm high ☐ white		122.00
	Art. 5401 Syma New, bar counter, frame aluminum, fill black, 100/50 cm / 125 cm high ☐ black		127.00
	Art. 5406 Syma New, corner element bar, frame aluminum, fill white, 50/50 cm /125 cm high ☐ white		106.50
	Art. 5406 Syma New, corner element bar, frame aluminum, fill black, 50/50 cm /125 cm high ☐ black		111.50
	Art. 5343 Steel, cabinet on castors, metal 3 drawers, 42/59 cm / 56 cm high ☐ white ☐ black ☐ silver		62.50
	Art. 5530 Store, multipurpose shelving, plastic, 5 shelves, 75/30 cm / 170 cm high ☐ white		35.50

Showcases

	Art. 5602 Forum, showcase, frame aluminum, fully glazed, 100/50 cm / 180 cm high, lockable with lighting ☐ glass		276.00
	Art. 5596 Kappa, showcase with storage, frame aluminum, fill white, 100/50 cm / 190 cm high, lockable with lighting ☐ glass/white		234.00
	Art. 5599 Kappa, column showcase with storage, frame aluminum, fill white, 50/50 cm / 190 cm high, lockable with lighting ☐ glass/white		213.50
	Art. 5598 Nice, column showcase, frame aluminum, fully glazed, 44/44 cm / 180 cm high, lockable with lighting ☐ glass		213.50
	Art. 5570 Octa, showcase, frame aluminum, 100/50 cm / 95 cm high, lockable without lighting ☐ glass		92.00
	Art. 5580 Octa, showcase with storage, frame aluminum, fill white, 100/50 cm / 95 cm high, lockable without lighting ☐ glass/white		114.50
	Art. 5581 Syma Easy, showcase with storage, frame white, fill white, 100/50 cm / 95 cm high, lockable without lighting ☐ glass/white		134.50
	Art. 5596 Syma Easy, showcase with storage, frame white, fill white, 100/50 cm / 180 cm high, lockable with lighting ☐ glass/white		234.00
	Art. 5597 Syma Easy, column showcase with storage, frame white, fill white, 50/50 cm / 180 cm high, lockable with lighting ☐ glass/white		213.50
	Art. 5581 Syma New, showcase with storage, frame aluminum, fill white, 100/50 cm / 95 cm high, lockable without lighting ☐ glass/white		134.50

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Showcases (continued)

Item	Description	Qty.	EUR
	Art. 5581 Syma New, showcase with storage, frame aluminum, fill black, 100/50 cm / 95 cm high, lockable without lighting ☐ glass/black		139.50
	Art. 5597 Syma New, column showcase with storage, frame aluminum, fill white, 50/50 cm / 180 cm high, lockable with lighting ☐ glass/white		213.50
	Art. 5595 Trend, cabinet showcase, frame aluminum, 100/50 cm / 180 cm high, lockable with lighting ☐ glass		182.00

Brochure rack

	Art. 7532 Pino 6, brochure rack, frame metal, 6 DIN A4 shelves, 44/40 cm / 157 cm high ☐ grey		54.50
	Art. 7538 Punto 4, brochure rack, frame metal grey, 4 DIN A4 shelves, 30/60 cm / 166 cm high ☐ grey		68.00
	Art. 7539 Punto 8, brochure rack, frame metal grey, 8 DIN A4 shelves, 35/54 cm / 150 cm high ☐ grey		73.00
	Art. 7535 PZ 6, brochure rack, frame acrylic clear, 6 DIN A4 shelves, 42/30 cm / 154 cm high ☐ acrylic clear		93.00
	Art. 7534 Shell, brochure rack, frame chrome matt, 3 aluminium shelves, 65/56 cm / 130 cm high ☐ chrome matt		47.00
	Art. 7537 Twin, brochure rack, frame chrome matt, 3 double-sided aluminium shelves, 51/40 cm / 150 cm high ☐ chrome matt		52.00

Coat racks

	Art. 7501 Bambu, coat rack, frame metal, Ø 37 / 173 cm high ☐ silver		34.50
	Art. 7502 Flag, coat rack, frame metal/polypropylene, Ø 40 / 173 cm high ☐ white ☐ black ☐ red		42.00
	Art. 7700 Milano, clothes stand, frame chrome, 180/55 cm / 140-180 cm high, height adjustable ☐ chrome		35.00
	Art. 7500 Tube, coat rack, frame chrome, Ø 54 / 175 cm high ☐ chrome		24.00

Lamps

	Art. 7899 Happy Apple, floor light, material polyethylene, Ø 50 / 44 cm high ☐ white		85.00
	Art. 7902 L001 TA, table lamp, frame metal white, lampshade plastic, Ø 27 / 65 cm high ☐ white/grey		130.00

Item	Description	Qty.	EUR
	Art. 7901 L001 ST, floor lamp, frame metal white, lampshade plastic, Ø 52 / 180 cm high ☐ white/grey		182.00
	Art. 7903 Time out, floor lamp, frame plastic, lampshade plastic, Ø 80 / 190 cm high ☐ white		192.50

Miscellaneous accessories

	Art. 7549 Chromato, bag holder, frame chrome matt, Ø 40 / 70 cm high ☐ chrome matt		42.00
	Art. 7545 Dusty, waste stand, incl. 3 rubbish bags ☐ grey		31.50
	Art. 7543 Flex, retractable belt barrier, matt chrome frame, belt length 2 m, minimum order 2 pylons ☐ black belt ☐ blue belt		50.00
	Art. 7544 Flex Outdoor, retractable belt barrier, metal black feet, belt length 2 m, minimum order 2 pylons, suitable for outdoor use ☐ black belt		45.00
	Art. 7804 Leaf, space divider, polyethylene, 36/40 cm / 180 cm high ☐ white ☐ light green ☐ green		36.50
	Art. 7750 Look, upright mirror on castors, 68/51 cm / 165 cm high ☐ chrome		48.00
	Art. 7510 Paper, wastepaper, plastic, Ø 30 / 33 cm high ☐ white		7.00
	Art. 7546 Pushboy, rubbish bin, steel plate powder-coated, volume 50 l, Ø 40 / 75 cm high ☐ silver		42.00
	Art. 7521 Rex, umbrella stand, metal, Ø 30 / 54 cm high ☐ black		35.50
	Art. 7803 Sticks, space divider, fiberglass rods, baseplate natural rubber, 60/30 cm / 180 cm high ☐ white		88.50
	Art. 7548 Talk, lectern, frame chrome, 56/35 cm /110 cm high ☐ top white		125.00

Orders placed during the official setup period will be subject to a surcharge of 25 % on the rental price.

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Applicability of the terms and conditions

1. Applicability of the terms and conditions

1.1 Our offers, deliveries, and services are provided solely on the basis of these Terms and Conditions. Any deviating terms and conditions of the contracting party will be rejected.

1.2 If a provision of these Terms and Condition or a provision in connection with other agreements should be or become ineffective, this does not affect the effectiveness of the other provisions.

2. Offer and conclusion of contract

2.1 Our offers are non-binding and subject to confirmation.

2.2 Declarations of acceptance and all orders require written confirmation in order to become legally effective.

2.3 The same applies to supplements, amendments and supplementary agreements.

3. Sale

All goods delivered remain our property until all claims arising from the delivery contract have been paid in full. As long as the property has not yet officially been handed over, the contracting party is obliged to handle the goods with care.

4. Rental

4.1 Rental items are the furniture and technical equipment indicated in the order confirmation. The rental items are the property of the lessor.

4.2 The rental items shall be made available for the agreed purpose and the agreed period of time. Any other use during the rental period is not permitted.

4.3 The lessee is aware that the rental items are not insured. It is advisable to obtain theft insurance (please refer to point 13 "Insurance").

5. Rental period

5.1 The rental item is provided for the duration of the event.

5.2 The rental period begins with conveyance of the rental items to the lessee.

5.3 The rental period ends with the end of the event, unless a different ending time was expressly agreed to.

5.4 Use of the rental items beyond the agreed return date is not permitted, unless a follow-up order was concluded with the lessor in writing.

6. Delivery

6.1 Delivery time

a.) With regard to events to which the lessor delivers free of transport charges, delivery is made in collective transport of which the date and time is stipulated by the lessor. The lessor pledges delivery prior to the start of the event. The lessee is charged for deliveries at other times.

b.) Otherwise, delivery is made at the agreed time. Delivery times are only binding if they have been agreed in writing. If a specific time was not agreed upon, delivery is made prior to the start of the event.

c.) If the trade booth is not staffed at the time of delivery, placement of the rental goods at the trade booth is deemed to be proper conveyance of them. Starting at this time, the lessee bears the risk of loss or damage of the rental goods. The lessor is not obligated to verify the authority of the individuals encountered when delivering the rental goods. If delivery or collection of the rental item is prevented by fault of the lessee, the lessor shall be entitled to charge for any additional expenditure incurred.

6.2 Delivery difficulties and transfer of risk

a.) Should the delivery not be effected within a period agreed upon in writing and a reasonable extension has not been observed by us, then the contracting party is entitled to withdraw from the contract. Claims to compensation for damages are limited to damages caused due to intentional or grossly negligent actions. If delivery is handled by the lessor, then in the event of disturbances due to force majeure that make delivery by the lessor materially more difficult or impossible, the lessor is not liable for exceeding the agreed deadlines and dates. The relevant general terms and conditions of the forwarding trade are applicable to transport.

b.) If delivery is handled by a third party, risk passes at the time that the rental items are handed over to the third party.

c.) In exceptional cases, the lessor may deliver equivalent or higher-quality items instead of the ordered goods at the price of the originally ordered goods.

6.3 Lessees collecting rental items Lessees collecting rental items themselves are hereby notified that the objects may only be transported in suitable closed vehicles.

7. Inspection duties and complaints

7.1 Immediately following delivery, the lessee is obliged to convince himself/herself of the proper condition of the rental items and the completeness of the delivery.

7.2 By accepting receipt of the goods, the lessee confirms flawless service. Potential complaints by the lessee with respect to services not in conformity with the contract must be made within 24 hours. Later objections are invalid.

7.3 The lessee is aware that the rental goods are used repeatedly and not always in mint condition. Normal traces of use do not constitute a reason for complaint.

7.4 We will remedy correctly lodged and justified complaints through discounted prices, improvement, replacement or return of the product against a refund of the purchase price. Further claims of the contracting party, as far as they are legally permitted, are excluded.

7.5 The lessor's size indications are approximate only. The lessor reserves the ability to make changes to shape, size, and colour provided, the lessee can reasonably be expected to accept the changes. 7.6 The lessee has to grant the lessor the possibility to rectify or assess the claim.

7.7 Carpet: Minor, in particular customary deviations (DIN standard) in quality, colour, design, length, width, equipment, weight or processing do not constitute grounds for complaint.

8. Return of the rental item

8.1 At the end of the rental period, the lessee must have the rental items accessible and ready for pickup. The lessor will collect the rental items as quickly as possible.

8.2 The lessee is obligated to secure the rental items against loss or damage at least 24 hours after the end of the rental period.

8.3 If the rental items are not returned on time, the lessor is entitled to charge an extra compensation fee for the duration of the period in which the lessee withholds the rental goods. Farther-reaching compensation of damages is not precluded.

8.4 Added costs due to premature return of the rental goods shall be borne by the lessee.

9. Rental prices

9.1 All agreed prices are net prices in euros, plus value-added tax.

9.2 The valid transport cost rates for delivery and collection of the rental item will be invoiced in addition to the rental price.

9.3 The lessor reserves the right to deliver only against advance payment.

9.4 In the event of late payment, the lessor reserves the right to refuse delivery of the rental item or to collect delivered items at an earlier date.

10. Payments

10.1 Invoiced rental prices are payable in full without deduction.

10.2 If no deviant agreement is made, payment is due upon billing, at the latest, however, before delivery of the rental item.

10.3 Direct orders placed immediately before and during a trade fair are to be paid upon order.

10.4 A collection charge of EUR 15.00 is added to foreign cheques.

10.5 Payments from abroad are to be remitted in advance with all charges paid.

10.6 If the contracting party is in default, then we are entitled to charge, as of the time in question, interest equal to that calculated by the commercial banks for outstanding current account credits, however, at least 9% above the respective base interest rate of the Deutsche Bundesbank. The actual calculation of the damage due to default is reserved. The actual proof of less damage due to default remains possible for the contracting party.

10.7 Should an invoice need to be re-issued due to false or incorrect data supplied by the applicant, the lessor is entitled to charge an administrative fee of EUR 50.00 plus VAT. This charge will be set against the new invoice to be issued.

10.8 We are entitled to set off payments made by a contracting party against his oldest due debts. If costs and interest have already accrued, we are entitled to set off the payment against the costs, then against the interest and finally against the basic sum.

10.9 A payment is only then regarded as having been effected when the funds are at our disposal.

10.10 In the event of non-payment of cheques or bills, in the event of insolvency, or if circumstances should become known which call the creditworthiness of the contracting party into question, as well as in the event of the opening of insolvency proceedings all our claims – also in the event of a deferment – shall become due for payment immediately.

10.11 Furthermore, such circumstances entitle us to despatch outstanding shipments by cash on delivery or to demand payment in advance or the provision of a security. In the event of further delay in payment, we are entitled to withdraw from the contract or to demand compensation on grounds of non-payment. The contracting party can only offset such claims which are undisputed or finally established.

11 Liability of the Lessee/Damage to Rental Goods

11.1 Liability shall commence with the takeover of the rental goods by the lessee and end with its collection by the lessor. In the case of objects rented for a trade fair, liability shall commence with delivery to the exhibition stand and end when it is collected from there. This shall also apply if the exhibition stand is not occupied.

11.2 The lessee is liable for loss or damage during the rental period. He or she must promptly notify the lessor about any damage to the rental item. The same applies if the rental item was stolen or if third parties assert any rights to the rental item.

11.3 For lost rental items the lessee is liable to the amount of the replacement value. For damages caused, for example, by gross contamination or glued-on material that was not entirely removed, the lessee must reimburse the repair costs up to the amount of the replacement value.

11.4 Liability shall end 24 hours after the end of the trade fair at the latest, unless the rental item was not made available for collection or another collection date was agreed on.

12. Liability of the lessor

12.1 The liability of the lessor, its statutory representative, and the person used to perform an obligation (Erfüllungsgehilfe) is precluded, unless

a.) damages from injury to life, body, or health are based on a negligent breach of duty by the lessor or on a wilful or negligent breach of duty by a statutory representative or person used to perform an obligation, or

b.) other damages are based on a grossly negligent breach of duty by the lessor or person used to perform an obligation

12.2 The lessor is not liable for damages unrelated to the renting of rental items.

12.3 No liability will be accepted for property belonging to the exhibitor which is left in cupboards, etc.

13. Insurance

The lessee is aware that the rental items are not insured. Insurance of the rental item, for the period of a trade fair, including the stand construction and dismantling period, is recommended. This insurance shall be taken out by the lessee.

14. Right of termination and rescission

14.1 The lessee may rescind up to 14 days prior to the delivery date. Full rental price will be invoiced for cancellations subsequent to this deadline.

14.2 Termination of the rental contract is possible only if this is based on a breach of duty by the lessor.

14.3 After the commencement of the rental contract, the lessee is not entitled to terminate it unless the defects are based on a breach of duty by the lessor, notice of the defects has been given in a timely manner (7.2), and repair by the lessor was unsuccessful.

15. Place of jurisdiction

To the extent permitted by statute, place of performance and jurisdiction for all disputes arising directly or indirectly from the contractual relationship shall be the registered office of the lessor. The laws of the Federal Republic of Germany shall apply even for transactions with foreign customers.

Date, 01.01.2018

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Fascias and lettering

S1.70

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

Order: for Special Conditions for Services have a look at the Online ExhibitorShop under Stand service – Stand furnishings & equipment – Lettering/prints (contractor: Mesomondo GmbH).

Graphical
Exhibition Configuration

1. We use our modular and concept stands, together with the latest media technology, to ensure your company is ideally positioned to get the best attention from your customers, at minimal cost. That also includes the graphic components of your exhibition stand. Benefit from our collective expertise in exhibition graphics and stand decoration that's right for your target audiences. We also offer advice on how to turn your creative ideas into reality cost-effectively.

   Graphic design services we offer for your exhibition stand:

2. Large-format transfer logos, signets and lettering for labelling, descriptions, advertising and decoration. Available in single or multiple colours in a range of sizes.

3. Featherweight 3D lettering and logos in hard polystyrene foam in various sizes, semi-gloss paint, single or multicoloured.

   Milled, water jet or laser-cut 3D lettering and logos in hard PVC foam, Lucite, metal or wood, in many sizes and thicknesses, with a range of finishes and fitting options.

   Polystyrene*: Building material class per DIN 4102: B1

4. Large-size wall decorations with digitally printed foil and fabrics in a range of packaging options.

5. Digitally printed banners and flags readable from one or both sides, ranging from transparent to backlit and opaque, for stretching or hanging.

6. In addition to our standard programme, we can also supply furnishings in the latest designs and many handy fitting components you can use to boost your trade fair presence, all available for rental from our online shop at www.mesomondo.de.

Mesomondo Messeservices
Messezentrum 1 • 90471 Nürnberg • Germany
Telefon: +49 911 400835-0 • Fax: +49 911 400835-29
info@mesomondo.de • www.mesomondo.de

MESOMONDO
Messen & Services

All prices are net of the **statutory rate of VAT**. Enquire about packaging and shipping costs. Other materials and sizes available upon request.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Master 2021/001

Ordering graphic elements

Digital print on foil (single sided):

1. ☐ **Digital print on self-adhesive film**
(including assembly) — EUR 67.00/m²

2. ☐ **Digital print, cut to shape**
(excluding assembly, production-ready data required!) — EUR 84.30/m²

Transfer:

3. ☐ **Transfer**
Price per linear metre, per colour (roll width 1000 mm) — EUR 92.90

Digital print on textile (single sided):

4. ☐ **CUBE for suspending – Fabric on 5 sides (closed cube), incl. digital print, white unprinted background**

- ☐ 1000 x 1000 x 1000 mm — EUR 630.10
- ☐ 1500 x 1500 x 1000 mm — EUR 796.10
- ☐ 2000 x 2000 x 1000 mm — EUR 971.20
- ☐ 1500 x 1500 x 1500 mm — EUR 1,053.60
- ☐ 2000 x 2000 x 2000 mm — EUR 1,653.20

Suspension recommendation

- ☐ Beam design for suspension, 4-point truss
(Minimum size = Cube width) — EUR 44.70/linear metre
- ☐ HQI lamps
(2 pcs. for 1000 x 1000 x 1000 mm; 4 pcs. for all other sizes) — EUR 79.30/pc

Important note:
Suspension points must be ordered separately from SPIE SAG GmbH

5. ☐ **uspended fabric banner for backlighting with rail profile at top and bottom, incl. hemstitch for suspension and assembly on truss constructions, excl. suspension**
incl. digital printing, per m² — EUR 61.69

Other:

7. ☐ **Roll-up display**
Printed roll-up system incl. carry box (basic model)
(purchase item) — EUR 184.00

Requirements for print data:

Data formats:	Print-optimised PDF data, high-resolution image data (TIF, JPG), or vectorised data (eps/ai)	**Data transmission:**	E-mail info@mesomondo.de Data by e-mail or filesharing service
Data resolution and data size:	max. 150 dpi. Lines, spaces and lettering must be vectorised. 10 mm surround for trimming.	**Data delivery:**	Print-ready data 28 days before start of exhibition. If further processing of data is required, a processing fee of EUR 21 per quarter hour will apply by arrangement.

All prices are net of the **statutory rate of VAT**. Enquire about packaging and shipping costs. Other materials and sizes available upon request.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Master 2021/001

Fascias and lettering/graphics S1.71

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐

You can have your company name displayed on your stand fascia (height: 30 cm). Please select one of the standard styles shown below.

Color: ☐ white ☐ black

Other colors on request at 40 % surcharge.

Letter height in mm	**Price per letter excluding mounting**	**Price per letter including mounting**
☐ 150 mm	☐ EUR 2.03	☐ EUR 3.01

Other sizes on request.

☐ Arial
☐ Avant Garde Bold Md BT
☐ **Clarendon Bold**
☐ **Eurostile Extended**
☐ Futura Medium Md BT
☐ **Futura Bold Md BT**
☐ Garamond Bold
☐ **Gil Sans MT**
☐ Helvetica Light = Swiss Md BT
☐ **Helvetica Medium = Swiss 721 SWA**
☐ **Souvenir Demi Bold**
☐ Times New Roman
☐ **VAG**
☐ Other styles on request. You can send lettering data for Mac or PC by e-mail: info@woernlein.de or FTP server.

Text for lettering on fascia:

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Digital printing – please note:

Please note:

System:	HP Latex
Print width:	up to 1,500 mm sheet width
Print data formats:	printable PDF files (to PDF/X-3), also TIF, JPG, and EPS (vector format, fonts converted into paths).

Data transmission:	E-mail info@woernlein.de Data FTP server (access on request)
Data transfer:	21 days prior to start of exhibition. In the case of data that cannot be printed directly, processing fees of EUR 90.50/hour apply.
Surcharge for small orders:	10 % of the m² price for < 0.5 m² of prints and laminates.

Ordering:

2

Digital printing on self-adhesive film

☐ **(Art. 60004087)** with assembly EUR 79.40/m²

3

Digital printing on backlit film for light box

☐ with assembly EUR 79.40/m²

Digital printing on textile (one-sided):

4

☐ **(Art. 60004092) with keder profile top and bottom up to 5 m²** EUR 93.25/m²

☐ **(Art. 60004093) with keder profile top and bottom starting at 5 m²** EUR 88.70/m²

5

☐ **with keder strips and fabric retaining profiles (modular system) up to 5 m²** EUR 93.25/m²

☐ **with keder strips and fabric retaining profiles (modular system) starting at 5 m²** EUR 88.70/m²

(modular crossbeams: item 16 on the stand equipment and rental furniture form)

6 **Textile clamping cubes (cube) including four-sided digital printing**

Rental price including assembly and disassembly:

☐ **Cube 1.00 x 1.00. h = 1.00 m** EUR 878.90/each

☐ **Cube 1.50 x 1.50. h = 1.00 m** EUR 1,078.20/each

☐ **Cube 2.00 x 2.00. h = 1.00 m** EUR 1,303.00/each

Textile graphics become your property

7

☐ **(Art. 60004094) 5th side for cube,** digital printing on textile EUR 54.20/m²

3D design: Letters, logos, signets, oversized models, sculptures, laser cut from extruded rigid foam, for interior and exterior use. Prices available upon request.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Floral stand decoration S1.80

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Blumen Kuhn Floraldesign GmbH
Kirchenweg 36
90419 Nürnberg
T +49 9 11 33 01 69
F +49 9 11 20 94 83
messe@blumenkuhn.de
www.blumenkuhn.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

Order

1. Rental plants including decorative pot
(Please order coverings extra if desired)

Goods	Decorative pot	EUR	Quantity
Bamboo			
(55003001) Slim 125 - 150 cm	S	54.00	
(55003002) Slim 170 - 200 cm	M	69.40	
(55003003) Slim 200 - 240 cm	M	83.70	
(55003004) Slim 250 - 350 cm	L	107.10	
(55003005) Solitaire 350 - 400 cm	XXXL	154.00	
Box tree			
(55003006) Pyramid 80 - 90 cm	S	45.00	
(55003008) Round 30 - 40 cm	S	46.60	
(55003009) Round 45 - 50 cm	M	56.60	
(55003010) Round 55 - 60 cm	L	66.30	
Citrus			
(55003011) Lemon or other citrus varieties stem approx. 150 - 170 cm	XL	112.20	
Dracaena			
(55003012) Dracaena, different varieties approx. 150 cm	M	61.00	
Ficus			
(55003013) Ficus carica (fig) approx. 220 cm	XXXL	142.80	
Ficus benjamina or Amstel King or longifolia			
(55003014) 100 - 120 cm	S	36.80	
(55003015) 130 - 150 cm	S	53.00	
(55003016) 160 - 170 cm	M	69.90	
(55003017) 180 - 200 cm	L	76.30	
(55003018) 210 - 230 cm	L	98.40	

Goods	Decorative pot	EUR	Quantity
Laurel			
(55003019) Round with stem 140 - 150 cm	M	66.30	
(55003020) Round with stem 160 - 170 cm	M	79.20	
(55003021) Round with stem 180 - 200 cm	L	94.00	
(55003022) Round with stem, sol. 220 - 230 cm	XL	137.70	
(55003023) Round or stem D 40 - 60 cm	M	54.00	
(55003024) Pyramid 140 - 160 cm	M	63.50	
(55003025) Pyramid 170 - 180 cm	M	69.90	
(55003026) Column approx. 160 - 170 cm	M	75.00	
(55003027) Column approx. 180 - 200 cm	L	86.00	
(55003028) Column, sol. 200 - 230 cm	XL	127.50	
Olive			
(55003029) Olive with stem 140 - 160 cm	M	64.30	
(55003030) Olive with stem, branched 180 - 210 cm	L	98.90	
(55003031) Olive with stem, branched 250 - 320 cm	XXL	146.20	
Palms			
(55003032) Kentia/areca 130 - 150 cm	M	57.60	
(55003033) Kentia/areca 160 - 170 cm	M	69.50	
(55003034) Kentia/areca 180 - 200 cm	M	77.80	
(55003035) Kentia/areca 190 - 220 cm	L	90.80	
(55003036) Kentia/areca 230 - 250 cm	XL	117.30	

Other plants on request!

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Plants for rental:

Approx. 500 rental plants to choose from – see also www.blumenkuhn.de. Here is a selection from the assortment. Other sizes and variable container available. We will be pleased to consider your individual design and budget on request.

		Quantity
	Ficus benjamini **(Art. 55003037)** Ficus benjamina with decorative pot approx. 180/200 cm (for rental)	EUR 76.30 _____
	Kentia palm **(Art. 55003038)** Kentia palm with decorative pot approx. 180/200 cm (for rental)	EUR 77.80 _____
	Bamboo **(Art. 55003039)** Bamboo with decorative pot approx. 200/240 cm (for rental)	EUR 83.70 _____
	Rhapis palm **(Art. 55003040)** Rhapis palm approx. 160/180 cm with decorative pot (for rental)	EUR 75.00 _____
	Olive **(Art. 55003041)** Olive with decorative pot approx. 250/320 cm (for rental)	EUR 146.20 _____
	Chamaerops palm **(Art. 55003042** Chamaerops palm multi-stemmed, approx. 450/550 cm with decorative pot (for rental)	EUR 320.00 _____
	Sansevieria cylindrica **(Art. 55003043)** Sansevieria cylindrica in high-quality container with stone covering per container 150/160 cm (for rental)	EUR 189.00 _____

Complete containers with plants and covering for rental

Goods	Decorative pot	EUR	Quantity
(Art. 55003044) Sansevieria planting in modern high container, H approx. 100 cm	TC1	63.40	_____
(Art. 55003045) Sansevieria planting in modern high container, H approx. 130 - 150 cm	TC2	97.40	_____
(Art. 55003046) Zamioculcas in modern high container, H approx. 100 - 120 cm	TC1	63.40	_____
(Art. 55003047) Zamioculcas in modern high container, H approx. 120-150 cm	TC2	97.40	_____
(Art. 55003048) Fern in modern high container, H approx. 100 cm	TC1	64.90	_____
(Art. 55003049) Fern in modern high container, H approx. 130-150 cm	TC2	89.90	_____
(Art. 55003007) Box pyramid in modern high container, H approx. 120-130 cm	TC1	69.90	_____
(Art. 55003050) Box pyramid in modern high container, H approx. 150-170 cm	TC2	80.60	_____

2. Containers and accessories, "modern and smart" for rental

Goods	Decorative pot	EUR	Quantity
(55003051) High container H 56 cm white or silver, incl. moss covering	TC1	20.00	_____
(55003052) High container H 75 cm white or silver, incl. moss covering	TC2	30.00	_____
(55003053) High container H 95 cm white or silver, incl. moss covering	TC3	45.00	_____
(55003054) Plastic container, white or silver, size S	S	7.00	_____
(55003055) Plastic container, white or silver, size M	M	8.00	_____
(55003056) Plastic container, white or silver, size L	L	10.00	_____
(55003057) Plastic container, white or silver, size XL	XL	15.00	_____
(55003058) Plastic container, white or silver, size XXL	XXL	20.00	_____
(55003059) Plastic container, white or silver, size XXXL	XXXL	30.00	_____
(55003060) Moss or bark covering for size S	S	5.00	_____
(55003061) Moss or bark covering for size M	M	7.00	_____
(55003062) Moss or bark covering for size L	L	9.00	_____
(55003063) Moss or bark covering for size XL	XL	11.00	_____
(55003064) Moss or bark covering for size XXL	XXL	13.00	_____
(55003065) Moss or bark covering for size XXXL	XXXL	15.00	_____
(55003066) Stone covering, white or grey, for size S	S	7.00	_____
(55003067) Stone covering, white or grey, for size M	M	10.00	_____
(55003068) Stone covering, white or grey, for size L	L	13.00	_____
(55003069) Stone covering, white or grey, for size XL	XL	16.00	_____
(55003070) Stone covering, white or grey, for size XXL	XXL	19.00	_____
(55003071) Stone covering, white or grey, for size XXXL	XXXL	25.00	_____

Containers for rental may show signs of use.
New containers for rental on request for an additional charge.

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

3. Service

- **(Art. 55003072)** Watering service for plants or plantings requiring a lot of water, e.g. bamboo, during the rental period EUR 5.20
- **(Art. 55003073)** Marketing campaigns: individual flowers with or without tags for handout actions on request
- **(Art. 55003074)** Fleurop service – Fleurop business service on request
- **(Art. 55003075)** Bouquets for presentation, depending on contractor on request
- **(Art. 55003076)** Automatic replacement service for fresh-cut flowers, daily or after 2 days on request

We will be pleased to consider your individual design and budget specifications. Prices including delivery to exhibition stand and collection of the rented goods.

4. Your requirements

Colors:

Type of design: round, oblong or tall & narrow

Effect: natural , modern, puristic, rustic

Other examples:

5. Visual – further examples

Floristic arrangements for purchase (containers may vary)

Counter arrangements, complete, for purchase

		Quantity
	Exotic heliconia and anthurium **(Art. 55003077)** Exotic heliconia and anthurium arrangement	EUR 75.00 _____
	Heliconia in bowl **(Art. 55003078)** Heliconia modern design in bowl	EUR 92.00 _____
	Modern orchid **(Art. 55003079)** Modern orchid	EUR 60.00 _____
	Calla in glass vase **(Art. 55003080)** Calla in glass vase – simple and beautiful	EUR 100.00 _____
	Calla inside **(Art. 55003081)** Calla inside	EUR 125.00 _____

Table arrangements, complete, for purchase

		Quantity
	(Art. 55003082) **Calla in glass vase**	EUR 45.00 _____
	(Art. 55003083) **Orchids chic and modern**	EUR 32.50 _____
	(Art. 55003084) **Calla innovativ**	EUR 15.00 _____
	(Art. 55003085) **Protea Nutans**	EUR 10.00 _____
	Sunflower in summer time **(Art. 55003086)** alternative with yellow gerbera	EUR 12.50 _____
	(Art. 55003087) **Anthurie exotic**	EUR 15.00 _____

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Floristic arrangements for floor standing for purchase (containers may vary)

		Quantity
	Elegant calla **(Art. 55003088)** Elegant calla Container on column	EUR 195.00 _____
	Calla only **(Art. 55003089)** Calla only in high container, white overall height approx. 150/160 cm	EUR 195.00 _____
	Parallel calla **(Art. 55003090)** Parallel calla in white containers overall height approx. 120 cm per container design	EUR 115.00 _____
	Modern strelitzia **(Art. 55003091)** Modern strelitzia in high container overall height approx. 180/200 cm	EUR 160.00 _____
	Heliconia graphic **(Art. 55003092)** Heliconia graphic	EUR 180.00 _____
	Guzmania tropical **(Art. 55003093)** Guzmania tropical	EUR 250.00 _____

6. Stand decoration for rental, including container

Please see our Internet site for visual examples

- **Floral arrangement, suitable for standing on floor**
  (Art. 55003094) Standard approx. 120/150 cm overall height 120.00 _____
  (Art. 55003095) Business approx. 160/180 cm overall height 150.00 _____
  (Art. 55003096) Premium approx. 200/250 cm overall height 200.00 _____
- **Room divider 100 x 40 x 50 cm**
  including low or high floral design or planting
  (Art. 55003097) Standard 275.00 _____
  (Art. 55003098) Business 325.00 _____
  (Art. 55003099) Premium 375.00 _____
- **Room divider 80 x 30 x 40 cm**
  including low or high floral design or planting
  (Art. 55003100) Standard 200.00 _____
  (Art. 55003101) Business 240.00 _____
  (Art. 55003102) Premium 280.00 _____

Individual room dividers provided by the customer on request at any time: messe@blumenkuhn.de

Sansevieria

Heliconia

7. Stand decoration for purchase, including container

Please see our Internet site for visual examples

- **Bowl of plants or plant, in modern container designed for counter or sideboard**
  (Art. 55003103) Standard 50.00 _____
  (Art. 55003104) Business 70.00 _____
  (Art. 55003105) Premium 100.00 _____
- **Floristic arrangement, in modern container for counter or sideboard, round or oblong**
  (Art. 55003106) Standard 50.00 _____
  (Art. 55003107) Business 70.00 _____
  (Art. 55003108) Premium 100.00 _____
- **Floristic arrangement, in modern container for conference table or lounge table, round or oblong**
  (Art. 55003109) Standard 15.00 _____
  (Art. 55003110) Business 25.00 _____
  (Art. 55003111) Premium 35.00 _____
- **Floristic arrangement for standing table**
  (Art. 55003112) Standard 10.00 _____
  (Art. 55003113) Business 15.00 _____
  (Art. 55003114) Premium 20.00 _____

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

8. Floral stand design – Complete packages

Please order the single plant/arrangement at the stated prices or order the complete package with a "pre-order discount".

1. Modern & Innovative!

2 pyramid laurels in high containers, approx. 180 cm (for rental)	at EUR 75.50
1 round laurel without stem in high container, approx. 40/60 cm diameter (for rental)	at EUR 66.00
1 counter arrangement (for purchase)	at EUR 42.50
3 arrangements for tables and shelves (for purchase)	at EUR 12.00
	~~EUR 295.50~~
Special price	**EUR 280.00**

2. Puristic & Formal!

2 sansevierias in high containers, approx. 80/100 cm (for rental)	at EUR 63.40
2 bowls of plants in low design (for purchase)	at EUR 27.50
1 arrangement in high design (for purchase)	at EUR 55.00
1 table arrangement (for purchase)	aat EUR 15.00
	~~EUR 251.80~~
Special price	**EUR 240.00**

3. Bamboo scene!

4 bamboos in dec. pots, approx. 200 cm (for rental)	at EUR 83.70
1 counter arrangement (for purchase)	at EUR 90.00
2 table arrangements (for purchase)	at EUR 12.00
	~~EUR 448.80~~
Special price	**EUR 425.00**

4. Tropical & Smart!

2 kentia palms in high con., approx. 220 cm (for rental)	at EUR 99.80
2 zamioculcas in high containers with moss covering, approx. 100 cm (for rental)	at EUR 66.40
1 counter arrangement (for purchase)	at EUR 40.00
	~~EUR 366.40~~
Special price	**EUR 350.00**

5. Classic White & Green!

1 kentia palm in tall container, solitaire, approx. 220 cm (for rental)	at EUR 99.80
1 kentia palm in tall container, approx.150 cm (for rental)	at EUR 69.60
1 floral arrangement in rental container, for standing on floor, small version (for purchase)	at EUR 120.00
2 counter arrangements (for purchase)	at EUR 40.00
	~~EUR 329.70~~
Special price	**EUR 315.00**

6. AsienFlair!

1 bamboo with decorative pot, approx. 200 cm (for rental)	at EUR 83.70
1 arrangement in rental container with rental pedestal total height approx. 100 cm	at EUR 85.00
	~~EUR 168.70~~
Special price	**EUR 160.00**

Containers for rental may show signs of use. New containers for rental on request for an additional charge.

Prices including delivery to exhibition stand and collection of the rented good. We will be pleased to prepare other offers for individual stand arrangements or floral decoration for rented rooms. Large selection of plants, special sizes and individual containers on request. The exhibitor is responsible for rental plants and containers until collection by the ServicePartner.

The ServicePartner settles accounts at least on delivery. Credit card payment on request.

Please state the correct company name and details in the invoice address. An extra fee of EUR 25 will be charged for issuing an invoice with a new address.

An express fee of EUR 25 will be charged for deliveries on the first day of the exhibition.

Article 9 of the General Conditions of Participation in Trade Fairs and Exhibitions applies for cancellations by the Exhibitor.

All prices plus VAT.

Please fill in for payment by credit card:

Issuer : ☐ MasterCard ☐ VISA ☐ American Express

Card no.: : _____ / _____ / _____ / _____

Card verification no.: (The last 3 digits next to the signature on the back of the card or for AMEX 4 digits on the front) ☐☐☐☐

Expiry date : _____

Holder of card: _____

We authorize Blumen Kuhn Floraldesign GmbH to debit the invoice amount from the above-mentioned credit card.

Signature: _____

BLUMEN KUHN
FLORALDESIGN

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Landscaping services S1.85

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Gartengestaltung & Service Ronald Grabinger
Trierer Straße 52
90469 Nürnberg
T +49 9 11 86 06-52 24
F +49 9 11 40 08 99 39
info@grabinger-gartenservice.de
www.grabinger-gartenservice.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Mobile phone

Fax

VAT ID number of invoice addressee:

Order

Indoor area **EUR** **Quantity**

1. Turf

1.1 **(Art. 55001001)** Delivery and laying of turf and removal at the end of the event without wooden fringe/without construction foil per m² 31.50 _____

1.2 **(Art. 55001002)** Delivery and mantling of wooden fringe per m on request _____

1.3 **(Art. 55001003)** Delivery and laying of construction foil per m² on request _____

1.4 **(Art. 55001004)** Deliver humus-rich soil and spread out on laid-out foil incl. timber framing height max. 5 cm per m² 32.50 _____

2. **(Art. 55001005)** Arranging flowerbeds with foliage and flowering outdoor plants and summer flowers, possibly with boulder up to max. diameter of 0.40 m. Lining with plastic sheeting and filling with soil. Without side borders. per m² on request _____

3. **(Art. 55001006)** Natural stone and cast stone covering professionally laid including pointing (for laying natural stone coverings provided by exhibitor). per m² on request _____

(Art. 55001007) Cast stone coverings, provided by exhibitor (interlocking bricks or garden slabs) per m² on request _____
(material supplied by exhibitor)

Material supplied by ServicePartner on request. Please ask for prices.

4. **(Art. 55001008)** Deliver big packs of bulk material (e.g. sand. grit. ballast or soil) ordered from ServicePartner to hall and place in hall. After the event. take away the Big Pack filled by exhibitor again. per m³ 94.00 _____

5. **(Art. 55001009)** Deliver empty Big Pack to hall each 33.40 _____

Please fill in for payment by credit card:

Issuer : ☐ MasterCard ☐ VISA ☐ American Express

Card no.: : ____/____/____/____

Card verification no.: (The last 3 digits next to the signature on the back of the card or for AMEX 4 digits on the front) ☐☐☐☐

Expiry date : _____

Holder of card: _____

We authorize Gartengestaltung & Service Ronald Grabinger to debit the invoice amount from the above-mentioned credit card.

Signature: _____

Outdoor area **EUR** **Quantity**

1. **(Art. 55001020)** Tents for events and for protection of exhibitor's machinery and equipment.
Minimum rental period 3 days
Maximum size 100 m² on request

2. **(Art. 55001021)** Delivery and erection of flag-poles, including drilling into ground and dismantling at the end of the event
Aluminum flag-poles height 10 m each 189.25 _____

2.1 **(Art. 55001022)** Aluminium flagpoles with boom height 8 m each 239.25 _____

3. **(Art. 55001023)** Erection of existing flag-poles, including drilling into ground each 72.40 _____

4. **(Art. 55001024)** Drilling holes for flag-poles each on request

5. **(Art. 55001025)** Delivery of bulk material and removal at the end of the event. Material, e.g. sand, grit, ballast and soil in various grain sizes per m³ 71.25 _____

6. Hourly rates, e.g. for spreading bulk material
(Art. 55001026) Skilled laborer per hour 45.90 _____
(Art. 55001027) Wheeled loader per hour 96.40 _____
Other hourly rates on request.

7. **(Art. 55001028)** Mobile fences: delivery, mounting and fixing – dismantling and pick-up after exhibition.
Length: 3.50 m/height: 1.50-1.80 m each 52.70 _____

8. **(Art. 55001029)** Demarcation barriers: delivery, mounting and fixing – dismantling and pick-up after exhibition.
Length: 2.50 m/height: 1.10 m each 23.45 _____

Other offers for individual design and delivery of material on request. The exhibitor is responsible for the rented objects until their removal by the ServicePartner.

All prices plus VAT at the statutory rate.

Article 9 of the General Conditions of Participation in Trade Fairs and Exhibitions applies for cancellations by the Exhibitor.

Complaints concerning the extent of services charged are to be checked and reported to the ServicePartner before dismantling the stand. Complaints cannot be accepted after the event because there is no possibility of properly checking the services provided.

A last-minute surcharge of 25 % may be billed for orders received 21 days or less before the start of the event.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Electricity supply

S2.10

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
SPIE SAG GmbH
ServicePartnerCenter
Messezentrum
90471 Nürnberg
T +49 9 11 81 88 18-0
F +49 9 11 81 88 18-19
sag-messe@spie.com

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

Order

Payment of the services ordered is due immediately on receipt of the invoice, which will be issued before the start of the event! The connection will only be activated after all invoices have been paid in full.

1. Main supply

EUR

NOTE: All CEE sockets in hall 3C from item 1.4-1.7 will be provided with only one 24 hour continuous current safety socket.

☐ 1.1 **(Art. 1010010)** up to 3 kW (230 V / 16 A), including safety socket, earth-leakage circuit-breaker. **N.B.:** not bookable in Hall 3C 131.90

☐ 1.2 **(Art. 1010020)** up to 3 kW (230 V / 16 A), including 3-way safety socket, earth-leakage circuit-breaker, in hall 3C including 4-way safety socket. earth-leakage circuit breaker. of which 1 x 24 hour continuous current 150.40

☐ 1.3 **(Art. 1010030)** up to 2 x 3 kW (2 x 230 V / 16 A), including 2 safety sockets, 2 earth-leakage circuit-breakers, in hall 3C including 5 safety sockets. 2 earth-leakage circuit-breakers. of which 1 x 24 hour continuous current 198.50

☐ 1.4 **(Art. 1020020)** up to 9 kW (230 V / 400 V), including 1 CEE coupler 16 A and distribution panel type 1 if required ☐ yes ☐ no 334.50
expected load rating in kW _____

☐ 1.5 **(Art. 1020040)** up to 20 kW (230 V / 400 V), including 1 CEE coupler 32 A and distribution panel type 2 if required ☐ yes ☐ no 489.80
expected load rating in kW _____

☐ 1.6 **(Art. 1020060)** up to 40 kW (230 V / 400 V), including 1 CEE coupler 63 A, 1 safety socket, fuses and earth-leakage circuit-breaker 770.20
expected load rating in kW _____

☐ 1.7 **(Art. 1020090)** up to 83 kW (230 V / 400 V), including 1 CEE coupler 125 A, metering necessary in separate sub-distributor 1.793.00
expected load rating in kW _____

☐ 1.8 **(Art. 1020110)** up to 130 kW (230 V / 400 V), with open cable ends, 2.954.00
metering necessary in separate sub-distributor
expected load rating in kW _____

☐ 1.9 **(Art. 1030120)** connections rated above 130 kW and outdoor connections charged according to outlay on request

2. Distribution panel from main supply

EUR

incl. installation, dismantling and rental fee (from Item 1.4)

☐ 2.1 **(Art. 1120010)** distribution panel type 1 (1 pc. included in Item 1.4 if required) up to 9 kW with 2 earth-leakage circuit-breakers and 4 safety sockets, 1 CEE socket 16 A, 5-poles 134.20

☐ 2.2 **(Art. 1120020)** distribution panel type 2 (1 pc. included in Item 1.5 if required) up to 20 kW with earth-leakage circuit-breaker and trip fuses, 6 safety sockets and 2 CEE sockets 16 A, 5-poles, with 3-pole 16 A trip fuses 201.00

☐ 2.3 **(Art. 1120030)** distribution panel type 3 **EUR**
up to 40 kW with trip fuses, 14 safety sockets and 2 CEE sockets 16 A, 5-poles 231.00

☐ 2.4 **(Art. 1120040)** distribution panel type 4
up to 40 kW with 4 trip fuses and 4 CEE sockets 32 A, 5-poles 231.40

☐ 2.5 **(Art. 1120050)** distribution panel type 5
up to 83 kW with trip fuses, 2 CEE sockets 63 A and 6 CEE sockets 32 A 310.10

☐ 2.6 **(Art. 1120060)** distribution panel rated above 83 kW on request

☐ 2.7 **(Art. 43090000)** hourly rate for fitter including all surcharges 45.20

☐ 2.8 **(Art. 2010026)** hourly rate for master craftsman/technician including all surcharges 68.20

3. Electricity fee

3.1 GENERAL INFORMATION: Only Green Energy is offered

☐ **3.2 Flat-rate charge for electricity fee for green electricity** **EUR/day**

3.2.1 **(Art. 10100110)** for main supply up to 3 kW (Item 1.1 – 1.2) 8.70
3.2.2 **(Art. 10100120)** for main supply up to 6 kW (Item 1.3) 17.40
3.2.3 **(Art. 10100130)** for main supply up to 9 kW (Item 1.4) 36.50
3.2.4 **(Art. 10100140)** for main supply up to 20 kW (Item 1.5) 69.70
3.2.5 **(Art. 10100150)** for main supply up to 40 kW (Item 1.6) 126.00
3.2.6 **(Art. 10100160)** for main supply above 40 kW (Item 1.7 – 1.9) a fixed daily fee of 285.30
The final amount based on the actual metered consumption (3.2.6) will be invoiced after the end of the event (kWh x EUR 0.54/kWh). Any overpayment/underpayment will be refunded/charged as applicable.

All prices in EURO plus VAT at the statutory rate.
Please submit a plan of the stand overleaf showing the position of the required connection points.
We use a raised floor with a height of _____ mm ☐ yes ☐ no
Electrical grounding of stand is required (metal stand): ☐ yes ☐ no
☐ by SPIE SAG GmbH, see item 4.15
☐ by our own electricians or our stand construction company
Installations from service duct to connection point are only possible via the hall floor. Please enter sketch of stand showing required connection points in form S2.11.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Electricity supply

Order (continued)

4. Stand installation / rental of material

Installation, dismantling and rental fee from main supply

			EUR
☐ 4.1	**(Art. 1150010)** cable Cat 6 with RJ45 plug at each end	piece ..... @	80.00
☐ 4.2	**(Art. 1050020)** safety socket 230 V / 16 A, in various lengths	piece ..... @	36.90
☐ 4.3	**(Art. 1050030)** safety socket 230 V / 16 A, 3-way, in various lengths	piece ..... @	43.50
☐ 4.4	**(Art. 1050040)** CEE socket up to 400 V / 16 A, 5-pole, in various lengths	piece ..... @	55.00
☐ 4.5	**(Art. 1050050)** CEE socket up to 400 V / 32 A, 5-pole, in various lengths	piece ..... @	65.80
☐ 4.6	**(Art. 1050060)** CEE socket up to 400 V / 63 A, 5-pole, in various lengths	piece ..... @	76.50
☐ 4.7	**(Art. 1050070)** CEE socket up to 400 V / 125 A 5-pole, in various lengths	piece ..... @	129.70
☐ 4.8	**(Art. 1150080)** adapter, input CEE 16 A, 5-pole, output 3 x safety sockets, 3-pole, 230 V	piece ..... @	15.40
☐ 4.9	**(Art. 1150090)** adapter, input CEE 16 A, 5-pole, 400 V, output CEE 32 A, 5-pole, 400 V	piece ..... @	22.60
☐ 4.10	**(Art. 1150100)** adapter, input CEE 32 A, 5-pole, 400 V, output CEE 16 A, 5-pole, 400 V, with 16 A fuse	piece ..... @	46.60
☐ 4.11	**(Art. 1150110)** adapter, input CEE 32 A, 5-pole, 400 V, output CEE 63 A, 5-pole, 400 V	piece ..... @	51.70
☐ 4.12	**(Art. 1150120)** adapter, input CEE 63 A, 5-pole, 400 V, output CEE 125 A, 5-pole, 400 V	piece ..... @	95.50
☐ 4.13	**(Art. 1150130)** CEE cross coupler, input CEE 16 A, 5-pole, 400 V, output 3 x CEE 16 A, 5-pole, 400 V	piece ..... @	31.70
☐ 4.14	**(Art. 1150140)** CEE cross coupler, input CEE 32 A, 5-pole, 400 V, output 3 x CEE 32 A, 5-pole, 400 V	piece ..... @	43.40
☐ 4.15	**(Art. 1150150)** Electrical grounding / equipotential bonding	piece ..... @	49.30

All prices in EURO plus VAT at the statutory rate.
Orders must be received in a complete and correct form within the deadline set for the respective event. SPIE SAG GmbH is under no obligation to provide services for orders that do not meet these requirements.
From 21 days prior to the event, orders or changes to existing orders – insofar as SPIE SAG GmbH can still process them – will be subject to a 25 % surcharge for fixed-price services or a 50 % surcharge for services based on the amount of time involved.

Further information and the Special Conditions for Services of SPIE SAG GmbH for electricity supply can be found on our Internet site at www.spie-servicepartner.de.

Plan of electricity supply

Plan of stand showing exact position of electricity supply

Important! This plan is not for stand construction purposes!



With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Plan of electricity supply S2.11

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Company stamp:

Hall/Stand

Plan of stand showing exact position of electricity supply

Important! This plan is not for stand construction purposes!

Adjacent stand no.: _____

Adjacent stand no.: _____

Please tick as appropriate ☐ **1:200** ☐ **1:100** ☐ **1:50**

Suspension from hall roof

S2.15

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
SPIE SAG GmbH
ServicePartnerCenter
Messezentrum
90471 Nürnberg
T +49 9 11 81 88 18-0
F +49 9 11 81 88 18-19
sag-messe@spie.com

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

Order

1. Suspension from hall roof

Attention:
Please mark the suspension points and any special services required on the enclosed stand plan!
It is essential to state the weight per suspension point!
When the structural analysis of the event-specific load applied to the roof supporting structures in the halls is being performed, higher loads, known as heavy load suspension points, may be installed on request. The additional costs for static calculations are to be borne by the applicant. The necessary technical plans/documents are to be submitted to SPIE SAG GmbH in digitalized dwg format at least 42 days before the start of assembly. Load sensing systems are to be installed as specified by the structural engineer, specialist department of SPIE SAG GmbH or NürnbergMesse GmbH.
A discount as stated below will be granted on request for 7 or more suspensions as ordered with Items 1.1 and 1.2, provided the order forms for "Suspension from hall roof" are submitted in a complete order with drawing, dimensions and weight per point (the drawing must show the contact details of the company appointed for the planning work and be marked as an implementation plan by the signature of the employee responsible) and technically correct state in good time (return deadline see above). The discount is cancelled if changes (e.g. place, height, weight …) are made later than official deadline.
7–12 points 5 %, 13-20 points 10 %, 21–40 points 15 %, 41–60 points 20 %, from 61 points 25 %.
Mounting your exhibits (flags, trusses etc.) is not included in the price of suspension points.
Height of suspension point above hall floor _____ m
(Please note the maximum construction height determined by the organizer)
Type of suspension:
(e.g. flags, banners, trusses, lighting)

We order in accordance with the General Terms of Business and Technical Guidelines of NürnbergMesse:

Hall 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12
Suspension point (max. vertical load per suspension point: 25 kg)

		EUR / piece(s)
with 4 mm steel rope		
☐ 1.1	**(Art. 33300050)** suspension point with open end	114.10 ____ piece(s
☐ 1.2	**(Art. 33300051)** suspension point including wire rope clamp for rental (information overleaf)	119.90 ____ piece(s

Suspension points with higher load (max. vertical load per suspension point: 150 kg)
with steel rope 8 mm and possibly necessary load monitoring (Attention: please allow for a height loss of up to 50 cm when using load cells. The costs for the necessary structural analysis of the roof supporting structure (EUR 1.870.87) are to be borne by applicant.
Exhibitor must calculate the supporting forces, total load, point and line loads.

☐ 1.3	**(Art. 33300052)** suspension point with higher load with open end	220.24 ____ piece(s)
☐ 1.4	**(Art. 33300053)** suspension point with higher load incl. wire rope clamp for rental (information overleaf)	243.50 ____ piece(s)
☐ 1.5	**(Art. 33300054)** power supply up to 3 kW to suspension point from main supply (see Items 1.1 - 1.4)	39.35 ____ piece(s)
☐ 1.6	**(Art. 33300055)** power supply up to 9 kW to suspension point from main supply (see Items 1.1 - 1.4)	49.80 ____ piece(s)

Halls 3A, 3C, 4A, 7A and 11
Suspension point (max. vertical load per suspension point: 240 kg)

		EUR / piece(s)
with 8 mm steel rope		
☐ 1.7	**(Art. 33300056)** suspension point from pre-rigg or fixed point, with open end	220.30 ____ piece(s)
☐ 1.8	**(Art. 33300057)** suspension point from pre-rigg or fixed point, including wire rope clamp, for rental (info overleaf)	243.50 ____ piece(s)
☐ 1.9	**(Art. 33300058)** power supply up to 3 kW to suspension point from main supply (see Item 1.7 – 1.8)	94.60 ____ piece(s)
☐ 1.10	**(Art. 33300059)** power supply up to 9 kW to suspension point from main supply (see Item 1.7 – 1.8) (from 9 kW on request)	109.00 ____ piece(s)

2. Shading, trusses, hoisting for rental

Shading for light domes

☐ 2.1	**(Art. 33300020)** in halls 1, 2, 4, 5, 6, 7, 8 and 9	114.10 ____ piece(s)
☐ 2.2	**(Art. 33300021)** in halls 3, 4A and 7A	170.00 ____ piece(s)
☐ 2.3	installation of exhibitor's own material	on request

_____
_____
_____

Truss-systems
fixed to suspension points – see Item 1 including necessary assembly and dismantling

☐ 2.4	**(Art. 33300025)** 4-point truss (300 x 300 mm)	44.40 ____ m
☐ 2.5	**(Art. 33300056)** shaped parts 300 x 300 mm (corner pieces, angle pieces etc.)	52.60 ____ piece(s)
	other trusses and shaped parts	on request

Hoisting (in halls 3A, 3C, 4A, 7A and 11)

☐ 2.6	**(Art. 33300030)** electric chain hoist D8+, 250 kg, lift 17 m, at existing suspension point (Item 1.8)	232.50 ____ piece(s)
☐ 2.7	**(Art. 33300031)** motor controller for chain hoist motor (Item 2.6)	33.20 __ @ channel
☐ 2.8	**(Art. 33300032)** manual chain hoist, 500 kg, lift 8 m, at existing suspension point (Item 1.8), without assembly	63.10 ____ piece(s)

3. Work according to outlay

		EUR / hour
(fitter's hourly rate including all additional charges)		
☐ 3.1	**(Art. 43090000)** fitter	45.20 ____ per hour
☐ 3.2	**(Art. 33300036)** fitter with hydraulic work platform	82.50 ____ per hour
☐ 3.3	**(Art. 2010026)** master craftsman/technician	68.20 ____ per hour

4. Lighting

see order form for Accessories for suspension + lighting S2.17

All prices in EURO plus VAT at the statutory rate.
The ordered services have to be paid after receiving the invoices without delay. Issuing the invoice could take place before start of the event.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Special Conditions for Services provided by SPIE SAG GmbH (Suspension from hall roof)

Safety

1. The following types of suspension are not permitted for safety reasons:
   - Suspension points used for securing stand components or exhibits (stand components or exhibits must stand securely on their own)
   - Suspended constructions with a rigid or non-positive connection to the hall floor

2. Suspension constructions/points as far as the hand-over point may only be installed or changed by the responsible ServicePartner.

3. The use of lifting equipment (chain hoists, motor-driven chain hoists etc.) is prohibited in halls 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 and 12.
   The use of such equipment in halls 3A, 3C, 4A, 7A and 11 must be approved by NürnbergMesse or SPIE SAG GmbH.

4. Use of wire rope clamps:
   - wire rope clamps are not suitable for use outdoors
   - ropes must not be damaged
   - the rope clamp must have noticeable spring pressure before use
   - to achieve full load capacity, the wire ropes must be free of grease, oil and rust
   - the rope end to be threaded through the clamp must be closed (tinned, shrink sleeve)
   - wire rope clamps may not be used singly (at least 2 points per object)

Wire rope clamps are used only for suspending static loads and are not suitable for moving, dynamic loads. To ensure maximum possible safety, it is recommended that several rope clamps are used for each suspended object and measures taken to prevent the object moving.

Any wire rope clamps ordered or required can be collected on payment of the rental charge and deposit from SPIE SAG GmbH on the ground floor of the ServicePartnerCenter (in the store opposite hall 7A) during our regular working times on the official assembly and dismantling days and returned there after use.

Any wire rope clamps missing or not returned will be charged to the person collecting at the following prices plus a processing fee of EUR 50.00:
- Type 50 SV at EUR 23.63/each – plus VAT at statutory rate
- Type 80 SV at EUR 59.46/each – plus VAT at statutory rate

A rental charge of EUR 10/month will be made for wire rope clamps returned after the end of the official dismantling period.

Wire rope clamp with lifting eye nut

Type M12 (for 4 mm steel rope)
Inside diameter of eye: 30 mm
Outside diameter of eye: 55 mm

Type M20 (6-8 mm steel rope)
Inside diameter of eye: 40 mm
Outside diameter of eye: 72 mm

Further technical information on request!

Technical details – important information

1. SPIE SAG GmbH will provide the suspension point for the exhibitor in the desired position above the stand space and inside the stand limits if structural conditions permit. The construction to be suspended must be located within the stand space. SPIE SAG GmbH will check the feasibility of the desired fixing points based on the documents submitted and reserves the right to have the suspension loads and the rig used inspected by a structural engineer. This inspection is subject to a fee, which will be charged to the exhibitor.

2. For the installation of suspension points, a plan of the stand is required which clearly shows the position of the stand in the hall and the exact position of each suspension point in the stand space together with its exact point load (plan with dimensions or to scale).

3. The maximum load capacity of each planned suspension point on the ceiling construction is 25 kg for halls 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 and 12 and 240 kg in halls 3A, 3C, 4A, 7A and 11. If applicable it's possible to place higher loads by statical calculation.
   If a suspension point ordered in halls 3A, 3C, 4A, 7A and 11 is not vertically below a fixed point, the suspension point will be provided by using a pre-rigg connected between two or more fixed points.

4. Fixing the objects to be suspended (lighting trusses, spotlights, banners, flags, etc.) is the responsibility of the exhibitor, but can be carried out by SPIE SAG GmbH on request.

5. The power supply for the lighting system is always provided from the main supply of the stand.

6. The electrical requirement for lighting etc. is to be included in the main supply and ordered on Form S2.10.

Further information

NürnbergMesse/SPIE SAG GmbH reserves the right to stipulate that the exhibitor must install load measurement systems. The load measurement systems are to be supplied, installed and operated exclusively by SPIE SAG GmbH.

Orders must be received in a complete and correct form within the deadline set for the respective event.
SPIE SAG GmbH is under no obligation to provide services for orders that do not meet these requirements.
The necessary structural tests and analyses for **suspensions need to be ordered 42 days** before the start of the event. Orders received after this deadline – insofar as SPIE SAG GmbH can still execute orders or make changes to existing orders of this kind – will be subject to a 25 % surcharge to reflect the shorter turnaround time and the greater amount of work involved.

Starting **21 days** before the start of the event, other items/services will be subject to a 25 % surcharge for fixed-price services or a 50 % surcharge for services based on the amount of time involved.

Further information and more of the Special Conditions for Services of SPIE SAG GmbH for suspension from the hall roof are available for inspection on our Internet site at www.spie-servicepartner.de.

Suspension from hall roof – plan of stand

S2.16

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Company stamp:

Hall/Stand

Plan of stand showing exact position(s) for mounting suspension points **Important: This plan is not for stand construction purposes!**

The total weight of our suspended loads is: _____ kg.

Point 1 (P1): ____ kg / Point 2 (P2): ____ kg / Point 3 (P3): ____ kg / Point 4 (P4): ____ kg / Point 5 (P5): ____ kg / Point 6 (P6): ____ kg …

We will use the following attachment gear: _____

The plans submitted are to show the contact details of the company appointed for planning work and be marked as implementation plan by the signature of the employee responsible. (Please submit 3 copies of detailed plans for approval.)

Adjacent stand no.: _____

Adjacent stand no.: _____

Please mark the following details on the plan:

stand size (m²), type of stand (corner, head or in-line stand)
and location of any cubicle + desired equipment

Scale 1: ___

(1 : 100 – 1 m = 1 cm)
(1 : 50 – 1 m = 2 cm)

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Accessories for suspension + lighting

S2.17

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
SPIE SAG GmbH
ServicePartnerCenter
Messezentrum
90471 Nürnberg
T +49 9 11 81 88 18-0
F +49 9 11 81 88 18-19
sag-messe@spie.com

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

Order

Price including delivery, installation (connection / installation in existing systems – see also order form for Suspension from hall roof S2.15), initial operation, instructions, dismantling and collection
For safety reasons, lighting systems must only be installed on suitable stand components or components provided for this purpose.

Please draw the exact position of lighting either onto the sketch for electricity or suspension points.

1. ARRI fresnel spotlights

with softly defined light output, rotating barn doors for light control

		EUR / piece
☐ 1.1	**(Art. 11600001)** 650 W, 3000 Kelvin (3.1 kg)	73.60 _____ piece
☐ 1.2	**(Art. 11600002)** 1000 W, 3000 Kelvin (6.0 kg)	80.50 _____ piece

2. PAR spotlights

(Item 2.1 suitable for mounting on stand fascia/wall)

		EUR / piece
☐ 2.1	**(Art. 11600010)** PAR 20, 75 W, 3000 Kelvin (1.1 kg), single installation	57.00 _____ piece
☐ 2.2	**(Art. 11600025)** LED-PAR AT3 Tri-Color, 18x3 W, RGB / (1.5 kg)	98.70 _____ piece

3. Multi-lens spotlights

Light power of a conventional spotlight with low power consumption

		EUR / piece
☐ 3.1	**(Art. 11600030)** ML56, CDM-T, 190 W (7 kg)	80.40 _____ piece
☐ 3.2	**(Art. 11600031)** ML64, GKV, 600 W (3.5 kg)	80.40 _____ piece

4. Area floodlights (halogen / HQI lamps)

(Item 4.4 – 4.6 suitable for mounting on stand fascia/wall)

		EUR / piece
☐ 4.1	**(Art. 11600040)** wide-angle halogen lamp HQI, 150 W, 4200 Kelvin (4.5 kg)	79.30 _____ piece
☐ 4.2	**(Art. 11600041)** wide-angle halogen lamp HQI, 150 W, 4200 Kelvin (4.5 kg) / from 5 pieces	57.70 _____ piece
☐ 4.3	**(Art. 11600043)** wide-angle halogen lamp HQI, 400 W, 4200 Kelvin (13.2 kg)	125.20 _____ piece
☐ 4.4	**(Art. 11600076)** Halogen spotlight up to 200 W, 3000 Kelvin (-1.2 kg), in a rail, including bulb	each 64.70 _____ piece
☐ 4.5	**(Art. 11600077)** Halogen spotlight up to 200 W, 3000 Kelvin (-1.2 kg), from 5 pieces in a rail, including bulb	each 52.30 _____ piece
☐ 4.6	**(Art. 11600079)** Halogen spotlight up to 200 W, 3000 Kelvin (-1.2 kg), with arm (-500 mm), including bulb	45.80 _____ piece

5. LED flood lights

(Not suitable for mounting on stand fascia/wall)

		EUR / piece
☐ 5.1	**(Art. 11600101)** Expolite TourLED 42CM WP, 42 W, RGB (4.8 kg)	76.74 _____ piece
☐ 5.2	**(Art. 11600102)** RUSH PAR 2 RGBW Zoom 120 W, RGBW (5.5 kg)	96.30 _____ piece
☐ 5.3	**(Art. 11600103)** SGM P-2 LED, 275 W, RGBW (6.1 kg)	102.10 _____ piece
☐ 5.4	**(Art. 11600104)** SGM P-5 TW LED floodlight, 400W, RGBW, (8.9 kg)	119.30 _____ piece
☐ 5.5	**(Art. 11600105)** SGM Q-7 LED floodlight, cool white, 550W 65000 lumens (8.1 kg)	134.20 _____ piece
☐ 5.6	**(Art. 11600106)** SGM Q-7 Color LED floodlight, 465W RGBW (8.1 kg)	116.40 _____ piece

All prices in EURO plus VAT at the statutory rate.

Other lighting systems on request!

Orders must be received in a complete and correct form within the return deadline set for the respective event. SPIE SAG GmbH is under no obligation to provide services for orders or changes to existing orders that do not meet these requirements.
From 21 days prior to the event, orders or changes to existing orders – insofar as SPIE SAG GmbH can still process them – will be subject to a 25 % surcharge for fixed-price services or a 50 % surcharge for services based on the amount of time involved. The surcharge will be invoiced by SPIE SAG GmbH.

The ordered services have to be paid without delay after receiving the invoices. Invoices may be issued before the start of the event.

Further information and the Special Conditions for Services of SPIE SAG GmbH for lighting can be found on our Internet site at www.spie-servicepartner.de.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Compressed air supply S2.20

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
SPIE SAG GmbH
ServicePartnerCenter
Messezentrum
90471 Nürnberg
T +49 9 11 81 88 18-0
F +49 9 11 81 88 18-19
sag-messe@spie.com

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

Order

1. Main connection (maximum 7.5 bar) EUR

Compressed air line to the connection of the stand area including fitting stop valve and delivery costs

☐ 1.1 **(Art. 2010010)** Nominal size up to 1/2" with quick coupling (max. 700 l/min.) 442.40

☐ 1.2 **(Art. 2010020)** Nominal size up to 1" with ball valve (max. 1,500 l/min.) 657.30

The required air flow is: _____ **l/min.**

Please draw the required connection points into the stand plan.

The stand will be connected from main connection by our own staff or our stand builder: ☐ yes ☐ no

We use a raised floor: ☐ yes ☐ no

Clearance height of raised floor: _____ mm

2. Work at hourly rate EUR

☐ 2.1 **(Art. 43090000)** Fitter including all surcharges @/h. 45.20

☐ 2.2 **(Art. 2010026)** Master craftsman / technician including all surcharges @/h. 68.20

The following stand installations have to be carried out by the ServicePartner SPIE SAG GmbH:

_____

_____

_____

The compressed air is available during the official assembly and dismantling. During the event the compressed air is available from 8:00 till end of the event. For safety reasons, the compressed air supply is switched off during all other times.

A compressed air connection is only possible if a corresponding connection within the stand area has been drawn into the floor plan.

Installations from service duct to connection point are only possible via the hall floor.

We require compressed air supply besides the above times (extra charges):

Date: from _____ till _____

Time: from _____ till _____

3. Stand installation/material for rental EUR

assembly/dismantling and rental fees from main connection

☐ 3.1	**(Art. 2050010)** additional connection up to 1/2"	piece ..... @		75.80
☐ 3.2	**(Art. 2050020)** adapter 1" to 1/2"	piece ..... @		25.80
☐ 3.3	**(Art. 2050030)** pipe manifold double 1" to 1/2"	piece ..... @		31.50
☐ 3.4	**(Art. 2050040)** pipe manifold triple 1" to 1/2"	piece ..... @		37.20
☐ 3.5	**(Art. 2050050)** pipe manifold quadruple/six-fold 1" to 1/2"	piece ..... @		46.70
☐ 3.6	**(Art. 2050060)** double junction up to 1/2"	piece ..... @		22.20
☐ 3.7	**(Art. 2050070)** triple junction up to 1/2"	piece ..... @		29.30
☐ 3.8	**(Art. 2050080)** quick coupling up to 1/2"	piece ..... @		11.70
☐ 3.9	**(Art. 2050090)** pressure reducer adjustable variability	piece ..... @		38.50
☐ 3.10	**(Art. 2050100)** installation of 1/2" compressed air hose at the stand	m .....@		4.50
☐ 3.11	**(Art. 2050110)** installation of 1" compressed air hose at the stand	m .....@		7.40

4. Industrial gas and vacuum on request

All prices in EURO plus VAT at the statutory rate.

Orders must be received in a complete and correct form within the deadline set for the respective event. SPIE SAG GmbH is under no obligation to provide services for orders that do not meet these requirements.
From 21 days prior to the event, orders or changes to existing orders – insofar as SPIE SAG GmbH can still process them – will be subject to a 25 % surcharge for fixed-price services or a 50 % surcharge for services based on the amount of time involved.

The services ordered must be paid without delay after receipt of the invoice.

The invoice may be issued before start of the event.

Note on safety:
Compressed air can be dangerous. It is essential to observe the safety precautions to avoid serious accidents.

Further information and the Special Conditions for Services of SPIE SAG GmbH for compressed air supply can be found on our Internet site at www.spie-servicepartner.de.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Plan of compressed air supply S2.20

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Company stamp:

Hall/Stand

Plan with exact dimensions for compressed air supply

Important: This plan is not for stand construction purposes!

Adjacent stand no.: _____

Adjacent stand no.: _____

Please tick as appropriate ☐ **1:200** ☐ **1:100** ☐ **1:50**

Water supply and drainage S2.30

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Halls 3A, 4A, 7A, 3–7
August & Jean HILPERT
Messe-Service GmbH

Halls 1, 2, 3C, 8–12
Brochier
Gebäudemanagement GmbH

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

Order (Special Conditions for Services overleaf)

The order includes the following (Note: Materials are rental goods):
- Installation and dismantling of water and wastewater pipes and connection of one terminal appliance
- Water supply connection including tap and shutoff valve ½" or ¾"
- A wastewater connection with 50 mm diameter (note: 65 mm diameter in the connecting sleeve area – i.e. height clearance of at least 65 mm is required for overbuilding with a raised floor.)
  Note: A water connection is basically only possible if there is a water connection depicted inside the stand area in the hall plan. All hose and pipe connections are laid on the hall floor from the main connection (see hall plan)!
- A water supply pipe/wastewater pipe with a length of up to max. 10 m from the duct outlet. Longer distances will be charged according to item 4.10.

Regularly flushed inlet; required separation of grease included (centrally)

1. All-inclusive package 1

☐ **1.1 (Art. 50050001) Installation with equipment not supplied by us (provided by exhibitor)** **EUR 404.20**
- Stand installation of water and drainage
- Connection of one item of equipment (e.g. sink incl. water heater …), (equipment supplied by exhibitor/ not rented from HILPERT or Brochier)
- plus water and drainage fee **EUR 39.90**

☐ **1.2 (Art. 50050002) Installation with equipment supplied by HILPERT or Brochier** **EUR 374.60**
- See 1.1 but equipment must be rented from HILPERT or Brochier (see Item 4 ff.)
- plus water and drainage fee **EUR 39.90**

☐ 2. Extra equipment connection

(Art. 50050003) only as addition to package 1.1 **EUR 57.10**
Connection fee for each additional item of equipment (equipment supplied by exhibitor/not rented from HILPERT or Brochier)

☐ Single sink ☐ Counter
☐ Dishwasher ☐ Coffee percolator
☐ Filter/safety device ☐ Steamer/terminal unit
☐ Other equipment _____

Total items of equipment to be connected _____

☐ 3. Separate tap

(Art. 50050004) solely for e.g an unique filling pools **EUR 134.10**
- plus water and drainage fee **EUR 39.90**

4. Rental equipment from ServicePartner (HILPERT/Brochier)

Rental fee including installation only as addition to package 1.2 (except Item 4.5) (see back of Form S2.31 for illustration)

☐ **4.1 (Art. 50030070) Single sink**/stainless steel with base unit, 50 x 53 cm **EUR 103.80**
☐ **4.2 (Art. 50030075) Single sink** with stainless steel drainer and base unit, 80 x 53 cm **EUR 131.20**
☐ **4.3 (Art. 50030080) Double sink**,stainless steel with base unit, 80 x 53 cm **EUR 131.20**
☐ **4.4 (Art. 50030085) Single sink**/stainless steel with base unit, 80 x 53 cm drainer, with water heater mounted below **EUR 232.60**
☐ **4.5 (Art. 50030090) Single sink** with stainless steel drainer and base unit, 80 x 53 cm, **(pump-operated, for stand spaces without water supply only)** **EUR 257.60**
• plus water and drainage fee **EUR 39.90**
☐ **4.6 (Art. 50030100) Kitchen unit**, 90 x 60 cm (with 2 hotplates, refrigerator, water heater) **EUR 326.80**
☐ **4.7 (Art. 50030105) Thermofix water heater** **EUR 120.30**
☐ **4.8 (Art. 50030110) Catering glass dishwasher** (for cups or glasses, program time approximately 3-5 min.) **EUR 339.70**
☐ **4.9 (Art. 50030115) Catering dishwasher** (for crockery, program time approximately 3-5 min.) **EUR 519.50**
☐ **4.10** For installations with exhibitor's own appliance or an appliance of the ServicePartner, a pipe length (water supply and wastewater pipe) of 10 m is included. Per each additional meter **EUR 43.60**

☐ 5. Fitter's flat rate per hour **EUR 50.25**

This hourly rate does not include surcharges for working on Saturdays (+30 %). Sundays (+50 %) and public holidays (+100 %). Additional work will be billed on a time-and-materials basis.

The connection of a water supply is only possible if a water outlet is located within the stand (as shown on hall plan). Installations from the supply point to the equipment connection point must be laid across the hall floor.
Please submit a plan of the stand on Form S2.31, showing the accurate locations of the desired facilities.
Shut-off valves (ball valves) must be turned off every evening.
We use a raised floor: ☐ yes ☐ no
Height clearance of floor structure: _____cm **Note: Height clearance of at least 65 mm is required for complete overbuilding of the supply and discharge pipes.**
To be fitted in the stand by the ServicePartner:

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Special Service Terms & Conditions of NürnbergMesse GmbH for water and wastewater connection

1. Integral parts of the Agreement

Integral parts of the Agreement in the following sequence and ranking are:

- **the respective order forms and online forms**
- **these Service Terms & Conditions for water and wastewater**
- **the Special Conditions for Participation in the relevant event**
- **the General Conditions for Participation in Fairs and Exhibitions**
- **the General Contractual Terms & Conditions for the Service Manual (AVB)**

In case of any conflict between these terms and conditions, the terms and conditions shall take a priority ranking position in accordance with the aforementioned order of precedence.

2. Order, Execution of the Agreement

Services may be ordered only after receipt of stand space confirmation. The order must be accepted by NürnbergMesse. After the order, the Agreement is formed once the exhibitor receives an invoice with order confirmation from NürnbergMesse or one of the ServicePartners stipulated under Item 4. The automatically generated confirmation of receipt sent by e-mail directly after the online order has been placed does not represent an order confirmation. Acceptance of the order can also be made implicitly by providing the ordered services. A water and wastewater connection can only be provided if such a connection is already available at the rented stand space. The connections are indicated in the hall blueprint plan (integral part of the stand space confirmation). Even if an exhibitor has received the invoice/order confirmation from NürnbergMesse, they will receive a separate invoice/order confirmation directly from the ServicePartner in respect of special services ordered that are not included in the standard range in the (online) order form.

3. Stand layout sketch, Connections for equipment/appliances, Requirements regarding stand construction

The stand layout sketch that indicates the required connections shall be submitted by the exhibitor with the order or no later than 21 days prior to the start of the event. The exhibitor already received the hall blueprint plan, which indicates the site of the water and wastewater connection, with the stand confirmation. Connections for equipment/appliances can be situated directly adjacent to the water and wastewater connection. The ServicePartners shall endeavor to also install connections requested by the exhibitor that deviate from existing connections. The exhibitor has no claim to installation of connections at the requested site, as this depends on the stand construction. If the exhibitor wishes to have a variant connection, e.g., away from the existing water and wastewater connection, it is up to the exhibitor to plan and execute the stand construction in such a way that the water and wastewater pipes can be laid safely and are covered and protected. In the event of questions in this regard, the exhibitor is requested to contact the appropriate ServicePartner.

4. Execution by the ServicePartner

The contractual services are generally executed by one of the following Service Partners. The exhibitor's contractual partner remains NürnbergMesse. Within the scope of the transaction of the order, the ServicePartners have the right to represent NürnbergMesse.

ServicePartners:

Halls 3A, 4A, 7A, 3–7
August & Jean HILPERT
Messe-Service GmbH
Messezentrum, 90471 Nürnberg
ServicePartnerCenter
(2nd floor, room 2.40)
T +49 9 11 37 66 38-0
T +49 1 71 3 30 11 46 (emergency call)
F +49 9 11 37 66 38-29
service@hilpert-messe.de
www.hilpert-messe.de

Halls 1, 2, 3C, 8–12
Brochier
Messezentrum Nürnberg
ServicePartnerCenter
T +49 9 11 9 81 29 69
T +49 1 51 12 24 24 94 (emergency call)
F +49 9 11 9 81 29 79
sp-messe-nbg@a-brochier.de
www.a-brochier.de
Brochier
Gebäudemanagement GmbH
Schüblerstraße 8, 90482 Nürnberg
T +49 9 11 54 42-3 33
F +49 9 11 54 42-2 45

5. Express surcharge, Exclusion of warranty for orders on short notice, Additional costs for modifications

For orders on short notice or for which a sketch was submitted too late (less than 21 days' notice prior to the start of the official set-up), the following express surcharge will be applied to the amount of the order:

for services at fixed prices	25 %
for cost-plus work	50 %
sketches	EUR 90

In the event an order is received with less than 21 days' notice prior to the official beginning of set-up, NürnbergMesse – should it accept the order – assumes no guarantee that the service(s) can be performed properly and in a timely manner. If in such cases NürnbergMesse does not perform the services, does not complete them on time, or supplies defective services, the exhibitor can rescind the Agreement relative to water/wastewater or reduce the agreed upon compensation only if the statutory prerequisites have been met. Additional claims for compensation for damages or for reimbursement of expenditures are excluded, unless the short notice of the order was not concurrently causative for non-performance or defective performance by NürnbergMesse. Liability for intentional or grossly negligent breaches of duty by NürnbergMesse or its vicarious agents and liability due to culpable harm to life, limb, or health shall remain unaffected.

Should the exhibitor request that services already performed by NürnbergMesse or the performance of which has already commenced be subsequently modified, NürnbergMesse has the right – should it agree to perform these modifications – to charge the exhibitor for the actual additional work and expense that accrue for each modification.

6. Compensation/Fees

None of the quoted prices contain the legally mandated, current value-added tax. The agreed compensation shall become due as soon as the order is accepted by NürnbergMesse.

Calculation of the quoted prices has been pegged to wages based on a 40-hour work week. For services at fixed prices that have not yet been defined at the time stipulated for the start of set-up or that cannot be commenced at this time due to incomplete or unusable order information or instructions, a surcharge of 25 % and for cost-plus work a surcharge of 50 % can be added to the prices listed overleaf. A processing fee of EUR 50 plus the legally mandated, current value-added tax shall be charged for invoices that must be reissued due to erroneous or inaccurate information provided by the applicant (exhibitor). This fee shall be shown on the reissued invoice.

7. Prohibition of work by exhibitor, Penalty

For safety reasons, the shaft connection and the connection of terminal equipment (e.g., sink, dishwasher, etc.) may be executed solely by ServicePartners of NürnbergMesse. It is prohibited to independently open connections, open supply shafts and extract water, tap existing pipes, connect neighboring stands belonging to other exhibitors, and independently connect terminal equipment or appliances. In the event of culpable breaches by the exhibitor against the aforementioned regulation, a penalty of EUR 500 per violation shall be assessed. We reserve the right to claim additional damages.

8. Security regulations to be complied with by the exhibitor

Cut-off valves (ball valves) must be shut off prior to leaving the stand. Costs for any damages that occur due to cut-off/ball valves not having been shut off shall be borne by the exhibitor. Use of rubber hoses of any kind during installation are not permitted under any circumstances.

9. Cancellation

Item 9 of the General Conditions for Participation in Fairs and Exhibitions shall apply to cancellations by the exhibitor.

10. Delivery of rental equipment/appliances to exhibitors, connection of terminal equipment/appliances/appliances

Rental equipment/appliances can only be delivered and connected during the official set-up phase; the same applies to the connection of terminal equipment/appliances belonging to the exhibitor, which may also only be executed by Service Partners. Therefore, the exhibitor must contact the appropriate ServicePartner no later than 12:00 noon on the last day of set-up and request services. Should the service request not be made in a timely manner, the timely execution of services and/or timely delivery cannot be guaranteed.

11. Acceptance, Delivery, Claims

After completion, the service must be inspected and accepted by the exhibitor. The ServicePartner who performed the service(s) and the exhibitor shall draw up and sign an acceptance and delivery report.

The exhibitor undertakes to inspect the services performed for defects and completeness at the time of acceptance. Visible defects or instances where the order is incomplete shall be recorded in the acceptance and delivery report. Should a defect be discovered at a later date, the exhibitor shall notify the ServicePartner who performed the service(s) promptly after its discovery and request subsequent performance. Warranty claims that impose a time limit for subsequent performance cannot be asserted after the end of the event, unless the right to subsequent performance did not or did no longer exist during the event.

NürnbergMesse does not assume any liability for the consequences of pressure failure or pressure changes or for damages to the site.

12. Return of the rental equipment/appliances and furnishings and fittings

Water inflow and outflow materials, stop valves, faucets, sinks, dishwashers, and other equipment shall be made available to the exhibitor **solely** in the form of a **rental**. The exhibitor is responsible for the rental equipment and furnishings and fittings until they have been returned. The rental equipment and furnishings and fittings may only be dismantled by the ServicePartner. Dismantling and pick-up shall be conducted at the end of the last day of the event or by the end of the final day of dismantling. The rental equipment and furnishings and fittings may not be left behind by the exhibitor without being returned to the ServicePartner. Should the exhibitor wish to vacate the stand early, the exhibitor shall contact the appropriate ServicePartner in a timely manner to agree on a return date and time. Wash basins and sinks must be returned in a clean condition. Should wash basins and sinks be returned without having been cleaned, the exhibitor can be charged a cleaning fee of EUR 100.

13. Exhibitor's liability

The exhibitor shall be liable in accordance with the statutory provisions in the event of damage or loss to the rental equipment or other furnishings and fittings. The exhibitor is responsible for any fault on the part of its employees or other vicarious agents.

Place and date

Company stamp and authorized signature

Plan of water supply and drainage S2.31

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Company stamp:

Hall/Stand

Plan of stand showing exact position of water supply, drainage and other facilities.
Illustration of rental equipment and sample drawing overleaf!

Important! This plan is only for use with this form and not for stand construction purposes!

Please tick as appropriate ☐ **1:200** ☐ **1:100** ☐ **1:50**

Illustration of rental equipment

Equipment	Designation
4.1	Single sink H x W x D 85 x 50 x 53 cm
4.2	Single sink with drainer H x W x D 85 x 80 x 53 cm
4.3	Double sink H x W x D 85 x 80 x 53 cm
4.4	Single sink with drainer and water heater H x W x D 85 x 80 x 53 cm
4.5	Single sink with drainer (pump-operated) H x W x D 85 x 80 x 53 cm
4.6	Kitchen unit, with 2 hotplates, refrigerator, water heater H x W x D 90 x 90 x 60 cm
4.7	Thermofix water heater
4.8	Catering glass dishwasher for cups or glasses programe time approximately 3-5 min. H x W x D 86 x 50 x 55 cm
4.9	Catering dishwasher for crockery programe time approximately 3-5 min. 400 V/5.7 kW H x W x D 135 x 60 x 60 cm

Example of plan



⊙ water supply with position of pipes

○ drainage with position of pipes
(not binding, as the position of pipes generally depends on the connection possibilities.)

X water heater

○ sink

S dishwasher

IT-Communication – Internet

S2.40

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 10
F +49 9 11 86 06-80 01
communication@nuernbergmesse.de

Contractor *
Bisping & Bisping GmbH & Co. KG
Oskar-Sembach Ring 10
91207 Lauf
T +49 9 11 86 06-40 00

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

bisping & bisping
IT-COMMUNICATION
internet | wlan | voice | it

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

1. IP-CONNECT – INTERNET

IP-CONNECT – INTERNET (up to 50 Mbps)
- Professional Internet connection
- Ethernet technology for high stability and data security
- Symmetrical bandwidth
- Flat Rate (no volume or time limits)
- Managed router for high operational security
- Basic protection for exhibition security
- Including activation and 2 m LAN cable
- WLAN optionally bookable

☐ **1.1 IP-Connect InternetAccess 10 Mbps**
- 10 Mbps upload and 10 Mbps download speed
- 1 Ethernet user port
- Dynamic IP address

(Art. 51600001) **EUR 480.00** Items _____

☐ **1.2 IP-Connect InternetAccess 25 Mbps**
- 25 Mbps upload and 25 Mbps download speed
- 1 Ethernet user port
- Dynamic IP address

(Art. 51600003) **EUR 850.00** Items _____

☐ **1.3 IP-Connect InternetAccess 50 Mbps (incl. static IP address)**
- 50 Mbps upload and 50 Mbps download speed
- Up to four Ethernet user ports
- Static public IP address

(Art. 51600005) **EUR 1,500.00** Items _____

2. IP-CONNECT EXPERT – INTERNET

IP-CONNECT EXPERT – INTERNET (up to 1 Gbps)
- High-Performance Ethernet Internet connection
- Symmetrical bandwidth
- Managed router for high operational security
- Up to four Ethernet ports available
- IP addresses as required
- Basic protection for exhibition security
- Including activation
- WLAN optionally bookable
- **Expert service:** VIP care via hotline and on-site, Premium SLA with Express fault clearance, QoS for voice services

☐ **2.1 IP-Connect InternetAccess 100 Mbps**
- 100 Mbps upload and 100 Mbps download

(Art. 51600010) **EUR 2,750.00** Items _____

☐ **2.2 IP-Connect InternetAccess 1 Gbps**
- 1 Gbps upload and 1 Gbps download

(Art. 51600015) **EUR 4,900.00** Items _____

☐ **Option: Special configuration for IP-CONNECT EXPERT INTERNET**
Special configurations possible by request
- Special configuration as required
- Managed Cisco router
- Individual QoS settings
- Redundant connections

Please send us your enquiry, we will be pleased to prepare an individual offer for you.

The supplied routers are set up to ensure they do not fail. Each Ethernet connection is made available using a router with a lead from the service shaft with a maximum available length of 5 m. Each connection requires a power supply. which the exhibitor must provide.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH. Messezentrum. 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

IT-Communication – WLAN Access Point S2.41

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 10
F +49 9 11 86 06-80 01
communication@nuernbergmesse.de

Contractor *
Bisping & Bisping GmbH & Co. KG
Oskar-Sembach Ring 10
91207 Lauf
T +49 9 11 86 06-40 00

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

bisping & bisping
IT-COMMUNICATION
internet | wlan | voice | it

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

1. IP-CONNECT – WLAN ACCESS POINT

☐ **1.1 IP-Connect Virtual Access Point** (can be booked only with IP-Connect Internet)
- Professional virtual access point for your exhibition stand
- Integrate WLAN into your network at your stand using the high-performance exhibition WLAN infrastructure, with frequencies of 2.4 or 5 Ghz
- Up to 15 devices can be incorporated using the WLAN portal with individual logins and passwords
- Available in your LAN at your exhibition stand
- Bandwidth based on your booked IP-Connect Internet access

(Art. 51600180) **EUR 220.00**

☐ **1.2 Optional: Incorporating other devices**
- Option for IP-Connect virtual access point
- Incorporation of more than 15 devices

(Art. 51600182) **Price on application**

☐ **1.3 Optional: Integrating IoT devices**
- Option for IP-Connect virtual access point
- Incorporation of IoT devices without browser login and password entry

(Art. 51600184) **Price on application**

2. WLAN ACCESS POINT

☐ **2.1 IP-Connect Stand Access Point** (can be booked only with IP-Connect Internet)
- Smart access point for your stand for local WLAN
- 802.11AC standard with SSID (predefined)
- Integration into the WLAN frequency design of the exhibition hall
- Centrally controlled channel managment for 2.4 and 5 GHz range
- WLAN available on your stand in your LAN
- The bandwidth depends on your Internet access
- Based on and only bookable with IP-Connect Internet access

(Art. 51600210) **EUR 350.00**

☐ **2.2 Registration of exhibitors own WLAN access point**
- Only one access point per stand is allowed
- Only WLAN transmitter in 2.4 Ghz and channel 1 is allowed
- Channel Bonding is not permitted
- The radiated transmit power must not exceed -80 dBm at the edge of the stand
- An encryption (e.g. WPA2) according to the latest technical standards is mandatory
- Your own SSID must be visible and login data must not be disclosed to third parties
- Only WLAN transmitters are to be operated, no other transmitter

(Art. 51600190) **EUR 150.00**

Exhibitors are only permitted to operate there own WLAN (Wireless Local Area Network) subject to the explicit written authorization of NürnbergMesse GmbH. The technical requirements must be observed and will help you do your part to ensure that a large bandwidth is available for all users in the WLAN network and that faults are largely avoided.
For this reason every WLAN is assigned to a fixed channel. Registration includes channel planning and monitoring.
Note: This is just a registration and does not contain an Internet Provision.

The supplied routers are set up to ensure they do not fail. Each Ethernet connection is made available using a router with a lead from the service shaft with a maximum available length of 5 m. Each connection requires a power supply. which the exhibitor must provide.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH. Messezentrum. 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

IT-Communication – WLAN

S2.42

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 10
F +49 9 11 86 06-80 01
communication@nuernbergmesse.de

Contractor *
Bisping & Bisping GmbH & Co. KG
Oskar-Sembach Ring 10
91207 Lauf
T +49 9 11 86 06-40 00

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

bisping & bisping
IT-COMMUNICATION
internet | wlan | voice | it

1. IP-CONNECT – WLAN

☐ **1.1 IP-Connect WLAN – single user 10 Mbps**
- Single-user access for entire exhibition period
- Internet access, up to 10 Mbps symmetrical
- Available throughout the entire exhibition venue
- Flat Rate (no volume or time limits)
- Giving WLAN access to third parties is not recommended

(Art. 51600020) **EUR 285.00** Items _____

☐ **1.2 IP-Connect WLAN – multi user 10 Mbps**
- The low-cost special package for working on the move: five codes for the exhibitors WLAN network
- Internet access, up to 10 Mbps symmetrical
- Available throughout the entire exhibition venue
- Flat Rate (no volume or time limits)
- Giving WLAN access to third parties is not recommended

(Art. 51600025) **EUR 550.00** Items _____

☐ **1.3 IP-Connect WLAN – additional access**
- Available for booking only with multi-user access

(Art. 51600028) **EUR 85.00** Items _____

2. IP-CONNECT EXPERT – WLAN

☐ **2.1 IP-Connect Expert WLAN – single user 100 Mbps**
- Single-user access for entire exhibition period
- Internet access, up to 100 Mbps symmetrical
- Available throughout the entire exhibition venue
- Flat Rate (no volume or time limits)
- Giving WLAN access to third parties is not recommended
- **Expert service:** VIP care via hotline and on-site, Premium SLA with Express fault clearance

(Art. 51600030) **EUR 1,200.00** Items _____

☐ **2.2 IP-Connect Expert WLAN – multi-user 100 Mbps**
- Multi-user access (max. 10) for entire exhibition period
- Internet access, up to 100 Mbps symmetrical
- Available throughout the entire exhibition venue
- Flat Rate (no volume or time limits)
- Giving WLAN access to third parties is not recommended
- **Expert service:** VIP care via hotline and on-site, Premium SLA with Express fault clearance

(Art. 51600035) **EUR 2,550.00** Items _____

☐ **2.3 IP-Connect WLAN – additional access 100 Mbps**
- Available for booking only with multi-user access

(Art. 51600038) **EUR 185.00** Items _____

The supplied routers are set up to ensure they do not fail. Each Ethernet connection is made available using a router with a lead from the service shaft with a maximum available length of 5 m. Each connection requires a power supply. which the exhibitor must provide.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH. Messezentrum. 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

IT-Communications – Phone S2.43

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 10
F +49 9 11 86 06-80 01
communication@nuernbergmesse.de

Contractor *
Bisping & Bisping GmbH & Co. KG
Oskar-Sembach Ring 10
91207 Lauf
T +49 9 11 86 06-40 00

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

bisping & bisping
IT-COMMUNICATION
internet | wlan | voice | it

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

1. VOICE-CONNECT – telephone connection with no terminal

☐ **1.1 Voice-Connect analogue telephone connection**
- Analogue telephone connection
- NGN/IP-based voice connection with one telephone number
- With no telephone terminal
- Including activation
- Note: available for booking only with fee package

(Art. 51600054) **EUR 135.00** Items _____

☐ **1.2 Voice-Connect ISDN telephone connection**
- ISDN telephone connection
- NGN/IP-based voice connection with two line
- With telephone numbers
- With no telephone terminal
- Including activation
- Note: available for booking only with fee package

(Art. 51600056) **EUR 155.00** Items _____

☒ **Fee package (mandatory)**
- One fee package per connection must be booked when ordering telephone connections
- In all landline and mobile wireless networks
- In industrialised nations in Europe and many parts of the world *)
- Max. 120 minutes per event day **)
- Valid throughout entire event period

Fee package for up to three days of use **EUR 35.00**
(Art. 51600063)

Fee package for four or more days of use **EUR 49.00**
(Art. 51600064)

*) All countries in Europe, plus China, USA, Canada, Russia, Argentina, Australia, Brazil, Hong Kong, Japan, South Korea, Malaysia, New Zealand, Singapore, Taiwan, Thailand

**) If more than 120 minutes are used in a single exhibition day, or if calls are made to countries other than those listed above, these will be charged based on actual use in accordance with the schedule of rates, subject to a minimum of EUR 10. This package does not include special numbers (e.g. 0800 and 0190 prefixes).

The supplied routers are set up to ensure they do not fail. Each Ethernet connection is made available using a router with a lead from the service shaft with a maximum available length of 5 m. Each connection requires a power supply. which the exhibitor must provide.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH. Messezentrum. 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

IT-Communication – Phone S2.44

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 10
F +49 9 11 86 06-80 01
communication@nuernbergmesse.de

Contractor *
Bisping & Bisping GmbH & Co. KG
Oskar-Sembach Ring 10
91207 Lauf
T +49 9 11 86 06-40 00

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

bisping & bisping
IT-COMMUNICATION
internet | wlan | voice | it

VAT ID number of invoice addressee:

1. VOICE-CONNECT – telephone connection with terminal

☐ **1.1 Voice-Connect – Desk telephone**
- Desk telephone (IP desk telephone)
- NGN/IP-based voice connection with one telephone number
- Graphic display
- Hands-free
- High audio quality
- Including activation
- Note: available for booking only with fee package

(Art. 51600050) **EUR 115.00** Items _____

☐ **1.2 Voice-Connect – Conference telephone**
- Conference telephone (IP conference telephone)
- NGN/IP-based voice connection with telephone number
- Full duplex, hands-free
- Muting on telephone or microphones
- Multi-colour status LEDs
- Easy to operate
- Including activation
- Note: available for booking only with fee package

(Art. 51600052) **EUR 259.00** Items _____

☐ **1.3 Voice-Connect – DECT telephone**
- IP DECT telephone
- Mobile calling in a restricted local DECT cell
- Includes one DECT telephone terminal
- NGN/IP-based voice connection with telephone numbers
- Max. 6 SIP accounts or terminals
- Up to four calls simultaneously
- Including activation
- Handset find button
- Power supply and PoE operation
- Note: available for booking only with fee package

(Art. 51600055) **EUR 190.00** Items _____

☐ **1.4 Voice-Connect – additional handsets for DECT telephone**
- Powerful IP DECT handset
- Talk time up to 7 hours/Standby time up to 7 days
- Integrated belt clip
- Note: available for booking only with DECT telephone

(Art. 51600058) **EUR 75.00** Items _____

☐ **1.5 Voice-Connect multi-function device with fax over IP**
- Small device designed for efficiency
- Duplex printing/copying/scanning/faxing
- A4; A5; A6; B5 (JIS)
- Hi-Speed USB 2.0 connection
- Integrated Fast Ethernet 10/100 Base TX network connection, telephone connection
- Including activation and number (excluding driver installation)
- Including max. one change of toner cartridge
- Including one full DIN A4 paper tray (250 sheets)
- Note: available for booking only with fee package and Internet connection

(Art. 51600060) **EUR 255.00** Items _____

☒ **Fee package (mandatory)**
- One fee package per connection must be booked when ordering telephone connections
- In all landline and mobile wireless networks
- In industrialised nations in Europe and many parts of the world *)
- Max. 120 minutes per event day **)
- Valid throughout entire event period

Fee package for up to three days of use **EUR 35.00**
(Art. 51600063)
Fee package for four or more days of use **EUR 49.00**
(Art. 51600064)

*) All countries in Europe, plus China, USA, Canada, Russia, Argentina, Australia, Brazil, Hong Kong, Japan, South Korea, Malaysia, New Zealand, Singapore, Taiwan, Thailand

**) If more than 120 minutes are used in a single exhibition day, or if calls are made to countries other than those listed above, these will be charged based on actual use in accordance with the schedule of rates, subject to a minimum of EUR 10. This package does not include special numbers (e.g. 0800 and 0190 prefixes).

The supplied routers are set up to ensure they do not fail. Each Ethernet connection is made available using a router with a lead from the service shaft with a maximum available length of 5 m. Each connection requires a power supply. which the exhibitor must provide.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH. Messezentrum. 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

IT-Communication – PC-Equipment S2.45

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 10
F +49 9 11 86 06-80 01
communication@nuernbergmesse.de

Contractor *
Bisping & Bisping GmbH & Co. KG
Oskar-Sembach Ring 10
91207 Lauf
T +49 9 11 86 06-40 00

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

bisping & bisping
IT-COMMUNICATION
internet | wlan | voice | it

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

1. IT-CONNECT – PC-Equipment

☐ **1.1 IT-Connect Workstation**
- i7 Notebook with 15.6" screen
- Standard Office (Word, Excel, PowerPoint, Outlook)
- Standard web browser
- 21.5" flat screen
- Keyboard and mouse
- Including activation

(Art. 51600070) **EUR 310.00** Items _____

☐ **1.2 IT-Connect Multi-function device as printer**
- Small device designed for efficiency
- Duplex printing/copying/scanning, bw
- A4; A5; A6; B5 (JIS)
- Hi-Speed USB 2.0 connection
- Integrated Fast Ethernet 10/100 Base TX network connection
- Including activation (excluding driver installation)
- Including max. one change of toner cartridge
- Including one full DIN A4 paper tray (250 sheets)

(Art. 51600072) **EUR 130.00** Items _____

☐ **1.3 IT-Connect LAN-Switch**
- 8x RJ45 LAN port
- Layer 2 switch with fixed configuration
- Speed 10/100/1000 Mbps
- User-friendly

(Art. 51600074) **EUR 110.00** Items _____

2. IT-CONNECT – special services

☐ **2.1 IT-Connect Labour (15-minute units)**
- Deployments and additional work by separate technicians
- Charged based on actual time spent

(Art. 51600080) **EUR 35.00** Items _____

☐ **2.2 IT-Connect Cabling to stand**
- Deployments and additional work by separate technicians
- Charged based on actual time spent

(Art. 51600090) **Price on application**

☐ **2.3 IT-Connect Optical fibre connection**
- Deployments and additional work by separate technicians
- Charged based on actual time spent

(Art. 51600095) **Price on application**

The supplied routers are set up to ensure they do not fail. Each Ethernet connection is made available using a router with a lead from the service shaft with a maximum available length of 5 m. Each connection requires a power supply. which the exhibitor must provide.
* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH. Messezentrum. 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

IT-Communication – Plan

S2.46

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 10
F +49 9 11 86 06-80 01
communication@nuernbergmesse.de

Company stamp:

Hall/Stand

Plan of stand showing exact position of telecommunication equipment

Important! This plan is only for use with this form and not for stand construction purposes!

Please tick as appropriate ☐ **1:200** ☐ **1:100** ☐ **1:50**

Terms of Business for IT-Communications

1. Components of contract

Components of the contract in the following order of priority:

- **The order forms in each case;**
- **These General Terms and Conditions of IT Communication;**
- **The General and Special Terms and Conditions of Participation in Trade Fairs and Exhibitions**
- **The General Contractual Terms for the Service Handbook (GCT)**
- **For the services of external network operators (e.g. Bisping & Bisping GmbH & Co. KG), their General Terms and Conditions and Product Information Sheet according to the TC Transparency Regulation Section °1.**

2. Orders

The offered information and communication services may only be ordered from NürnbergMesse. The order must be accepted by NürnbergMesse; such acceptance may also be granted tacitly, for example by the provision of the ordered service. For short-notice orders (< 14 days before the beginning of the event), an express surcharge equal to 25 % of the order value shall be charged. Orders for WLAN are exempt from this rule.
If the exhibitor desires changes to services that NürnbergMesse has already provided, particularly for the trade fair stand, NürnbergMesse shall be entitled, insofar as it undertakes to make the changes, to charge the actually incurred additional cost for each change. It shall be charged on the basis of the actual work expenditure.
If the order is received by NürnbergMesse later than 35 days before the beginning of the event and NürnbergMesse accepts the order, it shall assume no liability for the proper and timely provision of the service.
If NürnbergMesse does not provide its services in these cases, or not properly or not on time, the exhibitor shall only be entitled to rescind the contract for the offered information and communication services or reduce the agreed fee accordingly. Any further claims are excluded.
A complete or partial cancellation of the order is possible subject to the provisions of No. 9 of the General Terms and Conditions of Participation in Trade Fairs and Exhibitions.

3. Period of service provision

The ordered information and communication services shall be provided during the period of each event.
If the provision of information and communication services is desired in a period other than this period, this additional service must be ordered separately from NürnbergMesse.

4. Rented equipment

All ordered services are provided by NürnbergMesse or subcontractors engaged by it. Equipment is rented to the exhibitor. The exhibitor must treat the rented equipment with care and only use it for the contractually provided purposes. If the exhibitor uses its own terminal equipment, it must fulfil the applicable legal requirements, including the applicable EU Directives for Terminal Equipment and the CCITT Recommendations, particularly CCITT Recommendation i430. If the exhibitor does not observe the technical requirements and disturbances arise as a result, NürnbergMesse shall be particularly entitled to demand compensation from the exhibitor for the costs of disturbance analysis and fault correction. NürnbergMesse shall further be entitled to demand from the exhibitor that it immediately disconnect from the network any terminal equipment from which disturbances emanate.
For Internet access, the network cards used in the exhibitor's PC must fulfil the Ethernet specifications (IEEE 802.3). Optionally ordered fixed IP addresses and/or access data are sent to the exhibitor via e-mail. In no case may the exhibitor use other IP addresses than those provided to it by NürnbergMesse or modify the sub-net masks specified to it. If the exhibitor does not fulfil this obligation and if disturbances arise as a result, NürnbergMesse shall likewise be entitled to demand compensation from the exhibitor for the costs of disturbance analysis and fault correction.
NürnbergMesse shall be further entitled to exclude from the LAN network those exhibitors who use other IP addresses than those assigned to them or other sub-net masks than those specified to them despite prior warning and demand compensation for the associated costs. NürnbergMesse expressly reserves the right to assert further damages. If disturbances arise in the IT equipment of an exhibitor that used other IP addresses than those assigned to it or modified the sub-net masks, NürnbergMesse shall attempt, at the request and risk of the exhibitor, to correct the fault at the prices of NürnbergMesse applicable during the event period. Correction of the fault cannot be guaranteed.
At the request of the exhibitor, the Service Partner of NürnbergMesse shall configure the IT equipment, insofar as this is technically and operationally possible, at the risk of the exhibitor and according to the price lists applicable at the time of the event. Neither NürnbergMesse nor the Service Partner can assume a warranty or liability for software installed by the exhibitor itself. The same shall apply if drivers or other software must be installed during the installation of IT equipment on the exhibitor's own equipment. This shall be done expressly only at the risk of the exhibitor.

5. Service centres/Service Desk

A Service Desk is set up for the event of a disturbance. The service centres can be reached at the following telephone numbers:
• Communication products (Internet, telephone, WLAN): +49 9 11 86 06-40 00
The Service Desk can be reached during the following times:
Three days before and during the event:
Mon – Sun, holidays 08:00 to 19:00 or to the end of the event

6. Loss/liability

If technical terminal equipment is lost or damaged at the scheduled disassembly date (see No. 10, Repossession), NürnbergMesse reserves the right to demand compensation from the exhibitor depending on the value category and charge such compensation to the exhibitor.

Our value categories for loss and damage are:

• Category A →	EUR	300.00	(e.g. desk and DECT telephones, multi-functional devices, keyboard, mouse, adaptors)
• Category B →	EUR	1,000.00	(e.g. routers, conference telephones, TFT display)
• Category C →	EUR	1,500.00	(e.g. notebook, PC, tablet)

The exhibitor shall be liable for the loss, damage or destruction of all communication equipment made available to it. Insofar as liability requires fault, it shall be incumbent on the exhibitor to prove that it was not at fault.

7. Liability of organizer

If NürnbergMesse and/or the Service Partner are obligated to compensate the exhibitor for pecuniary losses in connection with the provision of telecommunications services and if such an obligation is not based on deliberate intent, the liability of NürnbergMesse and/or the Service Partner shall be limited in accordance with Section 44a TKG. Otherwise, the liability of NürnbergMesse is governed by No. 19 of the General Terms and Conditions of Participation in Trade Fairs and Exhibitions

8. Connection conditions

Hardware and technical devices brought by the exhibitor itself must be prepared in accordance with the current state of the art to permit operation with the TC connections of NürnbergMesse. The flawless and/or complete functionality of hardware brought by the exhibitor cannot be guaranteed. The exhibitor is solely responsible for the security and functionality of the data traffic of hardware and technical devices brought by the exhibitor.
The exhibitor is obligated to keep the user IDs and passwords assigned to it secret and must particularly ensure that they cannot be viewed by third parties. Unless expressly agreed otherwise, it is prohibited to disclose user IDs and passwords to third parties and so enable the use of the information and communication services by a third party. The exhibitor is obligated to use the information and communication connection only by means of the proper use of the provided access possibilities (user ID, password or the like) and not to circumvent any access restrictions.
The exhibitor's own hardware must be brought in appropriately prepared condition to ensure operation with our TC connections. One hundred percent functionality cannot be guaranteed.
The exhibitor itself is responsible for the security and functionality of data traffic from its own equipment.
The exhibitor is aware of the fact that unencrypted, wirelessly exchanged data can possibly be viewed by third parties.
The exhibitor uses the Internet at its own risk.
Unless otherwise labelled, all content is external information within the meaning of Section 8 of the German Telemedia Act, for the retrieval of which the exhibitor is itself responsible. This applies particularly to any damage to its hardware or software, data loss or other damage attributable to the use of the Internet via the information and communication infrastructure, insofar as NürnbergMesse is not responsible for the event causing the damage, subject to the provisions of No. 19 of the General Terms and Conditions of Participation in Trade Fairs and Exhibitions.
The exhibitor is responsible for the proper use of the information and communication connections using the user ID assigned to it. The exhibitor shall ensure that no prohibited or unlawful content is retrieved or stored or other actions are taken or tolerated that violate applicable regulations or the rights of third parties. If NürnbergMesse incurs expenses or losses as a result of inquiries of investigating authorities, requests for information or other government or private measures or claims related to the rented connection/IP address, the exhibitor shall be obligated to compensate it for the damage caused and to be caused unless it proves that the information and communication connection assigned to it was used by third parties by no fault of its own.
NürnbergMesse reserves the right to block the information and communication connection without prior notice if the exhibitor or third parties violate provisions of this agreement or provisions of law using the user IDs and passwords assigned to it. The remuneration claims of NürnbergMesse are not affected thereby.
The stated prices apply for the provision of services in single-storey trade fair stands. In the case of WLAN solutions in multi-storey trade fair stands, the service price only applies for an installation in the upper storey.
Reception-dampening stand structures and other radio sources in the halls can worsen the WLAN signal quality considerably. If this happens, the exhibitor shall not be entitled to demand a reduction or complete refund of fees.
NürnbergMesse handles the coordination of the complete provision of services. The location of the main power connection is understood to be the point of transfer.
The exhibitor is entitled to send a stand diagram to NürnbergMesse on which a different point of transfer is marked. Additional cable-laying work in the stand shall be billed individually.

9. Customer's own wireless LAN

Exhibitors are permitted to set up a WLAN (Wireless Local Area Network) only after an express prior written registration with NürnbergMesse. A WLAN can lead to technical difficulties. The registration must be filed using the form "Registration for the operation of the customer's own WLAN" provided by NürnbergMesse. The exhibitor shall be liable for damage caused by the operation of an unregistered WLAN.
The exhibitor undertakes to meet the following requirements. Contraventions may lead to claims for damages by the organiser or the affected nearby exhibitors.
The WLAN hardware to be installed must meet the guidelines for wireless networks applicable in Europe. Whether the hardware used fulfils the aforementioned guidelines is indicated in the documentation provided by the equipment manufacturer.
It is strictly required that the SSID be named after the exhibitor in order to assign the WLANs. In case of contraventions, NürnbergMesse shall be entitled to shut down the network for as long as this requirement is not met.
If NürnbergMesse finds interferences with existing networks belonging to NürnbergMesse, NürnbergMesse shall be entitled to demand that the exhibitor shut down the wireless network. This demand must be followed without exception.
Bisping & Bisping GmbH & Co. KG is the sole provider of a WLAN infrastructure for commercial use on the premises of NürnbergMesse.
For full-coverage WLAN service on the premises of NürnbergMesse, NürnbergMesse grants exclusive frequency use of the WLAN Standards IEEE 802.11b/g in the 2.4 GHz band and IEEE 802.11a/h in the 5 GHz band to Bisping & Bisping GmbH & Co. KG.
For all other applications/WLAN networks and for the operation by Service Partners of NürnbergMesse and for the operation of the exhibitor's own wireless networks/WLANs, you may only use the channel assigned by NürnbergMesse in the 2.4 or 5 GHz band on the entire exhibition hall premises. NürnbergMesse reserves the right to refuse or not approve permits/registrations for the exhibitor's own WLANs, depending on the number or spatial assignment in each hall.
Within the scope of quality assurance measures, both unregistered and unapproved WLAN networks and WLAN networks with overly strong transmission power will be identified and the operators will be notified. These networks can possibly still be registered after review or deactivated at the request of NürnbergMesse; there is no legal claim to a registration. If an amicable solution is not possible, technical measures shall be taken against the operation of such unlawfully operated WLANs.

10. Repossession of terminal equipment

NürnbergMesse or its Service Partners shall repossess the terminal equipment at the latest on the last day of the disassembly period. The disassembly times are firmly defined for each event. If the exhibitor is not at the stand during the disassembly times, it must notify the Service Partner in text form in order to arrange another submission time. If the terminal equipment is not repossessed in exceptional cases, the exhibitor must return the still outstanding terminal equipment to the Service Partner against the issuance of a confirmation of receipt. In cases of doubt, the return must be proved by presenting the confirmation of receipt; if the Service Partner is not in possession of a confirmation of receipt, the exhibitor shall be liable for the equipment made available to it in accordance with No. 6 of this agreement. In exceptional cases, appointments are to be arranged by calling the telephone numbers indicated in No. 5.

Kitchen appliances, refrigerated, freezing and catering equipment

S2.50

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Valentin Internationaler Messeservice
GmbH & Co. KG
Industriestraße 39
40822 Mettmann
T +49 21 04 91 03-0
F +49 21 04 91 03-91
info@valentin-messeservice.com

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

Order (See back of next page for Special Conditions for Services)

Refrigerators

Equipment		Description (W x H x D)	Qty.	EUR	Total EUR
Refrigerator with freezer compartment	1.	**Art.** ☐ **102/50021001**, 140 l, 55 x 85 x 60 cm. 0.5 kW		71.00	
Bottle refrigerator	2.	**Art.** ☐ **109/50021015**, 200 l, 60 x 85 x 60 cm. 0.25 kW ☐ **123/50021023**, 500 l, 70 x 155 x 70 cm. 0.24 kW ☐ **120/50021014**, 400 l-bottle refrigerator curved-type door, fan-assisted cooling 60 x 185 x 60 cm. 0.3 kW		100.00 195.00 165.00	
Refrigerator with freezer compartment "special versions"	3.	**Art.** ☐ **1117/50021019**, 100 l "small" refrigerator, 48 x 85 x 50 cm (W x H x D). 0.3 kW ☐ **101/50021020**, mini-refrigerator, 44 x 50 x 46 cm (W x H x D). 0.1 kW		76.00 78.00	

Freezer chests and cabinets

	4.	**Art.** ☐ **201/50021035**, 60 l freezer box (-18°C). 0.1 kW ☐ **202/50021030**, 150 l freezer cabinet (-18°C). 0.1 kW ☐ **204/50021031**, 300 l freezer cabinet (-18°C). 0.25 kW ☐ **111/50021034**, 300 l refrigerator/freezer combination 150 l/150 l. 0.14 kW ☐ **206/50021032**, 250 l freezer chest (-18°C) with lid. 0.13 kW ☐ **209/50021033**, 400 l freezer chest (-18°C) with lid. 0.14 kW ☐ **213/50021365**, 500 l freezer chest (-18°C) with lid. 0.2 kW		87.00 89.00 155.00 161.00 130.00 165.00 190.00	

Electrical appliances

	5.	**Art.** ☐ **302/50021040**, 2-plate tabletop cooker		40.00	
Coffee percolator	6.	**Art.** ☐ * **300/50021038**, Coffee machine ECO, glass can: 2 x1.8l, max. 24 cups ☐ **303/50021043**, 1 x 10 cups		90.00 30.00	

Equipment		Description (W x H x D)	Qty.	EUR	Total EUR
		☐ **325/50021036**, Saeco Aulika Cappuccino "One Touch" coffee machine. water tank. espresso. coffee. cappuccino. latte and latte macchiato with one-touch function ☐ **322/50022039**, Coffee-/Cappuccino machine "SAECO Royal Professional" with auto-cappuccino function		365.00 348.00	

Kitchen appliances

Special exhibition kitchen unit	7.	**Art.** ☐ **514/50021055**, SKJ/U, width 90 cm ☐ **515/50021056**, SKJ/U, width 100 cm		230.00 220.00	
Sink unit	8.	**Art.** ☐ **505/50021065**, sink on right, width 100 cm ☐ **507/50021067**, double sink, width 100 cm ☐ **508/50021066**, double sink, width 120 cm		110.00 115.00 120.00	
Kitchen cupboard	9.	**Art.** ☐ **509/50021075**, worktop unit, width 50 cm ☐ **510/50021076**, worktop unit, width 100 cm ☐ **512/50021077**, kitchen wall cupboard. width 100 cm		57.00 65.00 62.00	

Kitchen appliances

Dishwasher, professional, 400 V	10.	**Art.** ☐ **414/50021095**, 2-basket version, 7.5 kW, 6-minute program, 60 x 85 x 60 cm ☐ **416/50021096**, exchangeable basket version (including second basket), 7.5 kW, 2–4-minute program, 60 x 85 x 60 cm ☐ **473/50021094**, dishwasher for glasses, professional, 230 V, 3.5 kW, 4-minute program, 46 x 78 x 55 cm		520.00 570.00 495.00	

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Kitchen appliances (continued)

Equipment	Description (W x H x D)	Qty.	EUR	Total EUR
Dishwasher, professional, 400 V 11.	**Art.** ☐ **415/50021098**, flow-through basket system with drip tray, rinsing basin, sprinkler, capacity: 40 baskets of 20 plates or 1440 glasses/hour, 7.5 kW, 90/180/240-second program, 205 x 176 x 65 cm		1,150.00	
	☐ **413/50021099**, extra basket for Art. no.: **415/416**		25.00	
	☐ **481/50021101**, dishwasher, exchangeable basket version, with drying support, 230 / 400 V, 3,6 / 7,5 KW, W x H x D: 60 x 85 x 60 cm		590.00	
	☐ **493/50021104**, professional dishwasher, exchangeable basket version, 230/400 V, 3.6/7.5 kW, 2-9 minute program, W x H x D: 60 x 82.5 x 60 cm		550.00	
12.	**Art.** **Ice-cube machine** ☐ **440/50021119**, Ice-cube machine, 40 kg		530.00	
Electrical appliances 13.	**Art.** ☐ **426/50021120**, sausage warmer, 2 x 10 l, 230 V, 2 x 0.6 kW		130.00	
	☐ **421/50021170**, slicing machine, professional, 230 V, 0.3 kW		160.00	
4-plate cooker 14.	**Art.** ☐ **403/50022172**, with Ceran hob, 4 hotplates and oven (hot air), 400 V, 8 kW		145.00	
Microwave cooker 15.	**Art.** ☐ **308/50021135**, 230 V, 0.7 kW		75.00	
	☐ **309/50021136**, professional, 230 V, 1.5 kW/20 A		215.00	

Refrigeration display equipment, +5°C

16.	**Art.** **Refrigerated cupola "Showmaster"** (Refrigeration **only** at bottom) 230 V ☐ **1050/50021220**, stainless steel, Ø 111 cm, 0.8 kW		1.560.00	
	☐ **1053/50021221**, stainless steel, Ø 147 cm, 0.9 kW		1.790.00	
17.	**Art.** **Refrigerated cupola "Showmaster"** (Refrigeration **only** at bottom) 230 V ☐ **1051/50021222**, white, Ø 111 cm, 0.8 kW		1.480.00	
	☐ **1052/50021223**, white, Ø 147 cm, 0.9 kW		1.665.00	
18.	**Art.** **Refrigerated display** on trolley, round glass, 230 V ☐ **1014/50021157**, 127 x 111 x 97 cm. 0.33 kW		480.00	
	☐ **1015/50021158**, 160 x 111 x 97 cm. 0.34 kW		580.00	
	☐ **1013/50021159**, 193 x 111 x 97 cm. 0.35 kW		670.00	
19.	**Art.** **Refrigerated display for fish,** round glass, on trolley (+/- 0°C), 230 V ☐ **1016/50021154**, 127 x 111 x 97 cm. 0.33 kW		585.00	

Equipment	Description (W x H x D)	Qty.	EUR	Total EUR
20.	**Art.** **Tapas-Cooling display,** GN 8 1/3, (+5°C), 230 V ☐ **1018/50021106**, 179 x 25 x 40 cm (GN – bowls). 0.25 kW		425.00	
21.	**Art.** **Refrigerated display counter** with extra storage compartment, round glass type, 230 V ☐ **1034/50021185**, 135 x 128 x 116 cm. 0.45 kW		750.00	
	☐ **1033/50021186**, 198 x 128 x 116 cm. 0.64 kW		900.00	
	☐ **1035/50021187** 261 x 128 x 116 cm. 0.73 kW		1,100.00	
22.	**Art.** **Display counter** with refrigeration storage, curved type, fan cooled, 230 V ☐ **1037/50022185**, 120 x 130 x 115 cm		735.00	
	☐ **1038/50022186**, 150 x 130 x 115 cm. 0.57 kW		800.00	
	☐ **1039/50022187**, 170 x 130 x 115 cm. 0.45 kW		870.00	
	☐ **1040/50022188**, 200 x 130 x 115 cm. 0.5 kW		970.00	
23.	**Art.** **Refrigerated island unit**, glazed on 4 sides, (+/- 0°C), 230 V ☐ **1102/50021167**, 200 x 100 x 105 cm. 1.9 kW		810.00	
23.	**Art.** **Refrigerated Island,** 4-sided glazed, (+5°C), 230 V ☐ **1107/50021005**, 151 x 89.5 x 93.5 cm. 1.02 kW		690.00	
25.	**Art.** **Refrigerated island unit**, with sliding glass lid (+/- 0°C), 230 V ☐ **1104/50021168**, 185 x 83 x 85 cm. 0.5 kW		770.00	
	☐ **1105/50021169**, 210 x 83 x 85 cm. 0.5 kW		820.00	
26. ① ⑧ ② ③ ④ ⑤ ⑥ ⑦	**Art. Refrigeration wall cabinet** 230 V ☐ **1056/50022170**, 70.5 x 198 x 71.5 cm ① with illuminated shelves. 1.1 kW		540.00	
	☐ **1058/50021194**, 135 x 205 x 89 cm ② with illuminated shelves. 2.4 kW		760.00	
	☐ **1059/50021196**, 102 x 215 x 94 cm ③. 1.3 kW		600.00	
	☐ **1078/50021190**, Refrigeration wall cabinet, 133 x 210 x 90 cm ④. 1.8 kW		740.00	
	☐ **1073/50021191**, Refrigeration wall cabinet, 190 x 212 x 74 cm ⑤. 1.83 kW		895.00	
	☐ **10731/50021189**, wall cabinet with glazed side doors, 190 x 212 x 74 cm. 1.85 kW		925.00	
	☐ **1055/50021192**, Refrigeration wall cabinet with illuminated shelves, 133 x 198 x 71.5 cm ⑥. 1.4 kW		760.00	
	☐ **1071/50021193**, Refrigeration wall cabinet with illuminated shelves, ⑦ 195.5 x 198 x 71.5 cm. 0.7 kW		970.00	
	☐ **1057/50022201**, Mini dairy case with ⑧ light, 65 x 152 x 75 cm, 0.8 kW		470.00	

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: Refrigeration display equipment, +5°C (continued)

Equipment	Description (W x H x D)	Qty.	EUR	Total EUR
27.	**Art.** ☐ **1108/50021375**, 60 x 175 x 62 cm, ○ 230 V, **400 l refrigerator** with glass door. 0.5 kW ☐ **1121/50022375**, 60 x 85.5 x 58.5 cm. 200 l fan cooled, glass door. 0.12 kW ☐ **1088/50022376**, 60 x 143 x 60 cm, * 275 l fan cooled, glass door. 0.2 kW ☐ **1087/50021390**, 67 x 192 x 65 cm * **Refrigerator** with glass door, curved design, 230 V, 0.9 kW, 400 l ☐ **1126/500213716, Wine Chiller** with 2 independently controlled compartments (+5°C / +18°C), 8 wooden shelves, lockable, 60 x 178 x 63 cm, 230 V / 0.23 kW		390.00 135.00 265.00 420.00 485.00	
28.	**Art.** **Refrigerated display case**, glazed on 4 sides, rotating display, 230 V ☐ **1080/50021210**, 70 x 183 x 70 cm. 0.56 kW		790.00	
29.	**Art.** **Refrigerated display case**, glazed on 6 sides, rotating display, 230 V ☐ **1086/50021211**, 101 x 190 x 90 cm. 0.78 kW		990.00	

Freezing display equipment, -18°C

30.	**Art.** **Island freezer** with hinged glass lid, 230 V, 0.4 kW ☐ **1213/50021300**, 123 x 93 x 77 cm		395.00	
31.	**Art.** **Island freezer** with sliding glass lid, 230 V ☐ * **1211/50021303**, 180 x 103 x 93 cm. 0.3 kW ☐ ● **1202/50021306**, 185 x 83 x 85 cm. 1 kW ☐ ■ **1210/50021307**, 210 x 83 x 85 cm. 0.5 kW ☐ * **1212/50021305**, 220 x 103 x 93 cm. 0.36 kW		430.00 770.00 820.00 570.00	
32.	**Art.** ☐ **1245/50021380**, 102 x 95 x 85 cm **Island freezer**, glazed 3 sides, 230 V, 0.5 kW ☐ **1240/50021385**, 152 x 113 x 102 cm * **Island freezer**, glazed 4 sides, with illuminated top unit 230 V, 1.3 kW		510.00 525.00	
33.	**Art.** **Island freezer**, glazed on 4 sides, 230 V, 1.9 kW ☐ **1207/50021295**, 200 x 100 x 105 cm		810.00	
34.	**Art.** **Island freezer,** 4-sided glazed, (-23°C), 230 V / 1.8 kW ☐ **1248/50021177**, 151 x 89.5 x 93.5 cm		690.00	
35.	**Art.** **Display freezer-showcase**, with glazed slide-lid, 230 V ☐ **1216/50021311**, 150 x 101 x 90 cm. 0.7 kW ☐ **1215/50021312**, 170 x 101 x 90 cm. 0.7 kW ☐ **1214/50021313**, 220 x 101 x 90 cm. 0.5 kW		775.00 850.00 950.00	

Equipment	Description (W x H x D)	Qty.	EUR	Total EUR
36.	**Art.** **Cabinet freezer with glass door**, ☐ ○ **1276/50021390**, 65 x 186.5 x 62 cm. (-18°C). 0.8 kW ☐ * **1275/50021395**, 67 x 192 x 65 cm, 230 V, (-18°C), curved design. 0.9 kW		420.00 450.00	
37.	**Art.** **Freezer display case**, glazed on 4 sides, 230 V ☐ **1264/50021335**, 70 x 183 x 70 cm. 0.7 kW		790.00	
38.	**Art.** **Freezer display case**, glazed on 6 sides, rotating display, 230 V ☐ **1263/50021340**, 101 x 190 x 90 cm. 0.6 kW		990.00	
39.	**Art.** **Ice-cream freezer** (-12°C), 230 V ☐ * **1285/50021350**, 121 x 126 x 78 cm. 0.3 kW		615.00	

Catering equipment

40.	**Art.** **Convection steamer** (water supply required), 400 V ☐ **429/50021355**, 5 drawers (2/3 catering standard, 4.2 kW), 71 x 60 x 65 cm ☐ **442/50021042**, 6 drawers * (1/1 catering standard, 7.5 kW) with rack, fat filter and hand sprinkler, 90 x 158 x 85 cm		460.00 990.00	
41.	**Art.** **Hot-air steamer**, small, 6 2/3, 400 V / 5.7 kW, CEE connector, 3 x 16 A ONLY READY WITH WATER SUPPLY ☐ **498/50021124**, 65.5 x 57 x 55.5 cm		695.00	
42.	**Art.** **Induction hob**, 230 V, 2 kW, Ø 21 cm ☐ **404/50021400**, 38 x 07 x 44 cm		240.00	
43.	**Art.** **Electric deep fryer**, 230 V ☐ **445/50021405**, oil capacity 7.5 l, 3 kW, 27 x 26 x 42 cm ☐ **446/50021410**, oil capacity 10 l, 3.4 kW, 31 x 29 x 48 cm		130.00 160.00	

Total (net)

Insurance 5 %

VAT

Total (gross)

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Special Conditions for Services provided by Valentin Internationaler Messeservice GmbH & Co. KG

1. The order and stand plan must be submitted by not later than 21 days before the start of the event. The following surcharges are made for late submission:
   Services at fixed prices 25 %
   Work at hourly rate 50 %
2. All prices are net prices excluded state and local taxes. Prices include delivery to and pickup from the exhibit stand. This applies to our general trade show area. Special deliveries outside of our normal delivery zone requiring customs are subject to special terms on a case by case basis.
3. **The rent for the general stand equipment will be charged for the entire duration of the fair.** For longer rental periods, special conditions can be arranged. The tenant may withdraw from the contract as follows: between 30 and 15 days before the start of exhibition/event: 50 % of the net rental price will be charged. From 14 days before the start of exhibition: charge of 100 % of the net rental price. Rental cancellations can be made only up to 14 days prior to the beginning of the fair. The whole rental price will be charged for late cancellations. The rental equipment is available only for the duration of the trade show.
4. The exhibitor's liability for rental equipment will begin upon delivery to the stand and will end with the rental equipment pickup. These terms apply even if the stand is unmanned. The complete rental equipment should be prepared for pickup (including shelves, ice cube trays, glass platters, etc.) and under no circumstances locked up on the pickup date. In the event the rental equipment is not available on the pickup day, contrary to rental agreement, the exhibitor´s liability is continued. In this case, it is the exhibitor´s obligation to return the merchandise at his own expense. **The rental equipment is not insured. It is the responsibility of the renter to provide insurance.**
5. Claims of incomplete delivery and/or delivery of equipment not in compliance with the contract terms must be submitted within 24 hours of receipt of rental equipment. Later claims will not be accepted. The renter is obligated to report any damage to the equipment caused by the renter or a third party. This also applies in the case of theft. The rental company reserves the right to substitute equivalent merchandise in exceptional cases. This also applies to late orders.
6. The rental equipment remains the property of the rental company and is not subject to seizure. It can be used only for the intended purpose. Any different or extended use is not allowed. The rental company must be notified of any transfer of rental equipment to other locations. Failure to do so will result in the renter accepting all liability. This applies to any damages caused by moving or construction companies contracted by the exhibitors. If any other companies transport the appliances, they will assume all responsibilities for any damages and losses of rental equipment.
7. It is the obligation of the renter to provide adequate ventilation space when setting up refrigeration equipment. Blocking or covering the cooling vent slits of the equipment must be avoided. **For refrigerated and deep-freeze display equipment night tariff electric connection is essential. The defrosting tanks must be emptied regularly. The lessor is not liable for any water damages.** Any contents of cooling equipment must be removed and become the responsibility of the renter. There will be no liability for leftover merchandise. **The rental company Valentin Internationaler Messeservice GmbH & Co. KG is not liable for any damages to the renter´s refrigerated merchandise, failures of the equipment or loss of profit.**
8. General Rental Conditions apply to all orders whether verbal, telephoned, faxed, e-mailed or written.
9. The venue of judicial action will be Mettmann, Germany. German laws apply to all foreign orders regardless of any differences between laws.

The total amount was transferred on: _____
to Valentin Internationaler Messeservice GmbH & Co. KG

☐ **Acct. no. 064 16 79 200, sort code 300 800 00 at Commerzbank**
(SWIFT-BIC: DRES DE FF 300,
IBAN: DE 523 008 00000 641679200)

☐ **Acct. no. 000 17 12 934, sort code 301 502 00 at Kreissparkasse**
(SWIFT-BIC: WELADED1KSD,
IBAN: DE44 3015 0200 0001 7129 34)

☐ **Acct. no. 742 18-434, sort code 360 100 43 at Postbank AG (Essen)**
(SWIFT-BIC: PBNKDEFF,
IBAN DE48 3601 0043 0074 2184 34)

VAT ID no. DE 812 566 888

All prices plus 5 % theft insurance.

☐ **We do not require insurance against theft (5 % of rental price)**

☐ **We wish to pay by credit card.**

Issuer: ☐ MasterCard ☐ American Express ☐ VISA

Card no.: _____ / _____ / _____ / _____

Card verification no.: (The last 3 digits next to the signature on the back of the card or for AMEX 4 digits on the front) ☐☐☐☐

Valid until: _____

Holder of card: _____

Terms of payment: Payable in advance by not later than 28 days before start of event.

VALENTIN
Internationaler Messeservice GmbH & Co. KG

ServicePartner:

Valentin Internationaler Messeservice GmbH & Co. KG
Industriestraße 39, 40822 Mettmann
Postfach 100 445, 40804 Mettmann
T +49 21 04 91 03-0
F +49 21 04 91 03-91
info@valentin-messeservice.com
www.valentin-messeservice.com

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Plan of kitchen appliances, refrigerated, freezing and catering equipment

S2.51

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Company stamp:

Hall/Stand

Plan of stand showing exact position of refrigeration equipment etc.

Important! This plan is only for use with this form and not for stand construction purposes!

Please tick as appropriate ☐ **1:200** ☐ **1:100** ☐ **1:50**

Media and event equipment (3-day event) S2.60

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
MAS MEDIEN AKTIV SERVICE GmbH
Illesheimer Straße 9
90431 Nürnberg
T +49 9 11 60 00 93-0
F +49 9 11 60 00 93-20
info@medien-aktiv-service.de
www.medien-aktiv-service.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

Order

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

LED video walls / LCD displays

Equipment	Designation	Unit	EUR
	LED video wall, indoor Perfect picture without a frame and spaces black face SMD, LEDs superior contrast high color and detail, homogeneous areas of color. Panel size 50 x 50 cm, weight 9 kg		
	1.1 ☐ Screen size 350 x 200 cm, 28 panels pixel size **2.6 mm,** brightness 1200 cd/m²		on request
	1.2 ☐ Screen size 450 x 250 cm, 45 panels pixel size **2.6 mm,** brightness 1200 cd/m²		on request
	LCD displays		
	1.3 ☐ LCD display 98". 4K/UHD resolution 3.840 x 2.160 pixels / 60Hz brightness LED edge 500 cd/m² built-in USB media player built-in loudspeakers including wall mount screen size 248 cm		2,236.00

Equipment	Designation	Unit	EUR
	LCD display 90", 70" Full HD resolution 1920 x 1080 pixels, 16:9 LED backlighting 700 cd/m² no external speakers built-in loudspeakers including wall mount		
	1.4 ☐ Picture diagonal 228 cm / 90"		1,588.00
	1.5 ☐ Picture diagonal 176 cm / 70"		867.00
	LCD display 55" – 22" Full HD resolution 1920 x 1080 pixels, 16:9 brightness 700 (350) cd/m² built-in loudspeakers, incl. USB player including wall holder, no table stand		
	1.6 ☐ Screen size 138 cm / 55"		511.00
	1.7 ☐ Screen size 121 cm / 48"		429.00
	1.8 ☐ Screen size 102 cm / 40/43"		304.00
	1.9 ☐ Screen size 82 cm / 32"		219.00
	1.10 ☐ Screen size 55 cm / 22"		152.00
	Touchscreen LCD display 55", 48", 40" Full HD, resolution 1920 x 1080 pixels multitouch up to 6 points, protective glass including wall holder, no table stand control system for Windows 7/8		
	1.11 ☐ Screen size 138 cm / 55"		869.00
	1.12 ☐ Screen size 102 cm / 40"		588.00

If wall mounting is appreciated a special installation wall from the standbuilder will be required for the installation off ALL wall brackets!

Decide on our know-how and the service on the spot with the conception of your exhibition stand, with the choice of the optimal media technology.
By purchase of several devices or higher numbers of items, we give you gladly an individual offer.

More information and data sheets are available on our website: www.medien-aktiv-service.de.
We may not be responsible for the client's equipment – particularly computers – that is installed or handed by our employees. No liability for fulminating problems or damages on hardware or software can be accepted.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Order: PC monitors (continued)

Equipment	Designation	Unit	EUR
	2. PC monitors PC monitor 24", 22" Full HD resolution 1920 x 1080 pixels built-in loudspeakers including wall holder or table stand		
	2.1 Screen size 60 cm / 24"		120.00
	2.2 Screen size 55 cm / 22"		114.00

LCD displays / accessoires

stand only in conjunction with renting our displays

	3. LCD displays / accessoires		
	3.1 ☐ Design display stand, integrated cable channel for displays 70" – 98" height up to image centre 190 cm		158.00
	3.2 ☐ Design display stand. integrated cable channel for displays 40" – 70" height up to image centre 180 cm		135.00
	3.3 ☐ Design stand with angle tray for touchscreen displays 40" – 55" height up to image centre 110 cm		135.00
	3.4 ☐ Display desk for displays 22" - 32" height up to image centre 120 cm		66.00
	3.5 ☐ Table stand for displays 32" – 55" height up to image centre 50 cm		55.00

DLP / LCD pojectors

	4. DLP / LCD projectors		
	4.1 ☐ **DLP projector laser**, incl. interchangeable lens, horizontal and vertical lens shifting, display port / HDMI / DVI / HD-SDI / HDBaseT resolution WUXGA / Full HD 1920 x 1200 pixels brightness 18.000 lumens		3,536.00
	4.2 ☐ **DLP projector laser**, incl. interchangeable lens, horizontal and vertical lens shifting, display port / HDMI / DVI / HD-SDI / HDBaseT resolution WUXGA / Full HD 1920 x 1200 pixels brightness 10.000 lumens		2,110.00
	4.3 ☐ **LCD projector**, incl. interchangeable lens, horizontal and vertical lens shifting, DVI / HDMI / VGA / component input, resolution 1920 x 1200 pixels brightness 5000 ANSI lumens		879.00
	4.4 ☐ LCD table projector lens 1.2 - 1.9:1, HDMI / DVI / VGA / Video resolution WUXGA 1920 x 1200 pixels brightness 4700 ANSI lumens		314.00
	Auxiliary equipment only suitable for the offered projectors		
	Truss ceiling mounting for		
	4.5 ☐ Up to 5000 ANSI lumens projectors		80.00
	4.6 ☐ > 7000 ANSI lumens projectors		141.00

Projection screens

Equipment	Designation		Unit	EUR
	5. Tensioned screens 16:9			
	5.1 ☐ Front projection	280 x 160 cm		140.00
	5.2 ☐ Rear projection	280 x 160 cm		180.00
	5.3 ☐ Front projection	310 x 180 cm		160.00
	5.4 ☐ Rear projection	310 x 180 cm		220.00
	5.5 ☐ Front projection	365 x 210 cm		190.00
	5.6 ☐ Rear projection	365 x 210 cm		272.00
	5.7 ☐ Front projection	420 x 240 cm		210.00
	5.8 ☐ Rear projection	420 x 240 cm		290.00
	Further sizes, also in aspect ratio 4:3			on request

Multi media player

	6. ☐ Professional multi media player, UHD/4K, 3840 x 2160 pixels 60Hz HDMI input / output, USB Content playback, programmable, interactive, scalable		on request

Acoustic irradiation / accessories

	7. Acoustic irradiation / accessories		
	7.1 ☐ Sound system 1 Mixer, equalizer amplifier 2 x 300 watts 2 loudspeakers with stand		525.00
	7.2 ☐ Sound system 2 Power mixer 2 x 250 watts USB connection 2 loudspeakers with stand (loudspeakers in white available on request)		410.00
	Accessories:		
	7.3 ☐ Radio microphone set UHF 1 channel hand-held microphone or headset (standard) with bodypack transmitter		176.00
	7.4 ☐ High quality headset (dpa) for body-pack transmitter. beige. very small		on request

Decide on our know-how and on-site service for designing your exhibition stand, with a choice of optimum media equipment.

We will be pleased to make you an individual offer for orders for several devices or larger quantities.

More information and data sheets are available on our website: www.medien-aktiv-service.de.

We assume no guarantee for smooth and high-quality operation of presentations, videos, animations etc. Please send us your test version in advance. We will be happy to advise.

For the customer's own equipment – particularly computers – that is installed or operated by our employees, we do not accept liability for any problems or damage to hardware and software that may occur.

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Computer / Tablet PC / Internet terminals

Equipment		Designation	Unit	EUR
	8.1	☐ Notebook, various types, HDMI, Bluray drive, 15-16" display, Full HD 16:9, Windows 10, Office 2016 including restore, no installation of customer owned software. **Variations in configuration and software are subject to changes.**		254.00
Quoting the favoured software is very appreciated!		Netzwork installation		on request
	8.2	☐ Tablet-PC, different types, with foot or wall holder incl. Restore		on request
		Netzwork installation		
	8.3	☐ Internet terminal, ALU design, silver gray, metal keyboard, trackball, 17" touch screen, speaker, internal PC, Windows 7, manipulation-proof Internet software		679.00
		Please order suitable Internet access from Bisping & Bisping GmbH & Co. KG, the ServicePartner of NürnbergMesse using Form S2.40.		

Cameras, other

	9.1	☐ Full HD camera professional Full HD-camcorder AVCHD on SDHC memory card HDMI-output, tripod, rechargeable battery		470.00
	9.2	☐ Full HD dome camera PANASONIC integrated camera in pan/tilt head, size only 18 x 17 cm 18-fold lens, remote control		on request
	9.3	☐ **Video documentation of the stand** Camera man with professional equipment in Full HD quality Shooting of the stand and samples (up to 6 hours) Production of an image film including logo and text overlays (up to 8 hours) Extra time upon consultation		1.760.00
	9.4	☐ **Internet Live-Stream** TV-live coverage via Internet from the stand, more than 1000 users at the same time, camera, encoder, etc. at least. 2Mbit/s Uplink required		on request

Camera security system

	10.1	☐ Video security monitoring at the booth. According to the Technical Guidelines NürnbergMesse. No data storage. Security camera 10" monitor, UPS battery in case of power failure		686.00
	10.2	☐ Video security surveillance with multiple cameras and monitors as Split Screen		on request

ServicePartner:

MAS MEDIEN AKTIV SERVICE GmbH
Illesheimer Straße 9, 90431 Nürnberg
T +49 9 11 60 00 93-0
F +49 9 11 60 00 93-20
info@medien-aktiv-service.de, www.medien-aktiv-service.de

OUR COMPETENCE FOR YOUR SUCCESS

Prices refer to the total duration of the fair (plus VAT at the statutory rate).

The prices quoted include delivery, assembly, connection of equipment ready for operation and collection of the equipment. If the customer's own equipment is to be installed, this must be available during assembly.

Instructions for use and handing over the equipment to a person appointed by the customer take place immediately after assembly.

Services provided during the event that are not covered by the guarantee (e.g. incorrect operation of equipment) will be charged separately.

Additional services (e.g. delivery of cable in advance, laying special cables) are charged according to outlay.

Technician for additional services @ EUR 54 per hour.

Please ask for additional equipment or services desired. We'll be pleased to make you an individual offer.

Orders with invoice addresses abroad can only be processed after receipt of payment. You will receive our confirmation of order and bank details for the advance remittance promptly.

☐ Cash remittance after receipt of acknowledgment/invoice (total amount plus VAT at the statutory rate)

☐ Charge to following credit card:

Issuer: ☐ MasterCard ☐ VISA

Card holder: _____

Card no.: ____ / ____ / ____ / ____

Card verification no.: (The last 3 digits on back of card) ☐☐☐

Valid until: _____

If necessary payment will be carried out by the service bureau during the fair.

Our general terms and conditions shall apply. Jurisdiction shall be at the place of performance. i.e. Nuremberg.

Terms of conditions see last page.

We assume no guarantee for smooth and high-quality operation of presentations, videos, animations etc. Please send us your test version in advance. We will be happy to advise.

For the customer's own equipment – particularly computers – that is installed or operated by our employees, we do not accept liability for any problems or damage to hardware and software that may occur.

With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Special Conditions for Services provided by MAS MEDIEN AKTIV SERVICE GmbH (Media and event equipment)

1. **Subject of contract**
   The rental of equipment is governed by the rental conditions stated below, which are acknowledged on placing the order. Orders take effect by not later than the time of delivery of the equipment and the actual provision of the services.

2. **Rental period**
   The rental period is restricted to the duration of the respective exhibition including the installation and dismantling time, commences on handover of the equipment to the renter and ends on return of the equipment to the ServicePartner.

3. **Transport, delivery, installation and dismantling**
   The ServicePartner is entitled to withdraw from the rental contract in case of unforeseen events beyond its control such as strikes, lock-outs, damage due to accidents, traffic conditions, operational disturbances, etc., regardless of whether such events occur at the ServicePartner or at one of its suppliers. Claims for damages by the renter are excluded in case of such withdrawal from the contract.
   The equipment is usually installed on the day before thedismantled after the close of the exhibition.

4. **Use of rented goods**
   The rented goods remain the sole property of the ServicePartner. The renter is to use them carefully, fulfill all obligations connected with the transfer for use and the use and maintenance of the rented goods and follow the instructions for use issued by the ServicePartner.

5. **Damages and liability**
   Claims for damages by the customer, renter or a third party due to failure/partial failure of the rented goods, force majeure or direct or indirect damages to assets, property or persons are not admissible. Such claims are also not admissible against the ServicePartner's employees or representatives.
   The renter assumes unlimited liability for the rented goods and all accessories during the rental period. This liability also covers accidental damage and incorrect handling and operation.
   The return of the equipment does not constitute confirmation by the ServicePartner that the equipment has been returned in a serviceable condition. The ServicePartner expressly reserves the right to carry out a detailed check of the equipment after its return.

   We may not be responsible for the client's equipment – particularly computers – that is installed or handed by our employees. No liability for fulminating problems or damages on hardware or software can be accepted.

6. **Withdrawal of renter from contract**
   In case of the renter withdrawing from the rental contract for any reason whatsoever, the declaration of withdrawal must be received by the ServicePartner not less than 14 days prior to the agreed date of commencement of the rental contract. The renter is to bear the cost of any loss of rental charges caused by withdrawal from the contract less than 14 days prior to its commencement.

7. **Insurance**
   The equipment is not insured. The renter is liable for the cost of new equipment in case of damage.
   Additionally, we advise to include liability in the exhibitors insurance.

8. **Payment**
   All prices for rental goods and services are subject to the current rate of value added tax. The invoice is due for payment immediately without deductions.
   The costs for money transfer from abroad will be charged. The invoice can be settled before the start of the exhibition or payment will be collected during the exhibition at the stand. Cheques or credit cards (MasterCard, VISA) are accepted.

9. **Final provision**
   Amendments to this contract must be made in writing. The effectiveness of the remaining provisions is not effected in case of a provision of this contract becoming null and void. The place of jurisdiction and fulfillment is Nürnberg.

Media and event technology (3-day event) S2.62

Nuremberg, Germany
2–4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
pave GmbH
Herderstraße 5/Gebäude A
90427 Nürnberg
T +49 9 11 86 06-60 11
F +49 9 11 32 15 93-1 29
messe@pave.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

Order

Would you like to put the spotlight on your stand with the right **sound** and **light** or **multimedia** and plan background music, speakers, suitable lighting or a visual display? **Then simply book the right full-service package.**
Do you need help or ideas to choose the right package? Just contact us; we'll be pleased to help!

Media equipment

Display packages

Includes:
- A full HD LCD display (16:9)
- The right display stands
- Delivery to and collection from your stand
- Assembly and dismantling
- Cabling

☐ 109 cm/43" display (integrated USB player)	EUR	450.00
☐ 123 cm/49" display (integrated USB player)	EUR	570.00
☐ 138 cm/55" display (integrated USB player)	EUR	650.00
☐ 165 cm/65" display		on request
☐ 207 cm/90" display	EUR	1,730.00

Mini displays

(Price each for duration of exhibition, incl. delivery/collection, without installation, with table stand)

☐ 61 cm/24" display	EUR	160.00

Feed

(Price each for duration of exhibition, incl. delivery/collection, without installation)

☐ Laptop	EUR	255.00

Includes:
- Wiring

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Special Conditions for Services provided by pave GmbH (Media and event technology)

§ 1 Prices, invoicing and payment terms

(1) The stated net prices are subject to VAT at the statutory rate applicable at the time of providing the service and apply for the whole duration of the event. They include delivery of the equipment and its collection after the end of the exhibition. The equipment provided is handed over to a person nominated by the customer immediately after assembly and instructions for use are given at the same time. This does not apply to individual offers that include support during the exhibition. The customer must comply with the instructions for use issued by pave GmbH.

(2) Please note: The following surcharges will be made for orders and orders with incomplete information received less than 14 days before the start of the event: Hire equipment/ material: 25 %
Personnel (assembly, support etc.): 50 %

(3) Extra transfer charges are payable for exhibitors based outside Germany who pay invoices by bank transfer. An additional fee of EUR 16.50 will be charged for international transfers outside the EUR (€) zone. This amount is not payable if the transfer charges are paid by the customer.

(4) A processing fee of EUR 50 plus VAT at the statutory rate will be charged for issuing a new invoice due to incorrect information provided by the applicant (e.g. lack of a valid VAT ID, company name etc. for customers outside Germany). This fee will be included in the new invoice to be issued.

(5) The usual rate of bank interest on arrears will be payable in the event of late payment of the amount invoiced

§2 Services & hourly rates

(1) Services provided during the exhibition that are not connected with a complaint (operation fault for which pave GmbH is responsible) will be charged extra. Services or additional services (e.g. advance deliveries specifically for assembly etc.) will be charged at EUR 52/hour.

(2) The customer will receive an invoice on receipt of the order form. This invoice acts as confirmation of the order. The contract is then concluded with pave GmbH. The full amount of the invoice is payable before the start of assembly. For orders placed at short notice, provided these can be executed, the contract is also concluded by not later than the time of delivery of the equipment and the actual provision of the services. This order form is not an enquiry form, but constitutes an order if not canceled by pave GmbH.

(3) If the full amount of the invoice not paid in advance or at the stated time, we reserve the right to collect any outstanding amount on the stand during the exhibition, when only cash payment is possible.

(4) Delivery usually takes place the day before the event and dismantling directly after the end of the event. Earlier assembly/later dismantling must be agreed separately and may be subject to extra cost

(5) Unless otherwise indicated, all the stated items are only provided on a hire basis. The hire goods are not suitable for use in the outdoor area.

(6) The package offers are standard as stated, can be combined with each other and supplemented with individual items. Package services not required by the exhibitor cannot be deducted from the package price. Should we decide on the basis of the customer's requirement that the material contained in the packages is not suitable for the desired application purpose, we reserve the right not to provide our equipment.

(7) If equipment is to be wallmounted, a sufficiently strong wall panel must be provided by the customer.

§3 Damage & liability

(1) Our equipment conforms to the latest state of the art. Nevertheless, we cannot guarantee completely fault-free operation of the systems used. We therefore do not accept any liability for possible damage caused by failure of the systems. Claims for damages cannot be asserted. We recommend the use of back-up or redundant systems if required.

Special clause for plasma displays: To avoid burn-in effects with plasma displays, mainly moving picture sequences should be shown. Logos or graphics must not be used as still pictures for longer than five minutes. Slight burn-in effects can be cleared by permanent operation with a white image. For displays with such a slight burn-in effect, a fee of EUR 150 per day will be charged for repairing the damage (time required: usually 5 – 7 days)

(2) The hirer (customer) is liable for all damage caused to the hired equipment. The hire charge does not normally include insurance.

(3) If the hired equipment is returned late, the full daily rate will be payable for each day or part day.

(4) Any missing or damaged hire goods will be charged at the cost of replacement. The hirer's liability for the hire goods commences on delivery and ends on collection by pave GmbH (even if the hirer has already left the stand), but not later than up to 24 hours after the end of the exhibition.

(5) We cannot guarantee the proper functioning of the customer's own feeder systems. We also accept no guarantee for the smooth running and high-quality of presentations, videos, animations, etc. if these are not provided by us. Please send us a test version in advance. We'll be pleased to advise.

(6) Unforeseen occurrences (e.g. strike, lockout, accident damage, traffic conditions, operational disturbances, etc.) beyond the control of pave GmbH, regardless of whether at pave GmbH or at one of our suppliers, entitle pave GmbH to withdraw from the hire contract under exclusion of claims for damages by the hirer.

(7) Claims for damages by the customer, hirer or third parties due to failure/partial failure of the hire goods, force majeure or direct or indirect damage to financial assets, property or persons are excluded, also against our staff or persons appointed by us. The hirer accepts unlimited liability for the hired equipment and all accessories during the hire period, including for accidental damage and for incorrect handling and operation. pave GmbH does not confirm that equipment returned is free of faults and expressly reserves the right to subsequently inspect the equipment in detail.

§4 Cancellation of order

pave GmbH must be notified in writing if the event or individual parts of the event is/are canceled. The following cancellation fees will be payable: no fee if notification is made up to 8 days before the event, 50 % of the net amount of the order for cancellation 7 days before the start of the event, and the total net amount for cancellation 2 days before the start of the event.

§5 Safety regulations

The customer is expressly responsible for compliance with the applicable safety regulations (Venue Regulations VstättV, Fire Prevention Regulations, Technical Regulations, etc.), unless pave GmbH is explicitly appointed as responsible for compliance with the safety regulations and the preparation of a safety concept.

§6 Final provisions

(1) Amendments to this contract shall be made in writing. If a provision of this contract becomes void, this shall not affect the effectiveness of the remaining provisions

(2) The place of jurisdiction and fulfillment, including for debt recovery proceedings, is Nuremberg for both parties.

As of: 27.05.2014

Lead retrieval system S2.65

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor
convey Information Systems GmbH
Leonrodstraße 68
80636 München
T +49 89 9 54 58 67-55
F +49 89 54 34 49 31
leadsuccess@convey.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

Order

The quick and easy way to collect all your leads!

We herewith order the following LeadSuccess packages

☐	**(Art. 30202070)** ServicePLUS WiFi	Price/each	EUR 299.00	Qty. ____
☐	**(Art. 30202072)** Ready to Work WiFi	Price/each	EUR 599,00	Qty. ____
☐	**(Art. 30202076)** LeadSuccess VisitorFlow - upgrade -	Price/each	EUR 149.00	Qty. ____
☐	**(Art. 30202068)** KIOSK	Price/each	Upon request	Qty. ____
☐	**(Art. 30202073)** API Interface	Price/each	Upon request	Qty. ____

Only bookable in combination with a package:

☐	**(Art. 30202060)** Additional mobile license	Price/each	EUR 99.00	Qty. ____
☐	**(Art. 30202071)** Additional LeadSuccess ServicePLUS WiFi device	Price/each	EUR 199.00	Qty. ____
☐	**(Art. 30202077)** Additional LeadSuccess VisitorFlow licence - upgrade -	Price/each	EUR 49.00	Qty. ____
☐	**(Art. 30202038)** Apple iPad	Price/each	EUR 190.00	Qty. ____

LeadSuccess Mobile

Address data entry via tablet **or** smartphone

- 1 mobile app with QR code scanner using the device's camera (**Requirement**: The camera must have autofocus and at least 5 megapixels.)
- 1 access to the exhibitor portal for setting up the trade fair report and for exporting the data
- Your own privacy text (GDPR!) can be integrated and signed by your visitors directly in the APP.
- An Internet access is **not** included

LeadSuccess ServicePLUS WiFi

- **Easy and fast address data entry per mobile data collection terminal**
- **More time. More contacts. More productivity.**
- 1 mobile QR code scanner with multi-touch panel (rental)
- 1 LeadSuccess mobile app
- 1 access to the exhibitor portal for setting up the trade fair report and for exporting the data
- **Including IP-Connect WiFi 10 Mbit/s**
- The device must be **picked up and returned to a service station**

LeadSuccess Ready to Work WiFi

Address data entry per QR code scanner, including notebook and LeadSuccess software

- 3 mobile app with QR code scanner using the device's camera (**Requirement**: The camera must have autofocus and at least 5 megapixels.)
- 1 stationary QR code scanner (rental)
- 1 notebook (rental) with pre-installed data entry and processing software
- 1 access to the exhibitor portal for setting up the trade fair report and for exporting the data
- **Including IP-Connect WiFi 10 Mbit/s**
- 1 ADSL Internet access (LAN)
- Naturally, the Ready to Work packet works with all scanners and apps
- The device must be **picked up and returned to a service station**

LeadSuccess VisitorFlow - upgrade -

Add an efficient exhibition stand monitoring system to LeadSuccess Mobile or LeadSuccess ServicePlus.

- 1 upgrade for LeadSuccess Mobile
- Very easy, non-contact operation
- Non-contact scanning on entry and exit enables the number of people at the stand to be precisely controlled
- Preset maximum and threshold values for number of people at the stand
- Traffic light system for simple management
- GDPR-compliant contact log in accordance with official regulations

This upgrade can only be ordered in conjunction with a LeadSuccess Mobile app or LeadSuccess ServicePlus scanner.

All the stated prices are subject to the addition of VAT at the statutory rate. Our authorized signature below confirms our acceptance of all the stated terms and conditions.

Place and date

Company stamp and authorized signature

Order (Continued)

LeadSuccess KIOSK — Upon request

The next generation of lead tracking – target-driven, fun for your visitors and no effort for you during the trade fair. Visitors select the products they are interested in on the touchscreen, scan their entrance ticket and automatically receive E-mails with more information on the products selected. Exhibitors get qualified leads.

- Hardware package (1 mini PC, 1 camera, 1 pedestal, 1 27-inch touchscreen)
- **Including IP-Connect WiFi 10 Mbit/s**
- IP-Connect InternetAccess 10 Mbit/s LAN
- Setup of start screen with background image and text
- Setup of up to 20 products/brochures with text and images
- Setup of confirmation page with text including the sending of mailings about the selected products
- 4 languages possible (EN, DE, IT and FR)

API Interface — Upon request

If you have your own lead management system and would also like to use this in Nuremberg we can provide you with an API interface.

- 1 API user with access to address data server of NürnbergMesse GmbH
- 1 admin access to exhibitor portal for setting up the exhibition report and exporting the data
- Up to 4 hours of email support (JavaScript only)

Please fill in for payment by credit card:

Holder of card: _____

E-mail address: _____

You will receive a link by e-mail that will let you pay the invoice by credit card using the secure, certified solution offered by our Payment Provider Saferpay.com.
A confirmation of payment will be sent once you or another authorized person have completed the payment process.

Signature: _____

Terms and Conditions

1. The undersigned confirms possession of the appropriate authorisation for placing the order. The recipient of this service is always the exhibitor, who receives a copy of this order from the undersigned.
2. The invoice may be sent to a different invoice address. Please note that the final invoice is issued by NürnbergMesse GmbH. A processing fee of EUR 35 per invoice will be charged for address changes after receipt of the invoice.
3. Orders may be cancelled free of charge prior to invoicing. A processing fee of EUR 50 per invoice will be charged for cancellation after invoicing. The full rental charge will be payable if the package is not cancelled until one day before the event begins, or later.
4. The lead tracking services and devices ordered will be provided for the duration of the relevant event. If exhibitors require the devices or services to be provided outside of this time period, these additional services must be requested separately from NürnbergMesse.
5. All services ordered will be provided by NürnbergMesse or its appointed subcontractors. Equipment will be rented to the exhibitor. The exhibitor shall treat the equipment provided with care and only use it for the purposes specified in the contract.

   If the exhibitor does not adhere to the technical standards and faults arise as a result, NürnbergMesse shall be entitled particularly to demand reimbursement by the exhibitor of the costs of fault analysis and clearance.
6. You are liable for loss of or damage to devices until they are returned, which must be confirmed by a signed receipt. Any costs incurred plus an administrative fee of EUR 50 shall be borne by the person placing the order.
   ServicePlus EUR 385
   Ready to Work EUR 800
7. The undersigned agrees that any visitor/exhibitor data transferred to him may only be scanned with the consent of the visitor/exhibitor and for the previously agreed purpose of personal data exchange.
8. As part of the registration process, the exhibitor agrees to observe the individual's right to informational self-determination, i.e. to determine the disclosure and use of his personal data, and is governed by the data protection directives of the respective German state/country.
9. NürnbergMesse GmbH accepts no liability for any damage during the rental period. An exhibition insurance policy is certainly recommended, or better yet, stand security.
10. A User Help Desk is available in case of problems. It can be reached at the following number:

    Tel. +49 89 954586759
    Mon. – Fri. from 8:30 am to 5:00 pm

    On the final assembly day and during the event, you can also speak with the User Help Desk personally at the Service Point. The Service Point is located in the ExhibitorShop between hall 5 and hall 6 on the first above-ground floor. Service hours will be indicated in the supplier's order confirmation.
11. Tenants must notify any complaints within 24 hours. Later complaints will not be recognised.
12. All user data must be irrecoverably erased at the latest 21 days after the end of the event. Please download all data on time. NürnbergMesse GmbH accepts no liability for the loss of data.
13. If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time.

Fire extinguishers S2.70

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Messebau Wörnlein GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

Order

Fire extinguishers for rental stands, **for rental**, price for the duration of the event, including delivery and collection, price each

	Piece	EUR
☐ **1.** (Art. MSSCHAUM) **Foam extinguisher** capacity 6 l, designed to EN 3, rating 21 A, 233 B 6 units of extinguishing agent	_____	47.70
☐ **2.** (Art. MSFETTBR) **Cooking oil & fat fire extinguisher** designed to EN 3 rating A13, B113, F75 4 units of extinguishing agent Suitable for extinguishing burning cooking oil or fat.	_____	83.00
☐ **3.** (Art. MSLO2LOE) **CO_2 extinguishers** 5 kg capacity, designed to EN 3, rating 89 B are essential for machine distributors with more than 6 kW rating and electrical canteen equipment (e.g. cooker, grill, extractor hood..).	_____	49.90
☐ **4.** (Art. MSPULVER) **Powder extinguishers** 6 kg capacity, designed to EN 3, rating 34 A, 183 B and C are essential if combustible gases are used (e.g. propane, butane..).	_____	49.90

More information about fire extinguishers can be found in Section 4.4.1.12 of the Technical Regulations.

Orders must be received by not later than 21 days before the event, otherwise the price is subject to a 40 % express surcharge.

Extinguishers are delivered from 8:30 onwards on the first day of the event and must be signed for. They are collected at the end of the event on the last opening day.

An extra charge of EUR 10 is made if repeat delivery is necessary.
EUR 150 is charged for replacement/filling. Further injury to persons and damage to stands, exhibits, etc. are not covered by this charge and must be settled with the party suffering the damage. The proper use of the extinguisher in the event of a fire is included in the price.

The exhibitor is responsible for rented fire extinguishers from the time of handover on the stand until collection by the ServicePartner (up to maximum 1 hour after the official end of the event on the last opening day).

Payment must be made before the event; if this is no longer possible due to a late order, the ServicePartner will collect payment during the exhibition. The following credit cards are accepted: MasterCard, American Express, Visa.

Special Conditions for Services provided by Messebau Wörnlein GmbH

1. This order form also acts as the contract to supply goods, unless cancelled by us.
2. Unless otherwise stated, the rental charge is calculated for the duration of the event.
3. Unless otherwise stated, all items listed are available for rental only.
4. **Cancellation by the customer:**
   The latest date that a customer can cancel a binding order is up to 21 calendar days before the beginning of the event. This cancellation must be sent in writing to Messebau Wörnlein GmbH. Notwithstanding the above, Messebau Wörnlein GmbH is entitled to the agreed-upon compensation for the services rendered up to that point.
   Immediately following delivery, the lessee is obliged to convince himself/herself of the proper condition of the rental items and the completeness of the delivery.
   By accepting receipt of the goods, the lessee confirms flawless service. Potential complaints by the lessee with respect to services not in conformity with the contract must be made within 24 hours. Later objections are invalid.
   The lessee is aware that the rental goods are used repeatedly and not always in mint condition. Normal traces of use do not constitute a reason for complaint.
5. Payment is due in full immediately on receipt of the invoice.
   Foreign exhibitors not settling invoices in cash will be debited with any bank transfer charges incurred.
6. **All prices are subject to the addition of VAT at the statutory rate.**
7. The place of fulfillment and jurisdiction for both parties, including debt collection proceedings, is Nürnberg.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Water Coolers S3.16

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

Order

E-Max hot/cold

The E-Max hot/cold is sturdy, easy to clean and easy to use thanks to the large buttons.

- Provides **hot** or **cold** water on demand
- Integrated cup dispenser and removable drip tray
- Flexible – can be installed anywhere with a power point in the vicinity
- Dimensions (H including bottle/W/D): 139/33/32.5 cm
- Capacity: 1.8 litre tank for cold water (temperature adjustable)
- 1.2 litre tank for hot water
- Suitable for 18.9 litre bottles
- Weight: 17.2 kg
- Power consumption: 230 V, 1150 Watt

F-Max cold

With its elegant, timeless design, the F-Max is a stylish enhancement to any ambience.

- Provides **cold** or **ambient temperature** water on demand
- Integrated cup dispenser and removable drip tray
- Flexible – can be installed anywhere with a power point in the vicinity
- Dimensions (H including bottle/W/D): 146/36/37.5 cm
- Capacity: 2.5 litre tank for cold water
- Suitable for 18.9 litre bottles
- Weight: 20 kg
- Power consumption: 230 V, 1150 Watt

F-Max hot/cold

With its elegant, timeless design, the F-Max is a stylish enhancement to any ambience.

- Choice of **hot**, **cold**, or **ambient temperature** water
- Integrated cup dispenser and removable drip tray
- Flexible – can be installed anywhere with a power point in the vicinity
- Dimensions (H incl. bottle/W/D): 146/36/37.5 cm
- Capacity: 2.5 litre tank for cold water
- 1.2 litre tank for hot water
- Suitable for 18.9 litre bottles
- Weight: 20 kg
- Power consumption: 230 V, 1150 Watt

Binding order

☐ **(Art. 30202053)** Water cooler E-Max hot/cold Quantity ____
Price each **EUR 255** for the duration of the event

☐ **(Art. 30202050)** Water cooler F-Max cold Quantity ____
Price each **EUR 310** for the duration of the event

☐ **(Art. 30202051)** Water cooler F-Max Design hot/cold Quantity ____
Price each **EUR 360** for the duration of the event

The specified prices include the following:

- **Fixed installation charge** (installation and removal of water cooler)
- **Rental charge** water cooler
- 3 **water bottles** (Aquatrade drinking water – 18.9 litres each)
- 200 compostable **cups**

Please note:
NürnbergMesse accepts no liability for any damage during the rental period. In the event of theft of the equipment during the rental period, the listed selling price will be charged. We recommend that you take out exhibition insurance, or better still, engage a stand security guard. Any bottles not returned will be charged at EUR 10 per bottle. The cooler will be installed by no later than 8:30 on the first day of the exhibition and will be removed on the last day immediately after the event closes.

All prices are quoted exclusive of statutory sales tax/VAT. By signing below you accept all stated terms and conditions.

Please fill in for payment by credit card:

Holder of card: _____

E-mail address: _____

You will receive a link by e-mail that will let you pay the invoice by credit card using the secure, certified solution offered by our Payment Provider Saferpay.com.
A confirmation of payment will be sent once you or another authorized person have completed the payment process.

Signature: _____

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Master 2021/001

Special Conditions for Services for Water Cooler

1. The undersigned confirms possession of the appropriate authorisation for placing the order. The recipient of this service is always the exhibitor, who receives a copy of this order from the undersigned.

2. The invoice may be sent to a different invoice address. Please note that the final invoice is issued by NürnbergMesse GmbH. A processing fee of EUR 35 per invoice will be charged for address changes after receipt of the invoice.

3. Orders may be cancelled free of charge prior to invoicing. A processing fee of EUR 50 per invoice will be charged for cancellation after invoicing. The full rental charge will be payable if the package is not cancelled until one day before the event begins, or later.

4. Article 9 of the General Conditions of Participation in Trade Fairs and Exhibitions applies for cancellations by the Exhibitor.

5. The water coolers ordered will be provided for the duration of the relevant event. If exhibitors require the water coolers to be provided outside of this time period, these additional services must be requested separately from NürnbergMesse.

6. For the operation of the water coolers a power connection is needed. This connection is not part of the rental agreement.

7. All services ordered will be provided by NürnbergMesse or its appointed subcontractors. Equipment will be rented to the exhibitor. The exhibitor shall treat the equipment provided with care and only use it for the purposes specified in the contract.
If the exhibitor does not adhere to the technical standards and faults arise as a result, NürnbergMesse shall be entitled particularly to demand reimbursement by the exhibitor of the costs of fault analysis and clearance.

8. You are liable for loss of or damage to devices until they are returned, which must be confirmed by a signed receipt. Any costs incurred plus an administrative fee of EUR 50 shall be borne by the person placing the order.

Water cooler E-Max h/c	EUR 349
Water cooler F-Max cold	EUR 449
Water cooler F-Max h/c	EUR 499

9. NürnbergMesse GmbH accepts no liability for any damage during the rental period. An exhibition insurance policy is certainly recommended, or better yet, stand security.

10. A User Help Desk is available in case of problems. It can be reached at the following number

Tel. +49 911 8606 8090
Mon. – Fri. from 8:30 to 16:30

11. Any bottles not returned will be charged at EUR 10 per bottle.

12. The cooler will be delivered by no later than 8:30 on the first day of the exhibition and will be removed on the last day immediately after the event closes.

13. Tenants must notify any complaints within 24 hours. Later complaints will not be recognised.

14. If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time.

Cleaning of stand

S3.20

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Halls 3A, 4A, 7A, 3–7
Kiefer GmbH

Halls 1, 2, 3C, 8–12
dias Dickmann Industrie- und Anlagenservice GmbH

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

Order

Order no.: (only if required by your company) _____

General cleaning of exhibition halls is arranged by the organizers. Exhibitors are responsible for arranging cleaning of their own stands.

Two-storey stand: (please indicate) ☐ yes ☐ no

Please state stand area: _____ **m²** (based on registered gross stand space)
We order as follows:

☐ Pre-show cleaning starts after 19:00

(Art. 35010001) Only for last day of assembly!
– **Once-only cleaning** of tables and chairs, emptying waste paper baskets, damp wiping floor coverings, vacuum cleaning carpets, including removal and disposal of carpet sheet.
(Please order glass and wall cleaning separately!)

Charged per m² of stand area
@ EUR 2.30 plus VAT at the statutory rate.

☐ Glass, special and wall cleaning starts after 19:00

– **(Art. 35010006)** Cleaning other furniture, e.g. leaflet stands, glass showcases, doors, partition walls, exhibits.

Height up to: _____ meters

per hour **EUR 31.70** plus VAT at the statutory rate.
☐ on last day of assembly only ☐ daily

☐ Daily cleaning of stand starts after 19:00

(Art. 35010004) Only bookable from the 1st day of exhibition!
per m² and day **EUR 0.85** plus VAT at the statutory rate

The daily cleaning includes the following services: **damp wiping tables, emptying waste paper baskets, damp wiping hard floor coverings, vacuum cleaning carpets.**

See Info 4, 6.1 – "Waste Management".

☐ Cleaning of stand after stand party

(Art. 35010005) per m² and day
à EUR 1.70 plus VAT at the statutory rate

Date: _____ Time: _____
Date: _____ Time: _____
Date: _____ Time: _____

Important information:
– The exhibitor must ensure that a power supply is available at his stand.
– If the complete stand (not cubicles) can be locked, the key must be deposited with the ServicePartner.
– 75 % surcharge on hourly rate for Sundays and public holidays.
– Complaints: Complaints must be reported to the responsible ServicePartner by 10:00. They are only cleared by remedial action.
– The undersigned confirms possession of the appropriate authorization for placing the order. The recipient of this service is always the exhibitor, who receives a copy of this order from the undersigned.
– The invoice can be sent to a different invoice address. Please note that the final invoice is issued by NürnbergMesse GmbH. A processing fee of EUR 35 per invoice will be charged for changing the address after receipt of the invoice.
– Minimum invoice amount for cleaning stand is **EUR 65** plus VAT at the statutory rate.
– Article 9 of the General Conditions of Participation in Trade Fairs and Exhibitions applies for cancellations by the Exhibitor.
– Orders, which are received later than 21 days before the start of the event, will be offset with an express surcharge of 25 %. A 100 % express surcharge is due when the order is received later than 2 days before the start of the event. The minimum surcharge is EUR 60 per order.
– **Please comply with the deadlines for placing orders, as the execution of last-minute orders cannot be guaranteed.**
– **All prices plus VAT at the statutory rate.** Place of fulfillment and jurisdiction including reminder proceedings is Nürnberg for both parties.

ServicePartners:

Halls 3A, 4A, 7A, 3–7
Kiefer GmbH
Messezentrum Nürnberg
ServicePartnerCenter, 2nd floor
T +49 9 11 9 81 72 15
F +49 9 11 9 81 72-30
info@kiefer-cleaning.de
www.kiefer-cleaning.de

Halls 1, 2, 3C, 8–12
dias Dickmann Industrie- und Anlagenservice GmbH
Messezentrum Nürnberg
Hall 12, ground floor/NCC West, 1st floor
T +49 9 11 9 80 80 80
F +49 9 11 9 80 80 81
nuernberg.messe@dias-service.de
www.dias-service.de

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Additional disposal services S3.21

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Friedrich Hofmann Betriebsgesellschaft mbH
Messezentrum
90471 Nürnberg
T +49 9 11 8 12 82 96
F +49 9 11 8 12 82 97
messe@hofmann-denkt.com
www.hofmann-denkt.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

Order

Every exhibitor is responsible for the disposal of production waste accumulated during the event, entire stand elements or complete exhibition stands himself. The type of waste disposal always comply with the standards for environmental protection and waste management (c.f. Info 4 – Item 6). If you have appointed an exhibition construction company for your stand, please inform this company of our guidelines.
The invoice addressee is always the official contractual partner (exhibitor) of NürnbergMesse GmbH. Issuing invoices to third parties is only possible after prior approval by the ServicePartner.
Attention! Only persons appointed by NürnbergMesse GmbH are allowed to fill waste containers in the loading yards!

Designation	Unit	EUR	Qty.
(Art. 36010105) Roller container 1 m³ ** for mixed waste incl. disposal	each	94.00	
(Art. 36010110) Disposal of carpets	m²	1.30	
(Art. 36010115) Disposal of plastic sheet	m²	0.85	
(Art. 36010120) Disposal of paper	m³	24.50	
(Art. 36010125) Plastic bags 1.5 m³	each	28.50	
(Art. 36010130) Bulk container 28 m³ ** excl. disposal	each	112.50	
(Art. 36010135) Disposal of wood plus container	t	99.50	
(Art. 36010140) Disposal of carpets plus container	t	130.00	
(Art. 36010145) Disposal of rubble plus container	t	24.00	
(Art. 36010150) Disposal of small amounts of wood: Chipboard	m³	112.50	
(Art. 36010155) Stand parts	m³	34.50	
(Art. 36010160) Filling containers	per hour	61.00	
Other waste		Price on request	

The invoice can be sent to a different invoice address. A processing fee of EUR 35 per invoice will be charged for changing the address after receipt of the invoice.

Orders can be cancelled free of charge prior to invoicing. A processing fee of EUR 50 per invoice will be charged for cancellation after invoicing. The full rental charge will be payable if the package is not cancelled until the date of delivery.

The minimum invoice amount for the additional disposal services is **EUR 50** plus VAT at the statutory rate.

Attention! If waste produced by the exhibitor, his customers and other representatives which is not included in waste disposal service is still on the site of NürnbergMesse GmbH after the specified assembly/dismantling time without an order having been placed for its disposal, it will be disposed of as mixed waste at a cost of EUR 94.00/m³ plus statutory VAT and a special administrative fee of EUR 50 will also be charged. Waste produced by the exhibitor also includes adhesive tapes or adhesive tape residues not removed from the hall floors by the end of the specified dismantling time.

The ServicePartner guarantees that all waste is disposed of or recycled in accordance with the German Recycling and Waste Management Act. All types of waste will be charged in accordance with the applicable waste regulations and tariffs. All prices plus VAT at the statutory rate. The place of jurisdiction and fulfillment, including for debt recovery proceedings, is Nuremberg for both parties.

Please note that we do not send confirmation of your order.

Please fill in for payment by credit card:

Issuer : ☐ MasterCard ☐ VISA ☐ American Express

Card no.: : ____ / ____ / ____ / ____

Card verification no.: (The last 3 digits next to the signature on the back of the card or for AMEX 4 digits on the front) ☐☐☐☐

Expiry date :

Holder of card:

We authorize Friedrich Hofmann Betriebsgesellschaft mbH to debit the invoice amount from the above-mentioned credit card.

Signature:

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Forwarding agent, empty containers storage S3.30

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Halls 3A, 4A, 7A, 3–7 **
Schenker Deutschland AG
Geschäftsstelle Nürnberg

Halls 1, 2, 3C, 8–12 **
Kühne + Nagel
(AG & Co.) KG

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐

Order (Special Conditions for Services overleaf)

1. Delivery to the exhibition stand

Storage of goods in the warehouse: ☐ yes ☐ no

Delivery to warehouse managed by: _____

Date of delivery to the stand: _____

2. Collection from exhibition stand

Storage of goods in the warehouse: ☐ yes ☐ no

Collection date: _____ time: _____

Pickup from warehouse managed by: _____

Contact person on stand: _____

3. Personnel and equipment

Please note: Minimum charging unit 1.0 hour.

Assembly: ☐ **Forklift truck with driver** ☐ **Crane** up to ____ t capacity

☐ binding ☐ on request date: _____ time: _____

hours of operation: _____

Unloading: dimensions: _____ l _____ w _____ h

weight: _____ kg

Dismantling: ☐ **Forklift truck with driver** ☐ **Crane** up to ____ t capacity

☐ binding ☐ on request date: _____ time: _____

hours of operation: _____

Collection/loading: dimensions: _____ l _____ w _____ h

weight: _____ kg

Please make copies of this form, if you require more forklift trucks and cranes for assembling or dismantling your stand.
Subject to the general traffic situation on the access roads, in the loading yards or in the exhibition halls, which is beyond the control of the ServicePartner.
The ServicePartner may charge ½ hour for delivery/removal if the exhibitor fails to cancel a binding order at least 24 hours in advance.

4. Empty containers

Storage including collection from and returning to stand: ☐ yes ☐ no

The stickers for marking your empty containers are available for collection from the forwarding agent's office in the Exhibition Center Nuremberg (see below). Please collect these stickers and mark your empty containers before they are collected. The packaging material/ empty packaging must be ready for collection on the stand in a form suitable for transport and bundled if necessary. Packaging costs are charged by the forwarding agent according to time and outlay.

5. Packed goods

Storage including collection/delivery: ☐ yes ☐ no

The storage of packed goods (= packaging material with contents) and objects of value, e.g. pallet trucks, lifting equipment, ladders, etc., must be registered separately. For insurance reasons, these goods are stored separately in a closed warehouse. The goods are only returned in exchange for a signed receipt.

6. Forwarding insurance

☐ We do not require insurance.

Please note:
The organization of transport aids (lift trucks, cranes etc.) requires detailed planning in advance. Handling can only take place at the times required by you if the order is placed on this form in time (see above for return deadline). **Orders placed at short notice may be subject to considerable waiting times.**
All services will be charged according to the current tariffs for exhibition transport services.
The ServicePartner settles accounts with exhibitors during the event. The invoice may also be paid in the forwarding agent's office. The following credit cards are accepted: MasterCard, American Express, VISA.
Unless otherwise agreed, the invoice will only be made out to the exhibitor listed in the index and/or the stand construction company.

ServicePartners:

Halls 3A, 4A, 7A, 3–7 **, NCC Ost **
Schenker Deutschland AG
Messezentrum Nürnberg
ServicePartnerCenter
90471 Nürnberg
T +49 9 11 8 17 48-0
F +49 9 11 8 17 48-25
fairs.nuernberg@dbschenker.com
www.dbschenker.com

Halls 1, 2, 3C, 8–12 **, NCC West **, NCC Mitte**
Kühne + Nagel (AG & Co.) KG
Messezentrum Nürnberg
ServicePartnerCenter
90471 Nürnberg
T +49 9 11 98 18 56-0
F +49 9 11 98 18 56-29
exposervice.nuernberg@kuehne-nagel.com
www.kuehne-nagel.com

** If your exhibition goods are transported to Nuremberg by Schenker, Kühne + Nagel or their approved partners, all other services at the exhibition will also be provided by these partners and the hall allocation is not binding.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Special Conditions for Services provided by ServicePartners (Forwarding agent, empty containers storage)

1. These exhibition transport tariffs are applicable for all services provided by the exhibition forwarding agent for delivery and collection of exhibition goods for exhibitors in the Exhibition Center Nuremberg.
These charges are based on current regulations, wages and tariffs for a 5-day week. The rates shown are net.

2. All orders placed in accordance with exhibition transport tariffs are governed by the latest edition of the German Freight Forwarders' Standard Terms and Conditions (ADSp).

3. The forwarding agent's liability ends when the exhibition goods are delivered to the exhibitor's stand, regardless of whether the exhibitor or his representative is in attendance. The earliest possible delivery of your goods to the marked exhibition stand is on the first official day of assembly. Delivery is made to the designated stand from the first official assembly day onwards.
Because we require work instructions, a responsible authorized party should be present for us to unload or load exhibition goods directly to or from the exhibition stand. If this is not possible, we need written instructions for unloading or loading in absentia as well as an exemption from liability.
It is essential for reliable and timely delivery that each package is clearly marked with the receiver's name and the exact designation of event and exhibition stand.
For return transport, liability first commences on collection from the exhibition stand, whether or not dispatch notes have already been handed into the forwarding agent's office.
Special requirements must be notified in writing in advance.

4. Building and fire regulations prohibit the storage of empty containers in the exhibition halls during the event. The forwarding agent will arrange collection and storage on receipt of an order. The organizer has decreed that empty containers still in the exhibition halls and/or in the loading yards after expiry of the official assembly and dismantling periods may be removed by the forwarding agent, even if no order is received from the exhibitor. The costs incurred will be charged to the exhibitor.
The storage of packages with their contents should be specially notified when placing orders.

5. Complaints must be made immediately following receipt of the goods and are to be registered in writing at the forwarding agent's office; verbal claims are not admissible. The forwarding agent cannot accept responsibility for orders or order changes given verbally to tradespeople in the halls.

6. All charges shown are net and are subject to VAT at the statutory rate.

7.1 Please address direct deliveries from EU countries to the exhibition stand as follows:
Name of exhibitor
c/o event, hall/stand
Messezentrum, 90471 Nürnberg

7.2 Shipments from third countries transported by a courier service may only be delivered directly to the exhibition stand if they have cleared customs and have therefore been released for free circulation within the EU. If this is not the case, the shipments must be delivered to the exhibition carrier (see floor plan for location) and the exhibitor (= recipient) must issue instructions on customs processing and payment methods before the shipment can be handed over to the exhibition stand.

8. When the event is being set up or dismantled, goods will be stored only if a written order exists. Please contact the forwarding agent in a timely manner to issue a written order.

DB SCHENKER KÜHNE+NAGEL

Fairground handling tariff for trade fairs and exhibitions in Nuremberg

1. Part-load

Up to 2,500 kg freight weight

1.1 **Unloading/loading**
the truck at/from exhibition site or warehouse, warehousing during assembly and dismantling phase max. 3 days, weighing, delivery/collection to/from exhibition stand, per 100 kg or part thereof
per direction EUR 33.50
minimum 200 kg EUR 67.00

1.2 **Warehousing**
from 4th day of storage during assembly and dismantling
per day per 100 kg
or part thereof EUR 2.00

1.3 Surcharge for bulky goods
1 m³ (= 200 kg)
Surcharge for heavy items
over 200 kg 50 %

Over 2,501 kg freight weight

1.4 **Unloading/loading/delivery to stand/collection from exhibition stand** as per outlay

Personnel and equipment (see Item 3.)

1.5 **Storage charge** per m² or part thereof and month EUR 12.80

2. Customs goods

2.1 **Transit handling** at post, airport and main customs offices for transport to the Exhibition Center EUR 75.00

2.2 **Rolling charges**

2.2.1 From airport to Exhibition Center
per 100 kg or part thereof EUR 21.00
minimum 200 kg EUR 42.00

2.3 **Unloading/loading**
the truck at/from exhibition site or warehouse, warehousing during assembly and dismantling phase max. 3 days, weighing, delivery/collection to/from exhibition stand, per 100 kg or part thereof
per direction EUR 33.50
minimum 200 kg EUR 67.00

2.4 **Warehousing**
from 4th day of storage during assembly and dismantling
per day per 100 kg
or part thereof EUR 2.00

2.5 Surcharge for bulky goods
1 m³ (= 200 kg)
Surcharge for heavy items
over 200 kg 50 %

2.6 **Customs handling** at exhibition site

2.6.1 Temporary importation, Carnet ATA, re-exportation each EUR 135.00

2.6.2 Final importation (see Item 2.6.1)

2.6.2.1 Additional charge per tariff item EUR 14.50

2.6.3 Final importation of sample and promotional materials (see Item 2.6.1)

2.6.4 Dispatch note/security deposit for declaration of intended use (0.2 % of CIF value)
minimum EUR 18.50

2.7 **Charges** for customs inspection officials etc. as per outlay

2.8 Translation of trade invoices per page EUR 24.00

3. Personnel and equipment

3.1 **Personnel**
Only upon request and when ordered in advance and in a timely manner. The exact order data must be provided in writing to the logistics service provider.
Team leader/slinger per hour EUR 49.00

3.2 **Cranes**
Only upon request and when ordered in advance and in a timely manner. The exact order data must be provided in writing to the logistics service provider.
up to 30 t per hour EUR 180.00
up to 45 t per hour EUR 197.00
larger than 45 tons by arrangement

Half an hour is charged for travel in each direction.

3.3 **Forklift truck with driver**
up to 3 t per hour EUR 130.00
up to 5 t per hour EUR 140.00
up to 8 t per hour EUR 160.00
larger than 8 tons by arrangement

3.4 **Additional equipment**
Maffi (special flat-bed trailer) per hour EUR 39.50
Pallet truck per hour EUR 13.00
Jib type crane per hour EUR 22.50

3.5 The minimum **charging unit for personnel** and equipment is 1.0 hour; parts of hours will be rounded up to units of 0.5 hours.

3.6 **Incidental material** on request

3.7 **Containers and platforms available for rental** on request

3.8 **Turn-round of swap bodies**
per unit EUR 235.00
Pick-up and taking to truck park; retrieval and positioning after event

4. Storage of empty containers
The storage of empty containers in the exhibition halls or in or near the exhibition stands is prohibited by the building and fire regulations. The empty packing material will return after the exhibition ends; nevertheless the organizer have to release each exhibition hall previously.

Collection from exhibition stand, measurement, storage and returning to exhibition stand (including all surcharges)
per m³ or part thereof EUR 49.50

5. Packed goods

5.1 **Short-term** up to 3 months
Collection from exhibition stand, measurement, storage in closed warehouse and return after the end of the exhibition
per m³ or part thereof and month EUR 69.50

5.2 **Long-term** over 3 months

5.2.1 Collection from exhibition stand, delivery to store, storage
per m³ or part thereof
minimum EUR 50.00
up to 10 m³ EUR 32.00
up to 20 m³ EUR 29.00
up to 30 m³ EUR 25.50
more than 30 m³ EUR 22.50

5.2.2 Removal from storage and returning to exhibition stand (see Item 5.2.1)

5.2.3 Storage charge per month
minimum EUR 12.00
up to 10 m³ EUR 6.75
up to 20 m³ EUR 6.25
up to 30 m³ EUR 5.85
more than 30 m³ EUR 5.75

6. Incidental charges per order
Commission (2 %) for duty. tax. freight delivery, C.O.D etc.
minimum EUR 5.00

6.1 **Surcharges**

6.1.1 Surcharges for personnel and equipment
Overtime 17:00 – 20:00 25 %
Nights 20:00 – 6:00 50 %
Saturdays 25 %
Sundays 50 %
Public holidays 100 %

(The surcharge is based on the day and time of performance of work.)

6.1.2 Forwarding insurance
SpV by value of goods

Working platforms / working equipment

S3.32

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
SPIE SAG GmbH
ServicePartnerCenter
Messezentrum
90471 Nürnberg
T +49 9 11 81 88 18-0
F +49 9 11 81 88 18-19
sag-messe@spie.com

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

Order

1. Working platforms (charged by calendar day)

Daily rental charges without operating staff

☐ 1.1 **(Art. 43020000/43020001)** Articulated work platform (cherry picker) up to 10 m, lateral working radius approx. 5 m EUR 226.80 / day
assembly from _____ till _____ ____ piece(s) ____ day(s)
assembly from _____ till _____ ____ piece(s) ____ day(s)
dismantling from _____ till _____ ____ piece(s) ____ day(s)
dismantling from _____ till _____ ____ piece(s) ____ day(s)

☐ 1.2 **(Art. 43030000/43030001)** Scissor work platform up to 7 m EUR 133.30 / day
assembly from _____ till _____ ____ piece(s) ____ day(s)
assembly from _____ till _____ ____ piece(s) ____ day(s)
dismantling from _____ till _____ ____ piece(s) ____ day(s)
dismantling from _____ till _____ ____ piece(s) ____ day(s)

☐ 1.3 **(Art. 43040000/43040001)** Scissor work platform up to 12 m EUR 193.80 / day
assembly from _____ till _____ ____ piece(s) ____ day(s)
assembly from _____ till _____ ____ piece(s) ____ day(s)
dismantling from _____ till _____ ____ piece(s) ____ day(s)
dismantling from _____ till _____ ____ piece(s) ____ day(s)

☐ 1.4 **(Art. 43050000)**
Delivery and collection of each work platform EUR 97.00 / piece
delivery on _____ ____ piece(s) + collection on _____ ____ piece(s)
delivery on _____ ____ piece(s) + collection on _____ ____ piece(s)
delivery on _____ ____ piece(s) + collection on _____ ____ piece(s)
delivery on _____ ____ piece(s) + collection on _____ ____ piece(s)

2. Working equipment (charged by calendar day)

☐ 2.1 **(Art. 43060000/43060001)** Man lift up to 9.45 m, motor driven, including delivery and collection EUR 103.80 / day
assembly from _____ till _____ ____ piece(s) ____ day(s)
assembly from _____ till _____ ____ piece(s) ____ day(s)
dismantling from _____ till _____ ____ piece(s) ____ day(s)
dismantling from _____ till _____ ____ piece(s) ____ day(s)

☐ 2.2 **(Art. 43070000/43070001)** Load lift up to 6 m, manual operation, including delivery and collection EUR 103.80 / day
assembly from _____ till _____ ____ piece(s) ____ day(s)
assembly from _____ till _____ ____ piece(s) ____ day(s)
dismantling from _____ till _____ ____ piece(s) ____ day(s)
dismantling from _____ till _____ ____ piece(s) ____ day(s)

3. Special vehicles – equipment

price on request

4. Work at hourly rate

All prices in EURO plus VAT at the statutory rate.
Orders must be received in a complete and correct form within the deadline set for the respective event. SPIE SAG GmbH is under no obligation to provide services for orders that do not meet these requirements.
From 21 days prior to the event, orders or changes to existing orders – insofar as SPIE SAG GmbH can still process them – will be subject to a 25 % surcharge for fixed-price services or a 50 % surcharge for services based on the amount of time involved. The surcharge will be invoiced by SPIE SAG GmbH.
The services ordered must be paid without delay on receipt of the invoice. The invoice may be issued before the start of assembly or dismantling. Payment must be received by not later than 3 days before handover.
A fee of 50 % of the rental charge per equipment item will be charged for cancellations at short notice (from 24 hours before the day of rental). Later cancellations can only be accepted till 12 o'clock before day of delivery.
The rented equipment must be available on the stand ready for collection at the end of the rental period.
If the vehicle cannot be collected from the stand for reasons for which the exhibitor/stand construction company is to blame, the daily rental charge per equipment item will be payable.

Note for customers:
The conditions of SPIE SAG GmbH are expressly accepted on signing the contract and also apply to any subsequent rental of equipment or orders.
The orderer ensures that the equipment is used only by persons
– of at least 18 years old,
– in possession of a valid driving authorization,
– trained in the operation, setting up and function of working equipment.
The user himself is responsible for trickle charging the batteries of working platforms during the rental period.
Please note that only working platforms offered by the ServicePartner SPIE SAG GmbH are allowed to be used on the exhibition site!

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Working platforms / working equipment – description

for Item 1.1

Articulated work platform

- all functions can be controlled from the platform
- electro-hydraulic drive
- working height approx. 11 m
- weight approx. 7,100 kg
- lateral radius at 5 m height approx. 7 m
- max. load 220 kg

Pos. 1.1



for Item 1.2

Scissor work platform

- all functions can be controlled from the platform
- electro-hydraulic drive
- slim design
- without supporting device
- working height approx. 7 m
- max. load capacity 227 kg
- platform size 1.64 m x 0.76 m
- unloaded weight approx. 1,500 kg

Pos. 1.2
up to 7 m



for Item 1.3

Scissor work platform

- all functions can be controlled from the platform
- electro-hydraulic drive
- without supporting device
- working height 10-12 m
- max. load capacity 318-450 kg
- platform size 2.26 m x 1.16 m
- unloaded weight from 2,450 kg

Pos. 1.3
up to 12 m



for Item 2.1

Man lift

- 230 V/16 A drive
- max. load capacity 140 kg
- unloaded weight 300 kg
- working height approx. 9.40 m
- with supporting device

for Item 2.2

Load lift

- rated load 250 kg
- lifting height 6 m
- unloaded weight 140 kg
- with supporting device

Further information and the Special Conditions for Services of SPIE SAG GmbH for working platforms / working equipment can be found on our Internet site at www.spie-servicepartner.de.

Guarding of stands S3.40

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
ESS Erlanger Sicherheits-Service GmbH
Zeppelinstraße 26
91052 Erlangen
T +49 91 31 68 94-0
F +49 91 31 68 94-18
messe-sicherheit@ess-erlangen.de
www.ess-erlangen.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

Order (Binding, Special Conditions for Services overleaf)

Security guard service – personal monitoring of your exhibition stand or an allocated area:

While you are away between exhibition days, or during stand construction/disassembly, we will keep an eye on your exhibition stand and ensure preventive measures are in place to protect against a range of threats. Our personnel are trained and experienced, have undergone background checks, and are supported by the security office as required while on duty.

Scope of activities:
- Monitoring the exhibition stand as per contract and in accordance with legal requirements for the security industry in Germany
- Checks to prevent and avert threats and material damage
- Checks to prevent, avert and protect against fire
- Checks to prevent theft
- Putting immediate measures in place in cases of imminent danger
- Notifying the customer's nominated contact via the security office as required

Minimum invoice amount for guarding of stands is **EUR 120** plus VAT at the statutory rate.
– Orders, which are received later than 21 days before the start of the event, will be offset with an express surcharge of 25 %. A 100 % express surcharge is due when the order is received later than 2 days before the start of the event.
– **Please comply with the deadlines (Special Conditions of Service of NürnbergMesse GmbH for Stand Security – No. 9) for placing orders, as the execution of last-minute orders cannot be guaranteed.**
– **All prices are plus VAT at the statutory rate.** Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices. Place of fulfillment and jurisdiction including reminder proceedings is Nürnberg for both parties.

☐ Personal guarding of stands

(Art. 39010005) Cost per sucurity guard/hour **EUR 28.90** plus VAT at the statutory rate

Number of security guards: _____

☐ **Assembly**

Date: from _____ to _____

Time: from _____ to _____

☐ **During event**

Date: from _____ to _____

Time: from _____ to _____

☐ **Dismantling**

Date: from _____ to _____

Time: from _____ to _____

Please enter the name of authorized stand building/dismantling personnel/company in every case:

_____

Please fill in for payment by credit card:

Holder of card: _____

E-mail address: _____

You will receive a link by e-mail that will let you pay the invoice by credit card using the secure, certified solution offered by our Payment Provider Saferpay.com.
A confirmation of payment will be sent once you or another authorized person have completed the payment process.

Signature: _____

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Special Conditions of Service of NürnbergMesse GmbH for Stand Security

1. Contract components

The contract components are presented below in order of precedence:

a. The respective order forms and/or online forms
b. The present Conditions of Service for Stand Security
c. The Security Regulation (BewachV)
d. The Special Conditions of Participation for the event in question
e. The General and Special Conditions of Participation in Trade Fairs and Exhibitions
f. The General Contractual Conditions for the Service Handbook (GCC)

In case of contradictions between these conditions, the conditions presented ahead of the other conditions in the list above take precedence.

2. Order, conclusion of contact

Services may be ordered at the earliest after receipt of the stand area confirmation. The offered stand security services may only be ordered from NürnbergMesse. The order requires the acceptance of NürnbergMesse, which may also be given tacitly, e.g. by providing the ordered service. The automatically generated confirmation of receipt sent by
e-mail immediately after the online order is not an order confirmation. Services are charged on the basis of actual work performed.

3. Execution by ServicePartners

The contractual services are usually performed by a ServicePartner. NürnbergMesse is still the contractual partner of the Exhibitor. The ServicePartner is entitled to represent NürnbergMesse in the course of executing the order.

ESS - Erlanger Sicherheits-Service GmbH
Zeppelinstraße 26
91052 Erlangen
T +49 91 31 68 59 4-0
F +49 91 31 68 59 4-18
messe-sicherheit@ess-erlangen.de
www.ess-erlangen.de

4. Service points/service desk

A service desk has been set up for the event of a disturbance. The Security Control Unit can be reached at the following numbers:
T +49 9 11 86 06-70 00.

5. General execution of the service

According to Section 34a Trade Regulation Act (GewO), the security trade (stand guard) requires a permit.
The ServicePartner provides its activity as a service (usually no personnel leasing according to the Personnel Leading Act, AÜG) and utilises its own personnel as agents. The selection of the employed personnel and the right to issue directives lie with the engaged security firm, except in case of imminent danger.
The ServicePartner is solely responsible vis-à-vis its employees for the fulfilment of all obligations under law, regulations, social security law, labour law, collective bargaining law, and occupational health and safety law.

6. Rental

All ordered services are provided by NürnbergMesse or a ServicePartner. Equipment is rented to the Exhibitor. The Exhibitor must handle the equipment with care and only use it for the contractually specified purposes.

7. Keys and emergency addresses

The Exhibitor shall be required to provide the keys required for the service in good time and free of charge.
The ServicePartner shall be liable for lost keys and key damage caused by the service personnel by wrongful intent or negligence within the scope of Article 16. The Exhibitor shall inform the ServicePartner of telephone numbers by which a threat to the property can be notified by telephone even at night. Telephone number changes must be promptly notified to the ServicePartner. The sequence of notifications must be specified by the Exhibitor.
The term "key" used here also refers to any other object used to open and close a device that serves to permit entry to certain areas to selected persons and deny entry to other persons.

8. Interruption of the security service

In case of war or strike, civil unrest, and other cases of force majeure, the ServicePartner may interrupt or appropriately modify the service if providing it becomes impossible.
In case of interruption, the ServicePartner shall be obligated to reduce the fee to account for any wages saved during the interruption.

9. Express surcharge, disclaimer of warranty in case of short-notice orders, additional costs from changes

A 25 % express surcharge shall be charged for short-notice orders (placed less than 21 days before the start of official assembly). A 100 % express surcharge shall be charged if the order is received later than 2 days before the start of the event.
If the order is received less than 21 days before the official start of assembly, NürnbergMesse shall assume, if it accepts the order, no warranty for the proper and timely provision of the service. If in such cases NürnbergMesse does not provide the service or not on time or provides the service defectively, the Exhibitor shall only be entitled to rescind the stand security contract if the legal conditions are met or reduce the agreed remuneration. Further claims for damages or for reimbursement of expenses are excluded unless the short notice of the order was not one of the causes for non-provision or defective provision of the service. Liability for intentional or grossly negligent breaches of duty by NürnbergMesse or its agents and liability for culpable harm to life, body, or health remain unaffected. If the Exhibitor desires changes to services that NürnbergMesse has already provided or has already begun to provide, NürnbergMesse shall be entitled, insofar as it is obligated to make the changes, to charge the actually incurred additional cost for each change.

10. Remuneration/fees

All stated prices are net of the currently valid value-added tax. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices. The agreed remuneration shall be payable upon acceptance of the order by NürnbergMesse. The stated prices have been calculated on the wage basis of a 40-hour week. A surcharge of 25 % on the prices stated overleaf may be charged for fixed-price services that were not yet known at the specified start of assembly or that cannot yet be begun on this date due to incomplete or unusable order information. A processing fee of EUR 50 plus the statutory value-added tax shall be charged for invoice reissuance due to incorrect or defective information provided by the applicant. This fee shall be included in the new invoice to be issued. Minimum invoice amount for guarding of stands is EUR 120.

11. Exhibitor prohibited from providing its own services, contractual penalty

For security reasons, stand security may only be provided by the ServicePartner of NürnbergMesse. If the Exhibitor culpably violates this prohibition, a contractual fee of EUR 500 per violation shall be payable. The assertion of further damages remains unaffected.

12. Cancellation

Article 9 of the General Conditions of Participation in Trade Fairs and Exhibitions applies for cancellations by the Exhibitor.

13. Acceptance, handover, complaints

After the stand security service has been provided, it must be accepted by the Exhibitor. For this purpose, the executing ServicePartner and the Exhibitor shall prepare and sign an acceptance and handover report. Complaints of any kind that pertain to the execution of the service (possibly including non-provision of the service, delays, poor performance of the agreed security services, etc.) must be notified by telephone immediately after determination and in text form no later than the next day to the ServicePartner indicated in Article 3 for the purpose of remedy. Warranty claims conditioned on the granting of a grace period for supplementary performance may no longer be asserted after the end of the event unless the right to supplementary performance was not established or no longer established already during the event.

Master 2021/001

Special Conditions of Service of NürnbergMesse GmbH for Stand Security

14. Liability of the Exhibitor
The culpability of employees and other agents shall be ascribed to the Exhibitor.

15. Liability of the organiser
The liability of NürnbergMesse shall be determined on the basis of Article 19 of the General Conditions of Participation in Trade Fairs and Exhibitions.

16. Liability and liability limits
In cases of damage caused by ordinary negligence on the part of a legal representative or vicarious agent, the liability of the ServicePartner for property and financial damage shall be limited to the typical and foreseeable damages in comparable transactions of this kind. The liability for other cases of culpable causation of property and financial damage remains unaffected.
In cases of damage caused by ordinary negligence, the liability of employees for property and financial damage shall likewise be limited to the typical and foreseeable damages in comparable transactions of this kind (contract for the benefit of third parties). Liability for other cases of culpable causation of property and financial damage remains unaffected.
According to Section 14 Security Regulation, the ServicePartner is obligated to maintain liability insurance. The insurance policy is governed without limitation by the General Conditions of Liability Insurance (AHB) and the Conditions for the Liability Insurance of Security Firms. Particularly excluded from this insurance coverage is damage not related to the actual security service such as assumption of the obligation to strew sand or salt on black ice, the operation of sun protection systems or the operation and maintenance of machines, boilers, heating devices, electrical or similar equipment. In the absence of contrary provisions in paragraphs 1 and 2, liability for such damage is excluded to the extent permitted by law.
Liability for personal injury remains unaffected. The limitations of paragraphs 1 to 3 apply only for property and financial damage.

17. Assertion of liability claims
Claims for damages must be asserted vis-à-vis the contractor within a period of 3 months after the claimant, its legal representatives, or vicarious agents gained knowledge of the damaging event. If the amount of damage cannot yet be determined within this period, it shall suffice, but shall also be required to claim damages on the merits. Claims for damages not asserted within this period are excluded. The assertion of damages for personal injury and for intentional or grossly negligent breaches of duty remain unaffected.
The customer be further obligated to immediately give the contractor an opportunity to make all necessary determinations on the cause of damage, the course of damage, and the amount of damage, either itself or by its agents. The customer shall itself bear damage expenses incurred by reason of the fact that the customer did not or did not immediately fulfil its obligations stated above.

18. Data protection
The provisions of the Regulation (EU) 2016/679 (General Data Protection Regulation (GDPR)) and the German Federal Data Protection Act (BDSG), as amended, apply to the processing and protection of personal data within the scope of the contractual relationship. Particularly applicable are Art. 5 para. 1 letter F, Art. 28 para. 3 GDPR (Integrity and Confidentiality of Data) and Art. 12 ff. GDPR (Information Obligations).

Permanent parking permits for cars, travel tickets S3.50

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Engelhardt & Co.
Parkraummanagement u. Service GmbH
Messezentrum, 90471 Nürnberg
T +49 9 11 98 11 88-55
F +49 9 11 98 11 88-58
info@engelhardt-parkservice.de
www.engelhardt-parkservice.de

Hall/Stand
Very important!

Company/Delivery address

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

Order – please complete form in block capitals –
(binding, Special Conditions for Services overleaf)

☐ **(Art. 40010300) Permanent parking permits for cars**

☐ Parking spaces on official parking areas (e.g. parking deck Süd, P Süd-Ost, P Ost)
_____ Qty. **at EUR 30.00** EUR _____
(including VAT at the statutory rate)

☐ Parking spaces in loading yards (2.3.–3.3.) 1, 2/3/4, 5 **(limited spaces!)**
_____ Qty. **at EUR 120.00** EUR _____
(including VAT at the statutory rate)

Please state your hall number to make sure you receive the right permanent parking permits.

The permanent parking permits are valid from Tue 2.3. – Thu 4.3.2021.
The parking spaces in loading yards are exclusively valid from Tue 2.3. – Wed 3.3.2021.

☐ Travel tickets

<u>Please note:</u> The prices for 2021 had not been fixed at the time of going to print and may change. <u>As of: July 2020</u>

for the Nürnberg integrated transport system. The ticket entitles the holder to unlimited travel by underground, tram, bus or urban railway in the Nürnberg region (zones 100 and 200) within the stated period of time.

_____Qty. 1-day ticket at EUR 8.30 EUR _____
_____Qty. 2-day ticket at EUR 16.60 EUR _____
_____Qty. 3-day ticket at EUR 24.90 EUR _____

The first journey can be made on any day. Every 1/2/3-day ticket must be stamped before the first journey.

_____ Qty. 7-day ticket at EUR 26.70 EUR _____

The 7-day ticket is valid from Sun 28.2. – Sat 6.3.2021.

Fees

Processing fee EUR **3.50**

Total amount

(Permanent parking permits, travel tickets and fees) **EUR** _____

Payment procedure

After receipt of your order, we will send you an invoice by **e-mail** or **fax (please state address/fax no.)**, which you then pay by a bank transfer to the account stated on the invoice, **quoting the invoice number**.
Parking permits and travel tickets are mailed with delivery note and note of payment, subject to prior receipt of payment.

Person to contact: E-mail or fax

If you wish to pay via your credit card account, please enter the following details in full:

☐ **Please charge the amount to our credit card account.**

Issuer: ☐ MasterCard ☐ American Express ☐ VISA

Card no.: _____ / _____ / _____ / _____

Card verification no.: (The last three digits next to the signature on the back of the card or for AMEX 4 digits on the front of the card) ☐☐☐☐

Valid until: _____

Holder of card: _____

ServicePartner:
Engelhardt & Co.
Parkraummanagement u. Service GmbH
Messezentrum Nürnberg
ServicePartnerCenter
T +49 9 11 98 11 88-55
F +49 9 11 98 11 88-58

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Special Conditions for Services provided by Engelhardt & Co. Parkraummanagement u. Service GmbH (Permanent parking permits for cars)

The marked parking areas are available for parking cars. They are manned on the days of the event from 7:00 to 19:00 or until 1 hour after the end of the event.

Permanent parking permits are valid only for cars.

The parking of trucks, trailers, vans, swap bodies, caravans and mobile homes is prohibited during the exhibition in the areas marked as parking areas, in the loading yards of the Exhibition Center Nuremberg (except for delivery, which is restricted to a maximum of 30 minutes) and in the "Große Straße". This regulation also applies to vehicles which give the impression of being trucks, trailers, vans, swap bodies, caravans and mobile homes.

Vehicles can be parked during the exhibition in the parking areas.

The organizer is entitled to remove vehicles parked in the parking areas or the loading yards at 2:00 on the morning of the first day of the event by having them towed away at the cost of the vehicle owner or user. The exhibitor agrees to ensure that third parties appointed by him such as exhibition service companies, hauliers etc. also comply with these regulations.

Parking permits are mailed with delivery note and note of payment up to 10 days before the exhibition starts, subject to prior receipt of payment and availability of free spaces on the parking areas nearest the hall.

For orders received after this date, parking permits can be collected on payment from our office in the ServicePartnerCenter.

Permanent parking permits may also be obtained during the assembly period from all info counters located between the exhibition halls.

Any parking permits not required can be returned to our office until the last assembly day, but not after this date.
Lost parking permits cannot be replaced free of charge. The car park attendants will ensure that vehicles are parked properly – please follow their instructions.
No liability is accepted for injury to persons, damage to property or theft of the vehicle or its contents.

Mobile homes and caravans can be parked at the nearby Knaus Campingpark.
The erection of company signs, pennants or advertising is prohibited on the whole parking area. The place of jurisdiction and fulfillment is Nuremberg.

The multi-story car park closes 90 min. after the end of the event.

In accordance with Art. 3a, Para. 2 of the German Value Added Tax Act (UStG) and Art. 44 of the VAT Directive (MwStSystRL), VAT-free billing of services for exhibitions and trade fairs is only possible as part of a so-called service package. However, your order does not fulfil the conditions for a single service in accordance with Section 3a.4. Para. 2 p. 3 of the German VAT Implementation Decree (UStAE) of 1.12.2010, which has been supplemented and partly amended by the letter of the Federal Ministry of Finance dated 4.2.2011.

The services supplied are therefore billed with 19 % German VAT in accordance with the VAT provisions of Section 3a.4. Para. 3 No. 1 UStAE of 1.12.2010, which has been supplemented and partly amended by the letter of the Federal Ministry of Finance dated 4.2.2011, in conjunction with Art. 3a Para. 3 No. 1 UStG.

If relevant reciprocal agreements exist between your country and the Federal Republic of Germany, you still have the possibility of applying to the Federal Central Tax Office in Germany (www.bzst.de) for a refund of the German VAT.

Exclusive Marketing

S4.02

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
Exhibition Services Team Marketing
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 30
F +49 9 11 86 06-12 80 30
marketing-messeservice@nuernbergmesse.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

Information on advertising possibilities

Take advantage of our Exclusive Marketing for embedded world 2021 and make your company stand out to trade visitors. Choose from an interesting range up from a BlowUp Column to a WalkingAct License. Set yourself apart from the competition!

We will be pleased to help you plan your advertising strategy for embedded world 2021.

☐ Please contact us for detailed information about advertising measures.

Please contact Team Marketing for detailed information, advice and bookings:

T +49 9 11 86 06-80 30

F +49 9 11 86 06-12 80 30

marketing-messeservice@nuernbergmesse.de

BlowUp Column

GigaFrame outdoor

Flying object

PartnerHotels of NürnbergMesse S4.19

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService Team Hotel
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 20
F +49 9 11 86 06-12 80 20
hotels@nuernbergmesse.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

Arrival Departure

Type of room (SR/DR) Number

Hotel Information

Example offers of our PartnerHotels in Nuremberg.

If interested in our service, we will send you a detailed offer by E-mail.

☐ Sheraton Hotel Carlton *****

- Located in Downtown (central railway station)
- Non-smoker-hotel
- Restaurant, bar
- Rooms with air-conditioning, WLAN, PayTV
- CarltonSpa high above the roofs of Nuremberg
- 9 minutes by underground to fairground

☐ Arvena Park Hotel ****

- Close to fairground
- Restaurant, bar, beer garden
- Sauna, steam bath, solarium
- Free parking
- 4 minutes by underground to fairground

☐ Fürther Hotel Mercure Nürnberg West ****

- Located at Fürth with convenient connection to motorway A73
- Approx. 20 minutes by car to reach the fairground
- Restaurant, hotelbar, terrace with swimming pool
- Own car parking in front of the hotel (upon a fee)
- Rooms with free wifi
- Convenient connection to public transport
- Fitness room

☐ acomhotel nürnberg ***

- Breakfast restaurant, 24-hour bistro
- Direct connection to the public transportation
- Lobby and bar
- Close to airport
- 25 minutes by underground to fairground
- Parking and underground car park

☐ Motel One **

- Two times close to Old Town (central railway station and Plärrer)
- Non-smoker-hotels
- Rooms with air-conditioning, WLAN
- Bar, garage parking
- 9 – 12 minutes by underground to fairground

☐ Art & Business Hotel

- Located in Downtown (central railway station)
- Non-smoker-hotel
- Art Bar
- Air-conditioning, PayTV
- Broadband Internet access
- 9 minutes by underground to fairground

Yes, we are interested in your hotel booking service.
We request further information

☐ by e-mail to the above address
☐ by phone

On the following website you can find all our offered hotels with availability and prices and you can also book the hotel directly:

https://hotels.nuernbergmesse.de

If you need more rooms you can also send the detailed request and we will contact you.

Please note:
We have negotiated **special terms** for you with most of our PartnerHotels. These terms apply only to bookings made via **MesseService**.
We will be glad to submit a non-binding quote. All bookings are processed in the order of receipt.

Master 2021/001

Hotel reservation S4.20

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
Congress- und Tourismus-Zentrale Nürnberg
Postfach 4248
90022 Nürnberg
T +49 9 11 23 36-1 50
F +49 9 11 23 36-1 67
zv@ctz-nuernberg.de
tourismus.nuernberg.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

Order

☐ **Single room**
Qty.
Night/s
from/date

☐ **Double room**
Qty.
Night/s
from/date

		Category
☐ from EUR 120.00	☐ from EUR 150.00	S
☐ from EUR 90.00	☐ from EUR 115.00	I
☐ from EUR 65.00	☐ from EUR 80.00	II

Price including breakfast, service and VAT.

Please clearly enter name and full address below. This address is copied as reservation information to avoid mistakes in transferring:

Name/company:

Street:

Postcode, Town, Country:

Single room: Double room:

No. of nights: from (date):

Special room requirements:

Travelling by: ☐ Air ☐ Rail ☐ Car

Arrival at hotel: approximately _____ a.m./p.m.

Standard of room: ☐ Bath ☐ Shower ☐ WC

The Congress- und Tourismus-Zentrale Nürnberg acts only as agent in reserving accommodation.

All requests for reservations will be dealt with in the order received. Reservations should therefore be submitted as early as possible.

All prices include breakfast, service and VAT.

If rooms are no longer available in the category requested, please provide rooms:

☐ in a higher category ☐ in a lower category

☐ within 30 km radius

* NürnbergMesse GmbH will gladly recommend another ServicePartner on request. NürnbergMesse GmbH acts only as agent and accepts no liability whatsoever for the ServicePartner. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General Terms of Business and Special Conditions for Services incl. information on data protection of the NürnbergMesse and the ServicePartner and we accept them on all points. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Hotels S4.21

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Your ServicePartner *
Business & Service Brigitte Schmedding GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 8 60 76-0
F +49 9 11 8 60 76-11
info@business-und-service.de
www.business-und-service.de

Hall/Stand

Company

Street

Postcode, Town, Country

Tel

Fax

E-mail

Person to contact

Tel

Fax

Invoice address (only if different)

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

Please send an offer for:

		Price per night
☐ **Price category I**	** / ***	from **EUR 90.00**
☐ **Price category II**	***	from **EUR 120.00**
☐ **Price category III**	*** / ****	from **EUR 165.00**
☐ **Price category IV**	****	from **EUR 205.00**
☐ **Price category V**	**** / *****	from **EUR 245.00**

Request

Whether idyllic country guesthouse or elegant 5-star hotel, central old town charm or scenic beauty of the Nuremberg countryside, for 100 persons or just one person – our room and hotel reservation service is tailored exactly to your needs.

Price category I ** / ***
e.g. friendly hotel with restaurant and lounges in the Nuremberg region, approx. 30 – 45 minutes away from the exhibition centre by car or train.
Price category II ***
e.g. cosy and friendly hotel in Nuremberg with public transport facilities nearby – approx. 20 minutes to the exhibition centre.
Price category III * / ******
e.g. comfortable city hotel centrally located in Nuremberg, with restaurant, bar, conference room, underground station nearby, approx. 15 minutes to the exhibition centre.
Price category IV ****
e.g. business hotel in the city centre, exclusive atmosphere, with restaurant, conference and banquet rooms, fitness/wellness area, underground station nearby, approx. 10 minutes to the exhibition centre.
Price category V ** / *****
e.g. modern, elegant first-class hotel at the entrance to the old town centre, cultivated ambience, with restaurant, bar, conference and banquet rooms, fitness/wellness area, underground station nearby, approx. 10 minutes to the exhibition centre.

Name of guest(s)

Travelling by ☐ car ☐ plane ☐ rail

Number of ☐ single rooms ☐ double rooms

Date from to

Number of nights

If unavailable:
☐ next higher price group ☐ next lower price group

The prices stated are for a single room per night and including breakfast, service and VAT. All rooms are equipped with a shower/WC, mostly also with telephone, Wi-Fi, TV and minibar.
The price differences are due to facilities and location.
Category I hotels may be located on the city outskirts or up to 40 km away for well-attended exhibitions.

* NürnbergMesse GmbH will gladly recommend another ServicePartner on request. NürnbergMesse GmbH acts only as agent and accepts no liability whatsoever for the ServicePartner. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General Terms of Business and Special Conditions for Services incl. information on data protection of the NürnbergMesse and the ServicePartner and we accept them on all points. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Hostesses/service personnel/helping hands S4.30

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Your ServicePartner *
Business & Service Brigitte Schmedding GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 8 60 76-0
F +49 9 11 8 60 76-11
info@business-und-service.de
www.business-und-service.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

Your advantages with Business & Service as ServicePartner of NürnbergMesse:
- Office conveniently located at Exhibition Centre Nuremberg
- Our service personnel do not need an extra exhibitor pass
- Personal, proficient and flexible on-site support guaranteed

Business & Service is a supplier of contract labour within the meaning of §1 of the German Law on Temporary Employment (known in German by its abbreviation "AÜG") and is in possession of a valid permit to rental out employees.
The following surcharges may be incurred in individual cases:
Night surcharge from 23:00 – 6:00 = 25 %
Surcharge on Sundays = 50 %
Surcharge on public holidays = 100 %

The minimum working time is 5 hours per day.

Orders received later than 14 days before the start of the event will be billed an express surcharge of 25 % per order.

All rates plus VAT at the statutory rate.

The following cancellation terms apply if we cannot deploy the hostesses elsewhere:
Until 28 days prior to employment 25 % of the rate
Until 14 days prior to employment 50 % of the rate
Until 7 days prior to employment 75 % of the rate
Under 7 days prior to employment 100 % of the rate

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐

Binding Order – please tick the boxes:

☐ **HOSTESS WITHOUT knowledge of foreign languages**
Price per hour **EUR 25.00**

☐ **HOSTESS WITH knowledge of foreign languages (conversational level)**
Price per hour **EUR 26.00**

☐ **INTERPRETER HOSTESS**
Price per hour **EUR 42.00**

☐ **HEAD HOSTESS**
Price per hour **EUR 48.50**

☐ **HELPING HANDS for assembly and dismantling**
Price per hour **EUR 25.00**

Selection with Sedcard
☐ You are welcome to choose your staff from sedcards.
Price EUR 59 (choice of max. 3, EUR 7 for each additional choice)
☐ We leave the choice of staff to the agency (without extra cost).

No. of staff required Male Female
☐ Desired foreign language(s)
☐ Employment date
☐ Employment time
☐ Briefing required – date/time
☐ Company clothing will be provided
☐ Neutral, uniform clothing is desired (including costume/suit)

☐ **Extra Package MARKETING** (one-off price) **EUR 99.00**
Advance briefing/training of hostess by customer by phone or e-mail

☐ **Extra Package STYLING & MAKE-UP** (one-off price) **Price on request**
Professional hair styling and make-up

☐ **Extra Package PROMOTION** (per costume/duration) **EUR 189.00**
From morph suit to baroque costume – each costume for duration of exhibition (up to 3 days)

We'll also be pleased to send you an offer for:
☐ Model ☐ Presenter ☐ Qualified interpreter

* The contractual partner is the ServicePartner. NürnbergMesse GmbH will gladly recommend another ServicePartner on request. NürnbergMesse GmbH acts only as agent and accepts no liability whatsoever for the ServicePartner. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General Terms of Business and Special Conditions for Services incl. information on data protection of the NürnbergMesse and the ServicePartner and we accept them on all points. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).
The customer undertakes to comply with and implement the SARS-CoV-2 occupational safety standards published on April 16, 2020 by the Federal Ministry of Labor and Social Affairs with the respective updates. Furthermore, the requirements of the statutory accident insurers and the local trade and health authorities and other competent authorities and bodies are binding.

Place and date

Company stamp and authorized signature

Exhibition events S4.31

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Your ServicePartner *
Business & Service Brigitte Schmedding GmbH
Messezentrum
90471 Nürnberg
T +49 9 11 8 60 76-0
F +49 9 11 8 60 76-11
info@business-und-service.de
www.business-und-service.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

Culinary enjoyment for the stand party

Entertain your customers in a relaxed atmosphere with culinary delights from all over the world. Here are a few examples:

Finger food at its best

☐ **Regional** **from EUR 42.50 per person**
Discover the culinary versatility of Franconia

☐ **Burger & Co** **from EUR 43.50 per person**
Loving creations also for vegetarians

☐ **Asian** **from EUR 44.50 per person**
Delights that will delight you

☐ **Tapas** **from EUR 45.50 per person**
Mediterranean delicacies

☐ **Classical** **from EUR 49.50 per person**
An international selection that suits every occasion

We are happy to round off the culinary enjoyment with music of your choice. please tell us your wishes.

The listed prices are based on 50 persons and 3 hours of event duration. All prices are net and include food, different drink packages, logistic, service staff, equipment, entertainment and personal support on site.

Type of event: _____

Date: _____

Time period: _____

Expected number of people: _____

VAT ID number of invoice addressee:

☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐☐

Attractions on your stand

Let a professional artist, entertainer or extraordinary event communicate your brand message or take care of acquisition.

We will be pleased to make you a tailor-made offer to meet your event requirements. Please tick the boxes depending on your wishes and ideas:

Choose your visitor-magnets:

Event duration 3 hours:

☐ **Cocktail bar** **from EUR 32.50 per person**
Whether classic cocktail bar or cocktail lab. spectacular or discreet. definitely always to your liking
Incl. bar. barkeeper. equipment & 150 cocktails for 50 guests

☐ **Smoothie bar** **from EUR 31.00 per person**
With a mobile smoothie bar. you will not only impress your visitors visually but with all your senses
Incl. bar. barkeeper. equipment & 150 smoothies for 50 guests

☐ **Ice-bar/Frozen yogurt bar/Candy bar** **on demand**

☐ **Magician** **from EUR 295.00 per hour**

☐ **Cartoonist** **from EUR 160.00 per hour**

☐ **Walking Acts** **from EUR 405.00 per hour**

☐ **The talkative robot** **from EUR 495.00 per hour**

☐ **Virtual reality simulator** **from EUR 249.00 per hour**

☐ **DJ** incl. lighting and sound **from EUR 160.00 per hour**

☐ **Live music** e.g. jazz trio **from EUR 360.00 per hour**

Bookable from 1 day:

☐ **Barista with coffee bar "basic"** **from EUR 839.00 per day**
Enjoy coffee specialties without much effort.
we only need a 230 V outlet.

☐ **Barista with coffee bar "special"** **from EUR 1.212.00 per day**
Conjure up beautiful "latte art" patterns in your cappuccinos.
Your company logo can also be integrated.

☐ **Photo box with support** **from EUR 1.128.00 per day**
Whether photo box or magic mirror. a safe magnet for visitors with generous advertising space for your company.

☐ **Popcorn machine** **from EUR 465.00 per day**
(branding optional)

All prices are net.

* The contractual partner is the ServicePartner. NürnbergMesse GmbH will gladly recommend another ServicePartner on request. NürnbergMesse GmbH acts only as agent and accepts no liability whatsoever for the ServicePartner. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General Terms of Business and Special Conditions for Services incl. information on data protection of the NürnbergMesse and the ServicePartner and we accept them on all points. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).
The customer undertakes to comply with and implement the SARS-CoV-2 occupational safety standards published on April 16, 2020 by the Federal Ministry of Labor and Social Affairs with the respective updates. Furthermore, the requirements of the statutory accident insurers and the local trade and health authorities and other competent authorities and bodies are binding.

Place and date

Company stamp and authorized signature

embeddedworld2021
Exhibition&Conference
... it's a smarter world

Company

Hall/
Stand

S4.31

Contractor: Business & Service Brigitte Schmedding GmbH

EVENT.WORKS

Our full service for your event

Events and locations in Nuremberg

We organize the perfect event for you according to your wishes. **At the exhibition center** and **in the whole region**. Take advantage of our **many years of experience** and get the **insider's tip** from our pool of ideas.

This could be your event:

☐ **Spirits & Snacks** **from EUR 54.00 per person**
Tickle your tastebuds with a **gin tasting** in an **exclusive area of a bar**. If you like together with a host of **appetizers**. Alternatively you can also have a rum or a whiskey tasting. From 25 persons and 2 hours of event duration.

☐ **Bratwurst & Beer** **from EUR 64.00 per person**
Enjoy the traditional Franconian cuisine in a **quaint ambience – with Franconian beer**. From 50 persons and 3 hours of event duration. Also combinable with a guided tour through the historic rock corridors.

☐ **After-Work & Lounge**

☐ **without cocktails and long drinks** **from EUR 82.00 per person**

☐ **with cocktails and long drinks** **from EUR 98.00 per person**
Chill in a relaxed atmosphere of a **trendy club**, illuminated in the colors of your brand and accompanied by classy **lounge music**. Titillate the palates of your guests with a **flying buffet** with long drinks. From 50 persons and 4 hours of event duration.

All prices are net and include personal support on site.

An airplane hangar – exclusively for you? – Yes, we can!

We make your event a **truly unique experience**. We gladly help to create an **event tailor-made** to your company's needs.

Tailored offer for your event

Did we tickle your fancy? We are happy to make you an offer that is perfectly tailored to your wishes! The sky is the limit.

Please tick the boxes depending on your wishes and ideas:

Location

☐ Restaurant ☐ Bar ☐ Discotheque
☐ Museum ☐ Event hall ☐ Conference room
☐ Hangar ☐ Ship ☐ Castle/tower
☐ Your individual wish: _____

Style

☐ Modern ☐ Classical ☐ Lounge
☐ Historical ☐ Franconian ☐ Get-Together
☐ Your individual wish: _____

Service

☐ Catering ☐ Artists ☐ Location
☐ Decoration ☐ Technology ☐ Logistics
☐ Your individual wish: _____

Type of event: _____

Date: _____

Time period: _____

Expected number of people: _____

SHUTTLE SERVICE

Offer your guests a safe, comfortable means of transport:

Chauffeur-driven limousine	from EUR 75.00 per trip
Bus shuttle with driver	from EUR 380.00 per day

We also take care of that little extra, like a tour guide or a hostess, who takes care that everyone reaches the right destination.
Tell us your requirements and we will make you an appropriate offer.

All prices are net.

* The contractual partner is the ServicePartner. NürnbergMesse GmbH will gladly recommend another ServicePartner on request. NürnbergMesse GmbH acts only as agent and accepts no liability whatsoever for the ServicePartner. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General Terms of Business and Special Conditions for Services incl. information on data protection of the NürnbergMesse and the ServicePartner and we accept them on all points. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

The customer undertakes to comply with and implement the SARS-CoV-2 occupational safety standards published on April 16, 2020 by the Federal Ministry of Labor and Social Affairs with the respective updates. Furthermore, the requirements of the statutory accident insurers and the local trade and health authorities and other competent authorities and bodies are binding.

Place and date

Company stamp and authorized signature

Hostesses and exhibition staff S4.40

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Your ServicePartner *
Lorenz Projekte GmbH & Co. KG
Lorenz Office GmbH & Co. KG
Lorenz Technik GmbH & Co. KG
Dr.-Kurt-Schumacher-Str. 16, 90402 Nürnberg
T +49 9 11 21 46 66 38
F +49 9 11 21 46 66 88
messe@lorenz-personal.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

Order

Lorenz Personal
INDIVIDUELL. ENGAGIERT. KOMPETENT.

VAT ID number of invoice addressee:
☐☐ ☐☐☐☐☐☐☐☐☐☐☐☐

Our terms for our qualified services are:

Qualifications the start of the event	Hourly rate for bookings	Number of staff	Date from/to	Time from/to	Male/ Female
Hostess services without knowledge of foreign language	EUR 27.02				
Hostess services with knowledge of one foreign language	EUR 28.85				
Hostess services with knowledge of two foreign languages	EUR 29.25 – EUR 36.65				
Head hostess services (recommended for 5 or more hostesses)	EUR 35.07				
Translator hostess services	EUR 38.74				
Certified interpreter	on request				X
Assembly assistant **	EUR 30.28				

** (without own work equipment) for stand assembly/dismantling

Description of work: _____

_____

_____

Foreign languages: ☐ English ☐ French ☐ Italian ☐ Spanish ☐ _____

Prices are quoted per hour plus VAT (at the statutory rate). The minimum order is 5 consecutive hours per operation day. The complete amount has to be paid in advance at the latest 14 days before the start of the event. The Lorenz Group is a temporary employment agency for the purposes of Art. 1 of AÜG (German Temporary Employment Act) and is in possession of a valid license for hiring out temporary staff.
Please note that work on Sundays and public holidays may be subject to surcharges of 50 % per hour.

Orders received later than 14 days before the start of the event will be billed an express surcharge of 25 % per order.

The cancellation terms are as follows:
Up to 10 days before the beginning of the task 50 % of the total amount
Up to 3 days before the beginning of the task 80 % of the total amount

We will arrange everything for you from providing staff through to billing. Our experienced and dedicated team is always available for you during the event.

We appreciate your order and assure you our professional service. Please notify us your requirements as soon as possible and do not hesitate to contact us if you have any further questions by telephone +49 9 11 21 46 66-38 or e-mail to messe@lorenz-personal.de.

* The contractual partner is the ServicePartner. NürnbergMesse GmbH will gladly recommend another ServicePartner on request. NürnbergMesse GmbH acts only as agent and accepts no liability whatsoever for the ServicePartner. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General Terms of Business and Special Conditions for Services incl. information on data protection of the NürnbergMesse and the ServicePartner and we accept them on all points. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

The customer undertakes to comply with and implement the SARS-CoV-2 occupational safety standards published on April 16, 2020 by the Federal Ministry of Labor and Social Affairs with the respective updates. Furthermore, the requirements of the statutory accident insurers and the local trade and health authorities and other competent authorities and bodies are binding.

Place and date

Company stamp and authorized signature

Insurance S4.70

Nuremberg, Germany
2 – 4.3.2021

embeddedworld2021
Exhibition&Conference
... it´s a smarter world

Return to
NürnbergMesse GmbH
MesseService
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de

Contractor *
deas Deutsche Assekuranzmakler GmbH
Königstorgraben 9
90402 Nürnberg
T +49 9 11 58 85-1 90
F +49 9 11 58 85-2 90
anne.vitzthum@deas.de

Hall/Stand

Company

Person to contact

Street

Tel

Postcode, Town, Country

Fax

Tel

Invoice address (only if different)

Fax

E-mail

VAT ID number of invoice addressee:

Application

☐ Exhibition Insurance

Insured are exhibition goods, booth, booth equipment and personal effects of the staff for the duration of the trade fair, including transport to and from the exhibition site.

(For an insurance sum over EUR 50,000 please inquire)

(Art. 38000001)	(Art. 38000002)	(Art. 38000003)
Up to EUR 10,000	**Up to EUR 25,000**	**Up to EUR 50,000**
☐ **EUR 60.90**	☐ **EUR 144.70**	☐ **EUR 274.10**

☐ Follow-up Liability Insurance for Major Losses

Insurance is provided within a mutual policy of NürnbergMesse and for all companies that have applied for cover. The period of cover is for the duration of the trade fair including the assembly and dismantling of the stand. Insurance coverage is valid in excess of an existing General Liability coverage of EUR 500,000 to be in force for the insured company (exhibitor). If there is not existing such General Liability coverage the EUR 500,000 shall be deemed to be a deductible.

(Art. 38000005)
in excess of EUR 500,001 up to EUR 15,000,000 combined for bodily injury and/or property damage

☐ **EUR 59.50**

☐ Personal Accident Insurance (Additional Cover)

Insurance is provided for accidents that the insured stand staff suffer during their stay in the Exhibition Center Nuremberg.

Insured Sums: EUR 10,000 in case of death
EUR 25,000 in case of 100 % invalidity

(Art. 38000007)	(Art. 38000008)	(Art. 38000009)
Up to 2 Persons	**Up to 4 Persons**	**Up to 10 Persons**
☐ **EUR 12.80**	☐ **EUR 21.70**	☐ **EUR 42.50**

All the aforementioned premiums are inclusive of possible statutory insurance tax.

We have read and accept the conditions stated overleaf.

* If necessary, NürnbergMesse is entitled to have the service ordered provided by another ServicePartner. In this case, the customer will be notified of the other ServicePartner in good time. Please refer to the OnlineShop of NürnbergMesse GmbH for the currently valid prices.
With our authorized signature below, we acknowledge acceptance of all items of the General and Special Terms of Business of NürnbergMesse incl. the information on data protection and the General Terms of Business and the Special Conditions for Services of the ServicePartner. We can object to the promotional use of our data by NürnbergMesse GmbH at any time by letter (NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg) or e-mail (data@nuernbergmesse.de).

Place and date

Company stamp and authorized signature

Confirmation of Coverage

In the name of and on behalf of the insurer we hereby confirm insurance cover within the scope of the insurance policies applied for overleaf.

Insurance coverage takes effect as soon as the application form is received by NürnbergMesse or by deas Deutsche Assekuranzmakler GmbH, but not sooner than the risk begins, regardless of when the invoice is sent, provided the insurance premium is paid before the risk begins or alternatively immediately after receipt of the invoice.

deas
Deutsche Assekuranzmakler GmbH

Short Information (Important – please read carefully!)

The following is only for information purposes and only summarizes the insurance cover and does not mirror the conditions, regulations and exclusions of the respective insurance policies. Decisive for the insurance cover are only the respective insurance policies and their conditions and regulations. These policies can be requested if wished by contacting deas Deutsche Assekuranzmakler GmbH on T +49 9 11 58 85-0 or can be downloaded at www.nuernbergmesse.de/insurance.

Exhibition Insurance

Policy no. 86093232107

1. **Purpose of the insurance**

   The Exhibition insurance is an All Risk cover and insures the exhibition goods, the stand and equipment including transport to and from the exhibition site, the building up of the stand for the duration of the trade fair and the dismantling of the stand. Personal effects of stand staff are insured only within the exhibition area against fire, burglary and proven theft

2. **Insured Risks**
   The Exhibition insurance covers claims arising from damages that occur through loading and unloading, during transport or stopovers or for storage in-between or after the erection of the stand, and for damages that occur for the duration of the fair. Insured are those claims that result, for example, through
   a) conveyance accidents,
   b) fire, lightning or explosion,
   c) force majeure,
   d) burglary or theft,
   e) breakage or leakage of fluids,
   f) visitors at the trade fair.

   The Exhibition insurance covers the costs for the expert restoration or repair or the value of the insured goods in case of a complete write-off.

3. **Risks not insured**
   Excluded from insurance cover are amongst others, claims
   a) arising through demonstrations, rehearsals, load tests and similar,
   b) that the insured exhibitor brings about on his own goods, through such actions as assembly and dismantling,
   c) arising through scratches and other polishing damage or gluing,
   d) through theft, burglary or loss of food and groceries that were foreseen for consumption.

   Not insured are: cash, documents, bonds, tickets and other valuables.

4. **Requirements for insurance coverage**
   During the periods of assembly and dismantling of the stand, the exhibition goods, equipment and/or the stand **must be regularly controlled** by the stand staff or by a security guard or a trusted representative.
   A police report must be prepared for damages caused through theft, burglary or robbery.

Follow-up Liability Insurance for Major Losses

Policy no. JLO 8194325

1. **Subject of Insurance**
   Insured is the policy holder's liability on the basis of legal provisions under Private Law in consequence of the policy holder's company characteristics and employees (stand staff) in regard to bodily injury and/or property damage.

2. **Important Exclusions!**
   Not insured are amongst others
   a) liability claims made that exceed the scope of legal liability,
   b) damages suffered by the policy holder,
   c) damages wilfully cased by the policy holder,
   d) monetary fines,
   e) damages occurring through usage of motor vehicles,
   f) claims arising from non-fulfillment.

3. **Limitations of Insurance**
   a) The insurance sum (limit) is provided mutually for all companies included in the insurance policy.
   b) The insurance provides coverage in excess of an existing General Liability Insurance for the insured company with an insurance sum of at least EUR 500,000 combined for bodily injury and/or property damage.
   c) If there is no existing General Liability Insurance for the insured company then the EUR 500,000 shall be deemed to be a deductible.

Personal Accident Insurance

(Additional Cover)

Policy no. 80140053976

1. **Scope of Cover**
   Insurance is provided for **accidents** suffered by the insured stand staff during their stay on the premises of the trade fair (including parking places) that result in a permanent physical or mental disability of the insured or the death of the insured person within one year after the accident.
   An accident has occurred if, due to an external event, the insured person is suddenly bodily affected and involuntarily suffers an impairment of health.

2. **Exclusions**
   The following are excluded from cover:
   a) accidents caused by mental impairment of consciousness, also such accidents that are attributable to drunkenness, as well as accidents caused by strokes, epileptic fits etc.,
   b) impairment of health caused by radiation,
   c) infections,
   d) poisoning,
   e) damage to vertebral discs.

Terms and Conditions for Exhibition Marketing

General Terms and Conditions for Exhibition Marketing

1. Applicability

The terms and conditions of NürnbergMesse GmbH (hereinafter: NürnbergMesse) are exclusive; terms and conditions of the Exhibitor (hereinafter: the Client) that conflict with or diverge from those of NürnbergMesse will not be recognized unless NürnbergMesse has expressly consented to them in writing. The present terms and conditions will apply even if NürnbergMesse unconditionally carries out a marketing order in the awareness of conflicts with or differences from the Client's own terms and conditions.

2. Contract documents

The contract between NürnbergMesse and the Client for advertising activities comprises the following integral parts, which are listed in their order of priority:

- The order form, including product descriptions
- The Special Terms and Conditions below for online, print and on-site advertising, and for entries and advertisements in an event catalog and event guide
- These General Terms and Conditions for Exhibition Marketing
- The Special Terms and Conditions for Participation in the specific event
- The General Terms and Conditions for Participation in Fairs and Exhibitions.

3. Making the contract

By placing an order for advertising, the Client is making a binding offer. Orders will be accepted by NürnbergMesse only if placed in writing on the official form or via the OnlineServiceCenter. The contract will not take effect until NürnbergMesse accepts this offer by sending an order confirmation. The order must comply with the minimum order volume. Advertising space and placements are allocated in the sequence in which written orders are received. If the ordered advertising space or placement is already taken, the Client will be assigned the closest possible available advertising space or placement, at NürnbergMesse's discretion. The Client expressly consents to this arrangement. NürnbergMesse may engage outside companies or subcontractors to provide the agreed services. Unless agreed otherwise, the third parties will be engaged on behalf and for the account of NürnbergMesse.

4. Prices, terms of payment

(1) The prices stated in the order form at the time of placement of the order shall apply. Unless agreed otherwise, prices stated by NürnbergMesse are understood to be in euros and do not include the value added tax required by law.
Invoices issued by NürnbergMesse are due and payable in full immediately on receipt.
NürnbergMesse may also change prices as it reasonably sees fit after the contract is established. In the event of a price increase, the Client may cancel the order within 14 days after receiving notice of the price increase. The foregoing shall not affect the obligation to pay for services that have already been provided by NürnbergMesse.

5. Late payment

(1) In the event of late payment, NürnbergMesse reserves the right to stop work on an order in progress until payment is received in full, and to require payment in advance for any remaining services.
(2) If NürnbergMesse has objectively justifiable doubts about the Client's solvency, NürnbergMesse shall be entitled, even while a contract is still in effect, to defer any further performance of services until they are paid for in advance and any outstanding invoice amounts are settled, irrespective of any target date originally agreed upon for payment.

6. Deadlines for print material and data

The deadlines for sending print material and other data can be found in the applicable order forms or order confirmations. The Client is responsible for delivering print material and data in good time. If these are not delivered on time, NürnbergMesse may decline the order for advertising services.
NürnbergMesse will be liable for the timely completion and proper quality of its work only if the Client has duly met its contractual obligations, particularly the obligation to provide print material and data in good time.

7. Responsibility for content

The Client is responsible for the content of advertising and any resulting harm. The Client assumes responsibility for the content and lawfulness of the graphics and text material made available for advertising. The Client warrants that the advertising that it has ordered and that is carried out using the data and materials it provides does not infringe third parties' intellectual property rights. The Client must notify NürnbergMesse immediately if it discovers an infringement of third parties' rights, or if it has evidence that such an infringement may have occurred.
NürnbergMesse is under no obligation to verify whether the data or other materials supplied by the Client in order to perform the service infringe or may infringe third parties' intellectual property rights. For that reason, NürnbergMesse does not warrant that data or other materials not provided by NürnbergMesse itself are free from third-party claims.

8. Right of refusal

NürnbergMesse reserves the right to refuse orders for advertising or to discontinue advertising activities because of their content, origin or technical form, even after the contract has been entered into, on consistent, objectively justified grounds, if

- The content, in NürnbergMesse's conscientious opinion, is against the law or violates regulations established by the authorities

or

- The content is contrary to public policy or has been the subject of a complaint in a proceeding before the German Advertising Council, or if NürnbergMesse cannot reasonably be expected to publish it.

In making its decision, NürnbergMesse will consider not only the overall content but the general visual appearance of the
advertising from the viewpoint of quality and aesthetics. The Client will be notified promptly of any refusal of an advertising order.
In the case of online advertising, the right of refusal will also apply if the advertisement contains a link to websites that fulfill the above conditions for refusal. Any refusal of an advertising order for the above reasons will not affect NürnbergMesse's right to be remunerated for services already provided. NürnbergMesse reserves the right to claim damages.

9. Indemnification

In the event of a breach of the duties incumbent on the Client under Sections 7 and 8 above, the Client must immediately hold NürnbergMesse harmless from any and all third-party claims for damages and make it whole for all harm that may arise from an infringement of intellectual property rights, and must also make advance payments towards expenses if NürnbergMesse so requests.
This indemnification obligation in particular also includes an obligation to hold NürnbergMesse harmless against the necessary expenses of a legal defense.
The Client agrees to support NürnbergMesse to the best of its ability with information and documentation in a legal defense against third parties.

10. Liability

(1) Section 19 of the General Terms and Conditions for Participation in Fairs and Exhibitions shall apply.
NürnbergMesse's liability for the loss of data shall be limited to the typical cost of restoration that would have been incurred if the Client had prepared regular backup copies consistent with the risk.
(2) NürnbergMesse shall be liable for damages to the full extent provided by law in the event of willful or grossly negligent breaches of duty, injury to life, limb or health, liability under the German Product Liability Act, and to the extent that NürnbergMesse has furnished a warranty of qualities.
(3) NürnbergMesse shall be liable above and beyond the cases indicated in subsection (2) only in the event of a negligent breach of material contractual obligations. In this case, NürnbergMesse's liability shall be limited to the typical foreseeable loss or damage.
(4) "Material contractual obligations" means those obligations that protect the Client's interests that are material to the contract, which the contract is intended to ensure for the Client by virtue of its content and purpose; contractual duties shall also be material if the proper performance of the contract would be impossible without their fulfillment, and if the Client regularly relies and is entitled to rely on that fulfillment.
(5) There can be no further liability.

11. Unforeseen events

If NürnbergMesse is unable to carry out an advertising activity because of force majeure, labor disputes, or other circumstances beyond NürnbergMesse's control, it must promptly notify the Client.
In these cases, NürnbergMesse shall be released from the obligation to fulfill the order and to provide damages. In general, there will be no entitlement to remuneration in these cases; however, NürnbergMesse may bill the Client for work commissioned from NürnbergMesse, in the amount of the incurred expenses, if the results of the work are still of interest to the Client. The contract shall remain in force for the other advertising services ordered. So far as possible, however, NürnbergMesse will make good the advertising activity. If the advertising is made good within a reasonable period of time after the disruption is remedied, the entitlement to compensation shall survive.

Terms and Conditions for Exhibition Marketing (continued)

12. Cancellation of orders

(1) An order for advertising must be cancelled in writing.

(2) If the Client cancels an order for advertising services, NürnbergMesse shall be entitled to charge a cancellation fee according to the following schedule:

- From receipt of the booking confirmation to 120 days before the start of the event, 25 % of the order value for the booked service, or compensation for the services already provided by NürnbergMesse
- Later than 120 days before the start of the event, 100 % of the order value for the booked service.

13. Withdrawal and cancellation

(1) If the Client withdraws from a contract with regard to one or more advertising services (cancellation of the order), the contract will remain in force for the remaining advertising services.

(2) If NürnbergMesse has already provided advertising services that it was reasonably entitled to provide at the time of the Client's request to cancel the order, NürnbergMesse's entitlement to compensation for the services already provided shall be unaffected by the Client's withdrawal.

14. Notification of defects

The Client must promptly inspect the services provided by NürnbergMesse and give prompt notice of any defects. If defects become apparent only later in spite of a careful inspection, they must be reported promptly after their discovery. In any case, NürnbergMesse must receive notice of obvious defects not later than seven days after the end of the event, or in the case of online advertising, seven days after the end of display of the advertising.

Notices of defects must be given in writing.

If notice of a defect is given tardily, any warranty entitlements shall entirely lapse. The same shall apply if the defect results from changes that the Client itself has made, or if the Client interferes with NürnbergMesse's ability to determine the defect. Otherwise, the Special Terms and Conditions governing the particular advertising option concerned will apply.

15. Data protection notice

Personal data will be processed by NürnbergMesse as the controller within the meaning of data protection law, and where applicable by its ServicePartners, with due regard to the data protection regulations applicable to the support and information provided to customers and interested parties and the performance of the offered services (legal basis: Art. 6 para. 1 letter b EU-GDPR).

In accordance with the principle of data minimization and data avoidance, only that data which is absolutely necessary for the aforementioned purposes will be processed. Personal data will of course be treated as confidential and protected as best as possible by means of appropriate security measures. Only authorized persons engaged in providing technical, commercial and customer administration support will have access to the Clients' data. Naturally, appropriate job processing agreements have been concluded to the extent legally required. Personal data will be retained until the contractual relationship with NürnbergMesse is terminated and also until the data is no longer needed for other legal reasons (e.g. due to statutory retention periods).

Every client has the right to complain about this data processing to the competent data protection supervisory authority and may demand, subject to fulfilment of the legal conditions, information, rectification, erasure or restricted processing, object to the processing or assert his right to data transferability. NürnbergMesse GmbH, Exhibition Centre, 90471 Nuremberg/data@nuernbergmesse.de or its data protection officer (datenschutz@nuernbergmesse.de) will be glad to answer any questions on this subject.

16. Data use for promotional purposes

NürnbergMesse has an interest in cultivating the customer relationship with its exhibitors and providing them with information and offers about its own similar events and services. Therefore, the data transmitted with the submission of the order (company name, address, telephone/fax number and e-mail address) will be processed by NürnbergMesse and where applicable by its service partners to transmit appropriate event-related information and offers by e-mail in accordance with Art. 6 para. 1 letter f EU-GPDR.

Objection to the use of data for purposes of direct promotion can be notified to NürnbergMesse at any time; this also applies to profiling if it is directly related to the direct advertising. Once the objection is notified, the data will no longer be processed for this purpose. The objection can be notified without observing formal requirements and without indication of reasons and without incurring separate costs aside from the customary transmission costs at basic rates. The objection should be addressed to NürnbergMesse GmbH, Messezentrum, 90471 Nuremberg, or data@nuernbergmesse.de.

17. Contracts in electronic business

If the Client uses the OnlineShop to place an advertising order or to make any other form of service contract, NürnbergMesse will be required only to ensure that the Client can view the General Terms and Conditions and store them in reproducible form at the time when the contract is made. NürnbergMesse will have no further obligations in this regard.

18. Place of performance, jurisdiction and venue

(1) The place of performance and the jurisdiction and venue for all obligations proceeding from the contractual relationship concerning marketing services shall be Nuremberg, if the Client is a merchant (Kaufmann) as defined under German law, or a public-law legal entity or special fund under public law, or if the Client has no general jurisdiction and venue in Germany.

(2) German law and the German text of the relevant terms and conditions shall apply exclusively. The terms of the UN Convention on Contracts for the International Sale of Goods shall not apply.

19. Severability clause

If any provision of these contract terms and conditions, or a provision of other agreements, is or becomes invalid, the validity of all other provisions or agreements, as well as the contractual relationship between the Parties, will otherwise be unaffected. In such a case, the Client and NürnbergMesse will replace the invalid provision with a valid one that approximates the economic purpose of the invalid provision as closely as possible.

Special Terms and Conditions for Online Advertising

1. Data delivery

(1) The Client must provide NürnbergMesse with data in the agreed format and conforming to the agreed technical requirements, by electronic means, not later than five days before the start of publication.

(2) NürnbergMesse reserves the right to refuse banner or logo advertisements that are not recognizable as such because of their design, or to require the Client to modify the advertisements or banners so that they are clearly recognizable as advertising.

(3) NürnbergMesse's obligation to store electronically transmitted data will end three months after the date agreed upon for the end of publication.

(4) The Client must assume any additional costs incurred for changes the Client requests in the nature or presentation of an advertisement or banner after the data are transmitted. The same will apply if changes in the nature and presentation of the advertisement or banner become necessary for legal reasons.

2. Representation and warranty of rights

(1) The Client represents and warrants that it holds all rights needed for a publication of the advertisement or advertising banner on the Internet.

(2) The Client will transfer to NürnbergMesse all necessary rights of use for the contractually required display of the advertisement or advertising banner on the NürnbergMesse site.

3. Warranty

(1) NürnbergMesse warrants a display of the advertisement or advertising banner during the agreed time in conformity with usual technical standards. This warranty does not apply to minor errors.

(2) In the event that the display is unavailable for a substantial period of time (more than 10 percent of the booked time) during a fixed booking period, the Client will not be required to pay for the period of unavailability. There can be no further claims.

(3) If the advertisement or banner is displayed defectively, the Client will be entitled to a reduction of payment or a correct substitute advertisement, but only to the extent that the purpose of the advertisement or banner was frustrated. If the substitute advertisement fails or cannot reasonably be carried out, the Client shall have a right to a reduction of payment as provided by law, or in the event of substantial defects, a right to cancel the order.

(4) If execution of an order fails for reasons that are beyond the control of NürnbergMesse, for example because of force majeure or strikes, requirements of law, or disruptions deriving from the sphere of control of third parties, network operators or service providers, the execution of the order will be made good so far as is possible. NürnbergMesse's entitlement to compensation will remain in effect if the order is made good within an appropriate amount of time that is reasonable for the Client.

(5) Without prejudice to Section 10 in the General Terms and Conditions for Exhibition Marketing, there can be no further warranty claims. Explicit reference is made to Section 14 of the General Terms and Conditions for Exhibition Marketing.

The prescription period for all warranty claims will be one year, beginning with the agreed end of publication.

Terms and Conditions for Exhibition Marketing (continued)

Special Terms and Conditions for Print Advertising

1. Return deadline

(1) If the print master for the advertisement or company logo in the exhibition catalog is not received by the applicable deadline for submission or return as provided in Section 6 of the General Terms and Conditions for Exhibition Marketing, NürnbergMesse may include such belated print masters for catalog entries in the catalog supplement, at an additional charge.

(2) In the event of a cancellation or other termination of a contract after the deadline indicated in subsection 1, NürnbergMesse will nevertheless be entitled to publish the advertisement or company logo in the exhibition catalog or exhibition guide. For all other cases, the provisions of Section 6 of the General Terms and Conditions for Exhibition Marketing will apply.

2. Quality and storage of print materials

The Client is responsible for submitting defect-free print materials. The Client must send any materials needed in order for NürnbergMesse to provide its services, carriage paid to NürnbergMesse's offices or to the location designated by NürnbergMesse, by the agreed deadline.

NürnbergMesse will store the documents or data provided by the Client for one month after the end of the event. If the Client provides original masters or digital data, it should prepare duplicates or backup copies for itself beforehand.

NürnbergMesse accepts no liability for Client masters that are not reclaimed within one month after the end of the event. If the Client requests return of the materials it has provided, they will be returned from the place of use at the Client's expense and risk.

An accompanying color proof is to be provided for color printing. Otherwise no responsibility can be accepted for correct color reproduction.

NürnbergMesse will request replacements without delay for unsuitable or damaged advertising masters. Graphics work, changes to data already supplied, and preparation of color proofs will be charged separately. If the Client subsequently requests substantial changes in the originally agreed designs, the Client may be charged separately for the resulting additional cost.

If defects in the advertising masters are not immediately evident and only become apparent during processing, the Client must accept any resulting additional costs or processing losses. If no particular instructions are given regarding size, charges will be based on the actual print size customary for the type of advertisement concerned.

3. Warranty

NürnbergMesse warrants the customary print quality for the advertisements in the exhibition catalog and for the company logo in the exhibition catalog or exhibition guide, subject to the limits allowed by the print materials. NürnbergMesse will provide a full specimen copy on request (print catalog, exhibition guide).

If the advertisement or logo is defective, the Client shall be entitled to a reduction of payment, but only to the extent that the purpose of the advertisement or logo was frustrated. Without prejudice to Section 10 of the General Terms and Conditions of Exhibition Marketing, there can be no further warranty claims.

Explicit reference is made to Section 14 of the General Terms and Conditions for Exhibition Marketing.

The prescription period for all warranty claims shall be one year. It shall begin with acceptance of the service, or, if acceptance is not possible because of the nature of the service, after the end of the event.

Special Terms and Conditions for On-Site Advertising

1. Outdoor and Indoor Advertising

(1) On-site advertising (hereinafter: Outdoor and Indoor Advertising), if conducted outside the rented booth spaces at the Exhibition Center, is subject to additional charges. Such advertising within the Exhibition Center Nuremberg but outside the rented booth spaces is permitted only for Clients registered for the event concerned, and only if the Client has previously received a written order confirmation from NürnbergMesse for the intended advertisements.

(2) Outdoor or Indoor Advertising outside the Client's own rented booth space, if not approved or not permitted, will be removed and impounded by NürnbergMesse or its vicarious agents at the Client's expense.

(3) Outdoor Advertising means Client advertising in the form of poster advertisements of various sizes and banner advertising on the outdoor grounds of NürnbergMesse during the booked event.

(4) Indoor Advertising means poster advertisements and any kind of printed and multimedia advertising in diverse media and in various sizes in the interior of the Exhibition Center during the booked event.

(5) These provisions shall apply analogously for all other forms of advertising on the exhibition site.

2. Orders/Making the contract

(1) By placing an order for advertising, the Client is making a binding offer. The order must be placed in writing. NürnbergMesse will accept the offer by sending an order confirmation.

(2) All advertising space is allocated in the sequence in which written orders are received.

The order must comply with the minimum order volume.

(3) The Client has no entitlement to a particular advertising space. If the ordered advertising space is already taken, the Client will be assigned the closest possible available advertising space, at NürnbergMesse's discretion. The Client expressly consents to this arrangement.

(4) NürnbergMesse may refuse orders for advertising that are not received on time.

(5) NürnbergMesse may engage outside companies or subcontractors to provide the agreed services. NürnbergMesse will primarily engage what are known as its "service and contract partners" for this purpose. The Client may object to this engagement only for good cause. Unless agreed otherwise, the third parties will be engaged on behalf and for the account of NürnbergMesse.

3. Prices, terms of payment, right of retention

(1) Unless agreed otherwise, prices stated by NürnbergMesse are understood to be in euros and do not include the value added tax required by law.

(2) Special graphics work and the preparation of films, if final artwork is submitted, will be charged separately. If the Client subsequently requests substantial changes in the originally agreed designs, the Client may be charged separately for the resulting additional cost.

(3) Invoices issued by NürnbergMesse are due and payable in full immediately on receipt.

(4) The Client shall be entitled to rights of offset or retention only if its counterclaims have been upheld beyond legal appeal or are acknowledged by NürnbergMesse. A right of retention shall furthermore exist only if the asserted counterclaim is founded on the same contractual relationship as NürnbergMesse's claim.

4. Deadlines

(1) Deadlines for sending print materials or posters – to be arranged by the Client – are shown on the applicable order forms or order confirmations.

(2) The Client is responsible for the timely delivery of the print materials or posters.

(3) NürnbergMesse will be liable for the timely completion and proper quality of its work only if the Client has duly met its contractual obligations, particularly the obligation to provide materials on time.

(4) NürnbergMesse assumes no warranty or risk for the procurement of materials or ingredients necessary for creating the advertising. In this regard it shall be liable for willful misconduct or gross negligence only insofar as this restriction is permitted by law and liability is not excluded as provided in the sections below.

5. Responsibility for content

(1) The Client is responsible for the content of advertising and any resulting harm. The Client assumes responsibility for the content and lawfulness of the graphics and text materials made available for advertising. The Client warrants that the Outdoor and Indoor Advertising that it has ordered and that is carried out using the information and materials it provides does not infringe third parties' intellectual property rights. NürnbergMesse is under no obligation to verify whether the information or materials supplied by the Client in order to provide the services infringe or may infringe third parties' intellectual property rights. For that reason, NürnbergMesse does not warrant that information or materials not provided by NürnbergMesse itself are free from third-party claims.

(2) NürnbergMesse reserves the right to refuse advertising orders because of their content, origin or technical form, on consistent, objectively justified grounds, if the content, in NürnbergMesse's conscientious opinion, violates the law, regulations established by the authorities, or public policy. The Client will be notified promptly of any refusal of an advertising order. NürnbergMesse furthermore reserves the right to refuse advertising orders because of their content and general visual appearance from the viewpoint of quality and aesthetics, especially if NürnbergMesse cannot reasonably be expected to carry out publication. The Client will also be notified promptly of this refusal as well. NürnbergMesse cannot be held liable for a refused advertising order.

(3) The same shall apply, and shall entitle NürnbergMesse to immediately cancel the Client's advertising order, in cases where the content and general visual appearance of the advertising, its origin or its technical form does not become known to NürnbergMesse until after the order confirmation has been issued. In this case, Sections 12.(2) and 13 of the General Terms and Conditions for Exhibition Marketing will apply analogously.

(4) In the event that the Client breaches its obligations under subsections 1 through 3 above, the Client must immediately hold NürnbergMesse harmless from any and all third-party claims for damages and make it whole for all harm that may arise from the infringement of intellectual property rights, and must make advance payments toward costs if so requested by NürnbergMesse.

6. Quality/Delivery of print materials

(1) The Client is responsible for submitting defect-free print materials. The Client must send any materials needed in order for NürnbergMesse to provide its services, carriage paid to NürnbergMesse's offices or to the location designated by NürnbergMesse, by the agreed deadline. If the Client requests return of the materials it has provided, they will be returned from the place of use at the Client's expense and risk.
(2) NürnbergMesse will store the materials provided by the Client for one month after the end of the event. If the Client provides original masters (slides, diskettes, etc.), it agrees to prepare duplicates beforehand. NürnbergMesse accepts no liability for Client masters that are not reclaimed within one month after the end of the event.
(3) An accompanying color proof is to be provided for color printing. Otherwise no responsibility can be accepted for correct color reproduction. NürnbergMesse will request replacements without delay for recognizably unsuitable or damaged advertising masters. NürnbergMesse warrants the customary print quality for poster and banner advertising, subject to the limits allowed by the print masters.
(4) If defects in the advertising masters are not immediately evident and only become apparent during processing, the Client must accept any resulting additional costs or processing losses.

7. Storage and return of advertising materials

(1) If the Client requests in a timely manner the return of the advertising materials it has provided, they will be returned from the place of use at the Client's expense and risk.
(2) In the event of consecutive events, the Client must remove the provided advertising materials at its own expense not later than 6 a.m. on the morning following the end of the event. NürnbergMesse will inform the Client in good time about whether a conflicting event is scheduled.
(3) Subsections 1 and 2 shall apply analogously for advertising materials that NürnbergMesse produces itself, or arranges to have produced, for the Client.

8. Warranty and liability

(1) The Client must promptly inspect the services provided by NürnbergMesse and give prompt notice of any defects without undue delay. If defects become apparent only later in spite of a careful inspection, they must be reported promptly after their discovery.
(2) If the complaint of a defect is justified, NürnbergMesse will either provide a replacement or remedy the defect, at its own choice. If a remedy fails, the Client may withdraw from the contract or reduce the price. A remedy will be deemed to have failed after an unsuccessful second attempt, unless occasioned otherwise by the particular nature of the matter or defect or other circumstances.
(3) Otherwise, the Client may demand damages in lieu of performance or reimbursement of frustrated expenditures only if NürnbergMesse or its vicarious agents have committed willful misconduct or gross negligence. This limitation shall not apply if liability is established by mandatory law for a breach of an obligation that is essential in order to achieve the entire purpose of the contract, of if the liability results from an injury to life, limb or health.
(4) The amount of NürnbergMesse's liability shall be limited to the foreseeable loss or damage typical of the contract, except in cases where the loss or damage is caused willfully or through gross negligence, or where the liability results from an injury to life, limb or health.
(5) The foregoing shall not affect liability under the Product Liability Act.
(6) NürnbergMesse will assume the expenses necessary for subsequent performance, including, without limitation, the costs of shipping, infrastructure use charges, and costs of labor and materials. NürnbergMesse will not assume other incidental expenses that result from the defect; in particular, it will not be liable for indirect or consequential damage or losses, such as lost income, lost use, cost of capital or lost profits.
(7) Warranty claims against NürnbergMesse accrue directly to the Client alone, and cannot be assigned.
(8) If the notice of a defect is tardy, any warranty claims shall lapse entirely. The same shall apply if the Client itself makes or has made changes or makes it impossible for NürnbergMesse to determine the defect.

9. Time bar

(1) The Client's entitlement to subsequent performance, damages, reimbursement of expenses or a price reduction because of a defect will be time barred one year after acceptance of the service or, if acceptance is not possible because of the nature of the service, one year after the end of the event. Withdrawals declared after the expiration of the prescription period are invalid.
(2) All other claims of the Client will likewise expire in one year. The prescription period for this purpose shall begin as provided by law.

Special Terms and Conditions for Entries and Advertisements in the Exhibition Catalog and Exhibition Guide

1. Content of catalog and exhibition guide, advertising clients

The print catalog contains an alphabetical list of exhibitors, a list of products and advertisements, and if applicable also an alphabetical list of trademarks and/or company logos. Full-page advertisements may be published in the exhibition guide, and logos may be incorporated into the hall plans. Only exhibitors may be included in these lists and ads. NürnbergMesse is entitled to use the data provided by the Client for the exhibitors' and product database on the Internet.

2. Order forms

NürnbergMesse will accept orders for advertisements and orders for the exhibition catalog and exhibition guide only in writing on the official order form (if any) or via orders on the Online ExhibitorShop. Preferred pages for advertising orders will be allocated in the sequence in which the written orders are received.

3. Deadlines for submission

(1) The deadlines for submission of catalog entries and catalog advertisements, and for inclusion in the exhibition guide, can be found in the applicable printed forms or at the Online ExhibitorShop. The Client is responsible for delivering the advertisement copy on time.
(2) If no order is received prior to the submission deadline, there will be only a catalog entry in the alphabetical list of exhibitors, based on the information in the standard registration form. NürnbergMesse may include orders for catalog entries received belatedly in the catalog supplement, at an additional charge.

4. Responsibility for content

(1) The Client is responsible for the content and lawfulness of the graphics and text materials provided for the insertion, and for any resulting harm.
(2) The print catalogs, the exhibitors' and product database on the Internet, and the exhibition guide will be edited and published by NürnbergMesse.
(3) NürnbergMesse reserves the right to refuse advertising orders because of their content, origin or technical form, on the basis of consistent, objectively justified principles, if the content, in NürnbergMesse's conscientious opinion, violates the law, regulations established by the authorities, or public policy, or if NürnbergMesse cannot reasonably be expected to publish it. The Client will be notified promptly of any refusal of an advertising order.

5. Quality of print materials

(1) The Client is responsible for submitting defect-free materials (print, online). An accompanying color proof is to be provided for color printing. Otherwise no responsibility can be accepted for correct color reproduction. NürnbergMesse will request replacements without delay for unsuitable or damaged print materials.
(2) NürnbergMesse warrants the customary print quality for print catalogs, subject to the limits allowed by the print materials. Graphics work, changes requested by the Client for data already supplied, and preparation of color proofs will be charged separately. The Client may also be charged separately for substantial changes in the originally agreed designs.
(3) If defects in the delivered print materials are not immediately evident and only become apparent during processing, the Client must accept any resulting additional costs or losses during production. If no particular instructions are given regarding size, charges will be based on the actual print size customary for the type of advertisement concerned.

6. Liability

NürnbergMesse and its vicarious agents will apply the due care customary in the business in accepting and examining advertising texts, but will not be liable if they are misled or deceived by the Client. NürnbergMesse and its vicarious agents will be liable for entries unintentionally omitted, typographical errors, defective execution of any kind, etc., only if the defect was demonstrably caused by willful misconduct or gross negligence.

7. Charges for entries and advertisements

The prices for entries for direct exhibitors and co-exhibitors will be charged as provided in the "Special Terms and Conditions for Participation" in the exhibition. The fees for orders for the exhibition catalog additionally include entries in the product list.

Technical regulations 2021

Contents

1 Introduction 2
1.1 Site regulations, extract from site regulations 2
1.2 Opening times 2
1.2.1 Assembly and dismantling times 2
1.2.2 Duration of event 2
1.3 Responsible use of energy 2

2. Traffic in the exhibition grounds, escape routes, safety equipment 2
2.1 Traffic regulations 2
2.2 Escape routes 3
2.2.1 Fire brigade zones, hydrants 3
2.2.2 Emergency exits, escape hatches, hall gangways 3
2.3 Safety equipment 3
2.4 Stand numbering 3
2.5 Security 3
2.6 Emergency evacuation 4

3. Technical details and equipment of halls and outdoor area 4
3.1 Hall details 4
3.1.1 General lighting, power supply, voltage 4
3.1.2 Compressed air, electricity and water supply 4
3.1.3 Communication facilities 4
3.1.4 Sprinklers 4
3.1.5 Heating, ventilation 4
3.1.6 Failures 4
3.2 Outdoor area 4

4. Stand construction regulations 4
4.1 Stand safety 4
4.2 Approval of stand construction 4
4.2.1 Inspection and acceptance of structures requiring approval 5
4.2.2 Vehicles and containers 5
4.2.3 Modification of non-conforming components 5
4.2.4 Extent of liability 5
4.3 Construction heights 5
4.4 Fire prevention and safety regulations 5
4.4.1 Fire protection 5
4.4.1.1 Stand construction and decoration materials 5
4.4.1.2 Exhibition of motor vehicles 6
4.4.1.3 Explosive substances, munitions 6
4.4.1.4 Pyrotechnics 6
4.4.1.5 Balloons 6
4.4.1.6 Flying objects 6
4.4.1.7 Fog machines 7
4.4.1.8 Ash container, ashtray, smoking ban 7
4.4.1.9 Waste and recycling material containers 7
4.4.1.10 Spray guns, solvents 7
4.4.1.11 Abrasive cutting and all other work using naked flame 7
4.4.1.12 Empty packaging/storage of materials 7
4.4.1.13 Fire extinguishers 7
4.4.2 Stand roofing 8
4.4.3 Glass and acrylic glass 8
4.4.4 Reception rooms/inner rooms 8
4.5 Exits, escape routes, doors 8
4.5.1 Exits and escape routes 8
4.5.2 Doors 8
4.6 Platforms, ladders, stairs, and catwalks 9
4.7 Stand design 9
4.7.1 Appearance 9
4.7.2 Verification of rented area 9
4.7.3 Interference with building fabric 9
4.7.4 Hall floors 9
4.7.5 Suspending objects from hall ceilings 10
4.7.5.1 Provision of suspension points 10
4.7.5.2 Attaching objects to suspension points 10
4.7.5.3 Use of truss systems 10
4.7.5.4 Use of lifting equipment 11
4.7.5.5 Electric hoists 11
4.7.5.6 Manual hoists 11
4.7.6 Stand partition walls 11
4.7.7 Advertising materials, presentations 11
4.7.8 Disabled access 11
4.8 Outdoor area 11
4.8.1 Stand approval/ stand structures requiring permission 12
4.8.2 Ground anchors 12
4.8.3 Weather-related loads 12
4.8.3.1 Wind loads 12
4.8.3.2 Wind loads for temporary structures 12
4.8.3.3 Snow loads 12
4.8.4 Weather alerts 12
4.8.5 Exits/escape routes 12
4.8.6 Glass 12
4.9 Two-storey stands 12
4.9.1 Application 12
4.9.2 Regulations on building over stand areas, safety clearances, height of rooms in stands 12
4.9.3 Permissible loads/load assumptions 12
4.9.4 Escape routes, stairs 13
4.9.5 Building materials 13
4.9.6 Upper floor 13

5. Industrial safety, technical safety regulations, technical rules, technical supplies 13
5.1 General regulations 13
5.1.1 Damage 13
5.1.2 Coordination of work at the exhibition site 13
5.2 Use of tools and equipment 13
5.2.1 Explosive mixtures 14
5.2.2 Devices for catching wood dust and shavings 14
5.3 Electrical installation 14
5.3.1 Connections 14
5.3.2 Stand installation 14
5.3.3 Installation and operating regulations 14
5.3.4 Safety measures 14
5.3.5 Emergency lighting 15
5.4 Water and waste water installation 15
5.4.1 Connections 15
5.5 Compressed air/gas installation 15
5.5.1 Compressed air 15
5.5.1.1 Connections 15
5.5.1.2 Stand installationens 15
5.5.1.3 Installation and operating regulations 15
5.5.1.4 Compressed air cylinders 15
5.5.1.5 Compressors 15
5.5.2 Gas 15
5.6 Machines, pressure vessels, exhaust gas systems 16
5.6.1 Noise emission 16
5.6.2 Product safety 16
5.6.2.1 Safety devices 16
5.6.2.2 Inspection procedures 16
5.6.2.3 Requirements for start of operation 16
5.6.3 Pressure vessels 16
5.6.3.1 Acceptance certificate 16
5.6.3.2 Testing 16
5.6.3.3 Rented equipment 16
5.6.3.4 Supervision 16
5.6.4 Exhaust gases and vapors 16
5.6.5 Exhaust gas systems 16
5.7 Use of compressed gases, liquid gases and combustible liquids, fuel paste and other fuels 16
5.7.1 Compressed and liquid gas systems 16
5.7.1.1 Approval of compressed gas cylinders 16
5.7.1.2 Use of liquid gas 17
5.7.1.3 Installation and maintenance 17
5.7.2 Combustible liquids 17
5.7.3 Fuel paste and other fuels 17
5.8 Hazardous substances 17
5.9 Performance areas 17
5.10 Radiation protection 17
5.10.1 Radioactive substances 17
5.10.2 X-ray systems and stray radiation sources 18
5.10.3 Laser systems 18
5.10.4 LEDs 18
5.11 High-frequency equipment, radio installations, electromagnetic compatibility and harmonics 18
5.12 Cranes, forklift trucks, empty containers 18
5.12.1 Displaying heavy and bulky exhibits and machines 18
5.12.2 Exhibition and/or operation of cranes, lifting equipment, construction equipment and other equipment 19
5.13 Musical reproduction 19
5.14 Beverage dispensing systems 19
5.15 Handling foods 19
5.15.1 Requirements for stand/kitchen equipment 19
5.15.2 Cooking appliances and food preparation processes 19
5.15.3 Barbecuing 20

6. Environmental protection 20
6.1 Waste management 20
6.1.1 Waste disposal 20
6.1.2 Hazardous waste 20
6.1.3 External waste 20
6.2 Water, waste water, soil protection 20
6.2.1 Oil and grease separators 20
6.2.2 Cleaning, cleaning agents 20
6.3 Environmental damage 20

1. Introduction

NürnbergMesse GmbH, hereinafter known as NürnbergMesse, has drawn up regulations for its events with the aim of providing all exhibitors/organizers with optimum facilities for presenting their exhibits and approaching their visitors and potential customers.
These regulations are mandatory for all exhibitors, engaged subcontractors and organizers. In the interest of our exhibitors and visitors, these regulations also include safety regulations, which are intended to ensure the highest degree of safety for the technical and design aspects of events. The building regulations, fire prevention regulations and other safety regulations have been agreed with the responsible departments of the Nuremberg authorities. NürnbergMesse reserves the right to check for compliance with these regulations. Compliance with the applicable statutory regulations is also compulsory.
Wherever the term **"Stand Construction"** is used in the Technical Regulations in line with accepted linguistic usage, it does not refer to a structure as defined by the German Building Code. In legal terms, an exhibition stand/stand construction in the exhibition halls is an "installation" in a place of assembly.
The organization of an event/operation of an exhibition stand may be prohibited in the interest of all participants if any defects found have not been cleared by the start of the event. The right is reserved to impose further requirements regarding safety and stand construction if necessary.
In the remainder of the Technical Regulations, the term "hall" may be used for comparable buildings such as Congress Centres (NCC Mitte, NCC West, NCC Ost), entrance areas, and also corridors between halls.
The order forms for services are usually sent with the confirmation of admission and must be completed and returned by the specified deadline, as NürnbergMesse cannot accept responsibility for correct and timely execution of orders received late.
NürnbergMesse also reserves the right to impose a surcharge on the price of orders received late, in accordance with details given in the Online ExhibitorShop (OES). If applicable, exhibitors may be sent additional circulars with information concerning the preparation and organization of the event. These Technical Regulations have been coordinated between the following exhibition companies and are published in a standard layout:

Deutsche Messe AG, Hanover
Koelnmesse GmbH
Leipziger Messe GmbH
Messe Berlin GmbH
Messe Düsseldorf GmbH
Messe Frankfurt Venue GmbH
Messe München GmbH
NürnbergMesse GmbH
Landesmesse Stuttgart GmbH

Building law in Germany is governed by the law of the individual states. The respective implementation regulations may therefore vary for this reason and because of the different building situation that exists at the various other venues. NürnbergMesse also reserves the right to make changes. The German text is legally binding.

1.1 Site regulations, extract from site regulations

NürnbergMesse possesses the sole domiciliary rights to the rented object and site, provided the renter is not entitled to these rights by act of law. The justified interests of the renter shall be taken into account when exercising domiciliary rights.

1. The domiciliary rights with respect to the renter and all third parties shall be exercised by personnel appointed by NürnbergMesse, whose instructions must be complied with and who are to be granted access to the rented object at all times.
2. In the event of contravention of the site regulations or disruptive behavior, NürnbergMesse has the right to expel the persons concerned from the exhibition grounds and from its own car parks, withdraw their entrance tickets without compensation and have their vehicles towed away at the owner's cost and risk.
3. NürnbergMesse has the right to check the storage compartments of vehicles and receptacles carried by persons, if required.
4. In case of theft of exhibits, the relevant person will be expelled from the site and the police informed. NürnbergMesse reserves the right to exercise its right to detain the relevant person on the exhibition grounds until the person's identity is established by the police.
5. Visitors to the event must leave the exhibition grounds at the end of the daily event times.
6. Compliance with instructions issued by the event director, event equipment director and security manager appointed by NürnbergMesse is compulsory. The same applies to instructions issued by the security authorities, such as the fire brigade and public order office.

Exhibition emergency number (Security Control Unit):

- **7000 (internal; short dial on hall telephones)**
- **0911 / 8606 7000**

Please observe the currently valid version of the site regulations. They are mandatory for the entire premises of NürnbergMesse. They can be inspected at the on-site postings or at https://www.nuernbergmesse.de/en/guidelines.

1.2 Opening times

1.2.1 Assembly and dismantling times

Assembly and dismantling times vary by exhibition and will be announced in advance.
For reasons of general security in the exhibition grounds, the halls and the exhibition grounds in general remain closed outside these times.
The exhibitor must completely remove all stand construction materials, all exhibition pieces and objects and also all its other exhibition goods by the end of the dismantling time announced for every event and restore the original condition of the exhibition space. NürnbergMesse is entitled to have any exhibition goods remaining in the stands, gangways, foyers, or loading yards after the end of the dismantling time removed and stored by the responsible forwarders (ServicePartner) at the expense and risk of the exhibitors or disposed of at its expense.

1.2.2 Duration of event

For the duration of an event, the halls are open one hour prior to the official opening time and one hour after the official closing time, unless other times are published for specific events (Info 1).
Exhibitors who for justified reasons need to work on their stands outside these times require special written permission from NürnbergMesse.

1.3 Responsible use of energy

Energy efficiency is a core value of NürnbergMesse. It is our declared objective to be at the forefront of European trade fair companies in respect of energy efficiency. This is why we are committed to making all necessary resources available to achieve this goal.
Our energy efficiency programmes have to be characterized by a holistic approach involving ongoing improvement, technical development and efficiency of resources. We are continuously reviewing, evaluating and if necessary improving our energy management. We undertake to adhere to all applicable statutory requirements. In addition, we are committed to preventing waste of energy wherever it occurs and at all times and to using the latest environmental, safety and energy-saving technology that is economically feasible.
What can the exhibitor do to help?

- Switch off the stand lighting if there is sufficient daylight or lighting in the exhibition hall.
- When leaving the stand in the evening make sure to switch off the lights.
- Switch off printers, copiers and computers and do not leave them in standby mode.
- Use energy-saving LED lamps and energy-saving equipment and appliances (e.g. fridge with energy efficiency rating A+++)
- Whenever possible, re-close hall doors and gates, or keep them closed (even in summer to save cooling energy).

2. Traffic in the exhibition grounds, escape routes, safety equipment

2.1 Traffic regulations

To ensure the smooth flow of traffic during the assembly and dismantling times and the event itself, the rules concerning the regulation and direction of traffic and any instructions issued by security personnel are to be strictly observed. The provisions of the German Road Traffic Act apply accordingly throughout the exhibition grounds and on all car parks owned by NürnbergMesse. The speed limit within the exhibition grounds is 20 km/h. Vehicle access to the service areas between the halls is not permitted outside the straight lanes, as these areas have basements.
Blocked areas and roads may not be driven on and the greatest possible consideration must be given to pedestrians.
Unlawfully parked vehicles, trailers, containers, boxes and empty receptacles of any kind will be removed at the owner's expense and risk.
The relevant information must be heeded:

Master 2021/001

1. **Traffic and parking regulations:**
   Parking in the immediate vicinity of the halls and especially in the loading yards and in front of the exits is prohibited for all types of vehicles for the duration of the event. During the assembly and dismantling periods, vehicles may only stop for loading and unloading at the designated parking spots. To prevent possible hindrance to the fire service, vehicles are to be removed immediately on completion of this work and can be parked on the designated parking areas during assembly and dismantling. Vehicle access to the loading yards during assembly and dismantling is only possible on payment of a deposit of EUR 100 (exception: trucks of 7.5 t or more during dismantling). The deposit will be refunded if the vehicle leaves the loading yard within the time limits stated below.
   The parking or entry permit must be completely filled out and mounted behind the windshield of the corresponding vehicle in a way that is clearly visible.
2. **Time limits during assembly:**
   1 hour for loading and unloading cars and vehicles up to 2.8 t.
   2 hours for loading and unloading vehicles over 2.8 t.
3. **Time limits during dismantling:**
   Vehicle access to the loading yards on the last day of the event is not possible from 13:00 until approx. 1 hour after the end of the exhibition due to delivery of empty containers by the exhibition forwarding agents. Access is possible:
   - 1 hour after the end of the exhibition for cars and vehicles up to 2.8 t.
   - 2 hours after the end of the exhibition for vehicles of 2.8 t to 7.5 t.
   - 3 hours after the end of the exhibition for vehicles of more than 7.5 t.
4. **Length of stay:**
   - 1 hour for loading and unloading cars and vehicles up to 2.8 t.
   - 2 hours for loading and unloading vehicles from 2.8 t to 7.5 t.
   - 3 hours (extension possible) for loading and unloading vehicles of more than 7.5 t.

The stated access times may vary depending on the event and are notified at the entrance gates or by the exhibition management.
Vehicles may not enter the halls during assembly and dismantling. Any exceptions to this rule must be agreed with NürnbergMesse beforehand and are subject to approval. Vehicles may only be moved in the halls at walking speed (maximum 6 km/h).
Electric mini-vehicles (e.g. e-rollers, e-scooters, Segways, etc.) may not be operated in the halls. When used on the premises of NürnbergMesse, such vehicles must meet all requirements for use on public roads. This includes, for example, a general operating license/individual operating permit, valid insurance protection, and a number plate/insurance plate.
Our ServicePartners may be permitted to be in the halls at times outside of the general assembly and dismantling times.

2.2 **Escape routes**

2.2.1 **Fire brigade zones, hydrants**
Essential fire brigade access routes and unrestricted movement zones marked by no stopping signs must be kept free at all times. Vehicles and objects parked on rescue routes and safety zones may be removed at the owner's cost and risk.
The marked fire-fighting equipment in the halls and outside area are not to be obstructed, obscured or made inaccessible. Hydrants are not to be used for filling purposes (e.g. containers, basins etc.).

2.2.2 **Emergency exits, escape hatches, hall gangways**
The escape and emergency routes are to be kept free at all times (see 2.6). Any doors located in escape and emergency routes must be easy to open from the inside over their full width. Escape and emergency routes, exit doors and emergency hatches and their identification markings must not be obstructed, built over, blocked, covered by hangings or rendered unrecognizable.
At no time may the escape and emergency routes in the halls be restricted by objects placed in or projecting into them.
In the event of contravention, NürmbergMesse reserves the right to remedy the problem at the expense and risk of those responsible for the infringement.
Materials required for stand construction or exhibits delivered for immediate display in the stand space may be placed in the periphery of the hall gangway for a short time during the assembly and dismantling phases, provided the gangway widths required for safety reasons are still maintained and logistical interests are sufficiently taken into account.
This requirement is regarded as fulfilled if the materials or exhibits are placed in a strip of maximum 0.90 m along the edge of the stand facing the hall gangway. Irrespective of the width of the hall gangway and the goods placed in the gangway, a minimum width of 1.20 m must be kept free for access. The areas in front of emergency exits and the junction areas of the hall gangways are to be kept clear of obstructions over their full width at all times. The hall gangways must not be used to set up assembly areas or machinery (e.g. woodworking machinery, workbenches etc.). NürnbergMesse may request immediate clearance of the hall gangway for reasons of logistics. Instructions given by the security service must be followed.

2.3 **Safety equipment**
Sprinklers, push-button fire alarms, fire extinguishing equipment, above-ground, underground or wall hydrants, smoke alarms, fire doors and self-closing doors and gates and other safety equipment, their markings and the green emergency exit signs must be accessible and visible at all times and must not be obstructed or made inaccessible.

2.4 **Stand numbering**
All stands will be marked with uniform stand numbers by the organizer if technically possible.
The stand numbers must be clearly visible and left on the stand during the entire time of the exhibition and may not be removed.

2.5 **Security**
The general supervision of the halls and outdoor area for the duration of the exhibition is provided by NürnbergMesse. General supervision is also provided during assembly and dismantling times. NürnbergMesse is authorized to carry out the necessary control and security measures.
If a stand security guard is required, this must be ordered by the exhibitor himself using the Online ExhibitorShop (OES). Stand guards may only be provided by the security company appointed by NürnbergMesse.

Prevention of theft:
Incidences of theft in the Exhibition Center Nuremberg are comparatively rare. A continuing need to promote theft prevention measures is necessary to maintain this good reputation. This is achieved by NürnbergMesse through security control and guarding measures. These do not, however, apply to individual stands. Access to the halls during assembly and dismantling times is only permitted on display of special passes.
Security staff will randomly check the authorization of persons involved in assembly and dismantling. Therefore, you should issue a certificate indicating the stand that the team is supposed to assemble or dismantle to the person responsible for the assembly and dismantling of your stand.
Please support our efforts by observing the following instructions:

- **Assembly:**
  Your stand should not be left unsupervised after exhibits have been delivered following stand assembly. Although halls are locked and guarded on completion of assembly, an additional stand guard is generally recommended, also for the nights during the event. You should certainly lock away valuable goods at night. Safes and lockable display cases can be rented from the ServicePartners. Your stand cubicle can also be supplied with a lockable door (to be ordered on the relevant forms).
- **Dismantling:**
  Do not leave your stand until valuable exhibits have been loaded or handed over to the forwarding agent. Should this not be possible for special reasons, please order a stand guard for the time between the end of the event and the start of dismantling your stand.
- **Opening times:**
  Most thefts occur during opening times. Never leave your stand unattended, not even during the lunch period. Personal articles should be locked away. Especially exhibits liable to theft should be secured, e.g. with thin chains, nylon threads or presented in lockable display cases.

The exhibition management and Exhibition Services Team will be pleased to advise on theft prevention matters. NürnbergMesse reserves the right to impose special theft prevention conditions on individual exhibitors. Please also check your insurance against theft. We recommend taking out an exhibition insurance policy.
NürnbergMesse appreciates your cooperation.

2.6 **Emergency evacuation**

NürnbergMesse or the responsible authorities may order the closure and evacuation of rooms or buildings for safety reasons. Persons present in these rooms or buildings must comply with this request (possibly by means of a speech announcement or the use of designated evaluation helpers) and evacuate the rooms or buildings via the marked emergency exits. Exhibitors must inform their staff of this procedure or if applicable draw up their own evacuation plans and display these on their stand. In this case, the closure of outdoor stand structures must be ordered and organized. Every exhibitor must see to it that its stand area/event area is evacuated immediately upon request.

3. Technical details and equipment of halls and outdoor area

3.1 **Hall details**

Due to the different halls, this information is presented separately (see Instruction Sheet i4.1 "Technical data of halls", and the permissible point loads).

3.1.1 **General lighting, power supply, voltage**

The general lighting during the event in the halls is at least 300 lux measured 1 m above the hall floor.
During assembly and dismantling, the exhibitor/stand builder must ensure an adequate level of light in the stand area.
Available power supply and voltage on the exhibition grounds:

- Electrical system: TN-S
- Single-phase alternating current 230 Volt/50 Hz
- Three-phase alternating current 400 Volt/50 Hz

Connections up to 63 Amp are protected by Residual Current Devices (RCD).
Tolerances to DIN EN 50160.

3.1.2 **Compressed air, electricity and water supply**

In halls 1 – 12, 3A, 3C, 4A and 7A, compressed air, electricity and water for stands are usually supplied from the service ducts or shafts in the hall floor.
In halls with supports in the exhibition area (halls 3, 10.0, 10.1, 11, 12), electricity can be supplied additionally from the terminal boxes located in the hall supports.

3.1.3 **Communication facilities**

Telephone, fax, data and antenna connections to the stands in all halls are supplied from the service ducts or shafts in the hall floor and must be ordered from the responsible ServicePartner (for further guidelines and conditions see Telecommunications in the Online ExhibitorShop (OES). Exhibitors may only set up a **WLAN/WiFi network** if this has been expressly approved in writing by the Exhibition Services Department (for further guidelines and conditions see Telecommunications in the Online ExhibitorShop (OES).
As a general rule, the installation of **beacons** on the exhibitor's own stand area must be notified to and approved by Exhibition Services in writing (communication@nuernbergmesse.de). The transmission power must be reduced to the level that the played campaigns are only available in the stand area. NürnbergMesse reserves the right to have the beacons de-installed if they cause interference with other services such as WLAN/WiFi or if the beacons are installed outside of your stand area or other requirements indicated in the Technical Regulations have not been met. The perpetrator will bear the costs of deinstallation.

3.1.4 **Sprinklers**

With the **exception** of halls **4A** and **7A**, halls 1 – 12 and 3A and 3C are equipped with sprinkler systems. These must have a safety clearance > 1.00 m at the top edge of the stand, exhibits or decorations for fire prevention and insurance reasons. **The minimum safety clearance** in closed rooms (e.g. conference rooms) **is 0.90 m**.
No heat generators may be placed in close proximity to sprinkler nozzles because the sprinkler nozzles usually open at a temperature of around 68°C and automatically release extinguishing water. This must also be taken into consideration when **strongly focusing and heat-generating light sources** are used!

3.1.5 **Heating, ventilation**

The halls are equipped with ventilation systems and heaters. Heating, ventilation and cooling are provided as needed during the event This may sometimes lead to stronger air flows at the exhibition stand.

3.1.6 **Failures**

Any failures in technical supplies are to be notified to the exhibition team without delay. NürnbergMesse shall not be liable for any losses or damage caused by such failures and due to ordinary negligence.

3.2 **Outdoor area**

The outdoor area of NürnbergMesse consists of paved or asphalted traffic areas and uneven, mostly non-compacted ballast lawn areas or grown lawn areas.
During event opening times, the outdoor area is illuminated by general road and path lighting after dark. The necessary service connections are available at irregular intervals.
Please pay attention to **Item 4.8 Outdoor area** when making your plans.
Generally, excavations and ground anchoring (e.g. ground stakes) are not admissible outdoors.
If you do not comply with these stipulations you will generally be responsible for all loss and consequences in the event of damage to piping and cables (even if you have received a special approval from NürnbergMesse). All material brought to the outdoor area must be removed and the area restored to its original state.

4. Stand construction regulations

4.1 **Stand safety**

Stands, including all equipment, exhibits and advertising media, are to be constructed with such stability as to pose no danger to public safety and order, especially to life and health.
The exhibitor is responsible for the structural stability of all structures and exhibits and must provide proof of this if necessary. This also applies during assembly and dismantling.
Any threats to adjacent escape routes or stand areas must be ruled out by means of appropriate advance planning and the careful performance of work on site.
The load-bearing capacity of all components and materials must be assured. The overall stability must be assured by means of sufficiently stable materials and frictional connections. Pressed wood materials such as chipboard or fibreboard according to DIN EN 312-1 (P1, P2 and P3) may not be used for structurally supporting stand constructions.
Standing construction elements or special constructions (e.g. free-standing walls, tall exhibits, tall decorative elements, LED walls) that may tip over must be loaded with a minimum **horizontal equivalent distributed load of q_h:**

- **q_{h1} = 0.125 kN/m² (0 < h < 4.0 m)**
- **q_{h2} = 0.063 kN/m² (h > 4.0 m)**

The reference area here is the respective face area.
The certificates issued for this purpose (verifiable structural analyses) are to be submitted at the request of NürnbergMesse.
In justified cases, NürnbergMesse reserves the right to have the stand safety checked on site by a structural engineer at extra cost.
Stabilizing against neighboring stands or existing structures is not permissible.
Stabilization by means of suspensions from the hall ceiling is also not permissible.

4.2 **Approval of stand construction**

Assuming that the technical regulations of the respective event (see Info 1) have been observed in the design and construction of the stand, it is not necessary to submit drawings for review and approval in the case of single-storey stands. NürnbergMesse is prepared to check the stand construction drawings submitted if requested by the exhibitor. Alternatively, NürnbergMesse reserves the right to refer you to a check list allowing you to check the design and execution of your stand. Furthermore, all other stand structures, mobile stands, special structures, etc. are subject to approval. See 4.2.1 and 4.2.3.

For technical approvals at NürnbergMesse please contact: Exhibition Technology Department
eventtechnology@nuernbergmesse.de

Time periods for technical approvals:

Especially in the case of complicated approval processes, e.g. including additional official approval or inspections, please allow a processing time of up to 42 days after the complete documentation has been submitted to NürnbergMesse Processing within 14 days is only possible in exceptional cases providing we have the **complete** documentation and there is little complexity involved. The period specified applies to the issue of the approval and does not represent the event date. In the following paragraphs we use the phrase "by the specified deadline".
Please submit all documents for checking and approval in electronic form only (.pdf).

Definition of "technical approval":
Even if the technical approval has been given by NürnbergMesse, **this does not exempt** you in principle from adhering to the Technical Regulations, unless a departure from the Technical Regulations was specifically part of the technical approval.

4.2.1 **Inspection and acceptance of structures requiring approval**
Dimensioned stand plans to a scale of not less than 1:100 with layout plans, views and if necessary seating plans must be submitted to NürnbergMesse for approval by the specified deadline (see 4.2). The stand construction is not permitted until the plans have been stamped as authorized.
For approval of:

- multi-storey stand structures
- outdoor buildings (e.g. temporary structures). Please note Item 4.8 Outdoor area.
- special constructions (show trucks, promotional vehicles, promotional trailers, climbing walls, carnival rides, containers, moving parts, etc.)
- cinemas or lecture rooms larger than 100 m²
- performance/stage area
- podium areas and walkable structures from a height of 0.20 m
- LED walls/video walls and their substructures or rigging materials

The following documents must be submitted in German in electronic form (pdf) by the specified deadline (see 4.2):

a) Audited or auditable structural analysis to German standards
b) Building specification with details of materials to be used (including certificates, where applicable)
c) Stand construction drawings in a scale of 1:100 (floor plans, views, sections), construction details in a larger scale
d) Escape route plan with evidence of lengths and widths of emergency routes
e) Items a), b) and c) are not required if a valid site inspection log/type test is submitted.
f) Seating plans, if applicable escape and emergency route plan (cinema and lecture rooms)

In the case of LED walls/video walls items d) and e) do not apply

The cost of the approval procedure will be charged to the exhibitor/stand construction company.

4.2.2 **Vehicles and containers**
Vehicles and containers used as exhibition stands in the halls and throughout the exhibition grounds and car parks must be registered and require written approval.
When installing vehicles, containers and tents etc. within the halls, it may be necessary depending on their purpose, condition and location, to equip them with safety lighting, a sprinkler system, smoke/differential heat detectors (connected to the NürnbergMesse fire alarm system) or fire extinguishers. More detailed information is available in 4.4.2.
Show and stage trucks in the outdoor area with extendable or sub-mountable trailer parts, extensions or stage elements also fall within the scope of application of the so-called "temporary structures" and must be additionally notified to the relevant authority and checked by it.

4.2.3 **Modification of non-conforming components**
Stand structures that are not approved and/or do not conform to the technical regulations or the law must be modified or removed by the exhibitor/stand builder if necessary.
If this is not done within the specified deadline, NürnbergMesse is entitled to have the changes made at the expense and risk of the exhibitor. For good cause, especially in the event of serious safety deficiencies, the partial or complete closure of a stand may be ordered. As part of its legal obligation to ensure public safety, NürnbergMesse is entitled at all times to perform necessary safety measures and charge the resulting costs to the perpetrator/exhibitor.

4.2.4 **Extent of liability**
Insofar as the exhibitor or the stand builder contracted by it does not observe the foregoing stand construction regulations, it shall be liable for all damage resulting from the infringement of the stand construction regulations.
In addition, the exhibitor or the stand builder contracted by it shall indemnify NürnbergMesse for all third-party claims asserted by reason of the infringement of the foregoing stand construction regulations.
No claims for damages whatsoever may be asserted against NürnbergMesse or its subcontractors due to the loss, damage or impairment of the submitted designs, models or other documents as a result of negligent action or omission, irrespective of the legal basis for such claims.

4.3 **Construction heights**
The construction heights for specific events are shown in the application documents and in Info 1.
Installations and structures must not impair the functioning of the sprinkler system. Information on the necessary safety distances can be found in Item **3.1.4 Sprinkler system**.

4.4 **Fire prevention and safety regulations**

4.4.1 **Fire protection**
The halls are equipped with fire alarm and automatic fire extinguishing systems. If these fire protection systems are impeded due to stand structures, the release of gases, activities that generate fire, smoke and heat, appropriate mitigating measures are necessary and are to be agreed with NürnbergMesse beforehand (see 4.2).
Safety equipment such as fire extinguishers, fire alarms, fire hydrants and associated signage, as well as the emergency exit pictogrammes in the hall, must not be built over or otherwise obstructed or concealed.
The Nuremberg Public Affairs Office (Ordnungsamt) is responsible for events governed by the Trade Regulations. The technical acceptance of the event is carried out by a representative of the Nuremberg fire brigade, a representative of the Public Affairs Office and a representative of the operator (person responsible for event technology) and if necessary a representative of the organizer.

In all cases of doubt concerning fire prevention matters, exhibitors are recommended to contact the Exhibition Technology Department (see contact details in 4.2) beforehand.

The trade inspectorate and regulatory authorities, police, fire brigade, the event director, the security manager, or the event equipment director of NürnbergMesse and representatives of NürnbergMesse (Exhibition Technology Departement) and the organizer's representatives are entitled to issue instructions as part of safety regulations. Their representatives are to be granted access to the safety equipment and technical facilities at all times.

4.4.1.1 **Stand construction and decoration materials**
In general, no materials that are readily flammable, drip on burning or produce toxic gases, or other smoke-forming materials may be installed. This prohibition also includes **thermoplastics** e.g. rigid polystyrene foam (**PU foams, Styropor, Styrodur, EPS, XPS** etc.) and **PVC**. The materials listed here may also not be used in substructures, insulations or as fillers.
On a case-to-case basis, special requirements (like non-flammability) may be imposed on load-bearing structural parts for reasons of safety.
Structurally necessary and/or load-bearing fixings may only be made of non-flammable fixing materials. Decoration materials, embellishments, furnishings and also floor covering, banners and curtains must as a minimum meet the categories flame retardant (B1) and must not drip on burning, as per DIN 4102-1 with limited smoke development and/or as per EN 13501-1 as minimum Class B/C – s2, d0. A test certificate detailing the construction material class, fire, smoke and droplet-forming behaviours of the material used must be kept at the exhibition stand from the assembly period onwards. In addition, samples of the materials used must be kept on hand for a fire test on site.
In specific cases, decoration materials with a normal combustibility rating may be used in certain areas if the method of installation (e.g. display cabinets) provides adequate protection against catching fire.
Cuttings of trees and plants may only be used for decoration purposes in a green condition. Should they dry out during the event and become easily ignited (DIN 4102 B3), they must be removed. Trees should be free of branches up to approx. 0.50 m above floor level. The use of deciduous and coniferous trees is permitted only if they have moist, potted roots.

Natural materials with fibrous surfaces or surfaces containing resin or oil, such as palms, birch, bamboo, reeds, hay, straw, bark mulch, wood chips, turf or similar materials do not meet the above-mentioned requirements and are not permitted.
Absorbent natural materials in natural fibers such as jute bags, woven and knitted fabrics or similar do not generally have "low flammability" and may only be used if treated with a suitable flame retardant impregnation.
Construction and decoration materials such as **wooden pallets, wooden boxes or baskets** whose design and surface properties represent a high fire load are generally not admissible. Any fire protection measures such as treating the surfaces and additional fire-proof coatings must be registered and agreed on beforehand with the Exhibition Technology Departement using **Form P2**.
Further requirements for glass and acrylic glass materials are specified in 4.4.3.
"Flame resistant" properties can be achieved retrospectively for some of these materials by treating them with an approved flame inhibiting agent. A certificate confirming that the material is flame resistant or that impregnation has been carried out in accordance with the regulations must be available for inspection on the stand at all times.
Flame-inhibiting impregnation of materials can be ordered from our ServicePartner Messebau Wörnlein GmbH or Messebau Mesomondo GmbH.

Flame-inhibiting impregnation:
Messebau Wörnlein GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 81 74 49-0
F +49 9 11 81 74 49-25
info@woernlein.de
www.woernlein.de

Messebau Mesomondo GmbH
Messezentrum 1
90471 Nürnberg
T +49 9 11 40 08 35-0
F +49 9 11 40 08 35-29
info@mesomondo.de
www.mesomondo.de

Liability can only be accepted for impregnation if the material to be impregnated is an absorbent natural fiber.

4.4.1.2 **Exhibition of motor vehicles**
The exhibition of vehicles must be notified to NürnbergMesse (Exhibition Technology Department) using **Form P2**, stating the number and type of vehicles involved, and must be approved.
For all vehicle types a sufficient number of suitable hand-held fire extinguishers (to EN 3) must be kept in readiness at the exhibition stand. NürnbergMesse GmbH reserves the right to take additional measures.
Unintended or wilful moving of vehicles (e.g. driving actions) in the stand area or in the hall gangway is not permitted during the event period and keyless systems (transmitters) must be kept out of range.
During the actual exhibition, vehicles must not be moved on the stand area or hall entrance. Vehicles must be externally prevented from rolling away on a statically suitable subsurface (hall floor, exhibitor floor, pedestal, etc.).

Vehicles with internal combustion engines
The content of vehicle fuel tanks is to be reduced to the amount necessary for driving into and out of the hall (the low fuel warning lamp must be on); the tank cap is to be locked. Powering the vehicles via the starter battery is possible if it can be ensured that no dangerous gases will be produced (e.g. in the case of gel batteries if the contacts are shockproof and the starter motor is permanently isolated from the battery).
Further safety measures such as inertization of the fuel tank, disconnecting the battery and/or posting security guards may be necessary, depending on the event and the vehicle location (e.g. foyer areas, entrances, fire brigade access roads or assembly rooms).
Combustion engines may not be demonstrated in operation in the halls.
Fuels must not be stored at the stand. The refuelling of vehicles in the hall is prohibited.

Vehicles with electric or hybrid motors
In the case of hybrid vehicles the tank must also be largely empty and closed. In vehicles with electric motors, the drive batteries are to be disconnected from the transmission at the safety switch (main switch) or service connector in accordance with the manufacturer's instructions for the traction network. High-voltage batteries have to be disconnected and in a non-critical state.
If this is not possible, the vehicle must be disconnected from voltage in another safe way and protected against reconnection. This can be done by disconnecting the HV interlock line, for example.
The exhibitor must be able to prove and explain the absence of voltage on location. In addition, technical data sheets for high-voltage batteries must be submitted.
Charging processes are not allowed in the exhibition halls.

Vehicles with gas-powered engines
In gas-powered vehicles, the pressure vessel must be empty as far as possible. Care should be taken to ensure that a low residual pressure of no more than 1/10 of the maximum tank pressure under normal operation remains in the vessel.
A minimum vessel pressure of 5 bar must be ensured and demonstrated by means of a functional pressure indicator. Please also take note of Item 5.7.

Vehicles with fuel cells or alternative drives
Vehicles with fuel cells or other types of drive are considered separately.
However, it should generally be noted that the tank content must be reduced to the amount necessary to drive in and out (the reserve light on the tank display must be on).

4.4.1.3 **Explosive substances, munitions**
Explosive substances are governed by the German Explosives Act, as amended, and may not to be exhibited at trade fairs and exhibitions. This also applies to munitions as defined in the German Firearms Act and to pyrotechnic objects.

4.4.1.4 **Pyrotechnics**
Pyrotechnic demonstrations require the approval of NürnbergMesse (Exhibition Technology Departement, contact details in 4.2). NürnbergMesse is under no obligation to grant its approval.
If pyrotechnic effects are to be used on the NürnbergMesse grounds, the exhibitor/organizer must obtain approval from the responsible Public Order Office, the Trade Inspectorate and the Nuremberg fire brigade not later than 28 days before the actual date of the event. A copy of the approved application is to be submitted to NürnbergMesse by not later than 14 days before the start of the event. The license for the articles is shown on the respective packing unit. Instructions must also be printed on the package in German. Pyrotechnic objects without a certificate of conformity or fireworks of Categories II, III or IV are not approved.
Pyrotechnic objects may only be used when they have a **CE label and a registration number**. The previous BAM approval symbol lost its validity on 3 July 2017.
Proof of the holder of the license and certificate of competence is to be submitted to NürnbergMesse (see Instruction Sheet i4.5 "Pyrotechnic displays/activities involving fire hazards").

4.4.1.5 **Balloons**
The use of balloons filled with safe inert gas in the halls and outdoor area must be approved by NürnbergMesse.
Insofar as the use of balloons has been approved by NürnbergMesse, they may only be filled with non-flammable and non-toxic gases and must be structurally firmly anchored within the city limits. In addition, the maximum construction height specified for each event must be observed. Depending on the balloon size, placement and installation type, the fire protection requirements of Item 4.4.1.1 must also be observed.
The distribution of gas-filled balloons is basically not permitted.

4.4.1.6 **Flying objects**

The use of flying objects (e.g. drones, quadrocopters, airships etc.) is generally not allowed in the halls and outdoor areas. Exceptions require the prior written authorization of the relevant authorities and the written approval of NürnbergMesse (see contact details in 4.2).

Insofar as the use of the flying objects has been authorized by NürnbergMesse, the requirements pursuant to the **German Regulation on the Operation of Unmanned Aerial Vehicles** of the Federal Aviation Authority (in the version of 30 March 2017 or as amended) and the protection of personal rights and copyrights of third parties must be strictly observed.

This includes specifically the proof of corresponding owner's liability insurance and the necessary operator certification. In some cases the use of airspace may require permission from the relevant aviation authority.

In addition, all flying objects with a take-off weight of more than 0.25 kg must bear the name and address of the owner using a permanent, fireproof marking method.

In general, it must be remembered that the grounds of NürnbergMesse are within the air traffic control area of NUREMBERG AIRPORT, so that there is a general flight ban. The unrestricted operation of flying objects above crowds of people, and at a distance of less than 100 m to the side of them, is prohibited in principle. By way of derogation, structural partitions may be necessary to close off the flying area on all sides from freely accessible areas in order to demonstrate or operate flying objects following approval by NürnbergMesse. The necessary measures are to be agreed on beforehand with the specified contact persons and are subject to approval.

4.4.1.7 **Fog machines**

The use of fog machines or hazers is subject to arrangement with NürnbergMesse (Exhibition Technology Departement).

NürnbergMesse will charge the organizer or responsible entity for the cost of substitute measures if firefighting appliances must be deactivated before operating a fog machine. The organizer and/or person responsible will be charged for the cost of calling out the fire brigade and the subsequent costs resulting from the interruption or cancellation of the event if the fire alarm system is set off without prior consultation with NürnbergMesse. Further information can be obtained from Instruction Sheet i4.6 "Use of fog machines".

In general, it must be ensured that adjacent exhibition stands are not impaired by the use of fog machines or hazers.

4.4.1.8 **Ashbins, ashtrays, smoking ban**

There is a **total smoking ban** in all NürnbergMesse buildings, and in the halls, stands and empty areas during assembly, dismantling and the trade fair itself.

If the smoking ban has been lifted for the stand or parts of the stand in the outside area, an adequate number of ash bins or ashtrays of non-combustible material must be provided and emptied at regular intervals.

4.4.1.9 **Waste and recycling material containers**

Bins provided on the stands for waste and recyclable materials are to be made of non-combustible materials only. These bins are to be emptied regularly and not later than every evening after closing time. Should larger quantities of combustible materials accumulate, these are to be disposed of several times a day.

Flammable waste or readily flammable materials and waste like wood shavings, wood scraps, sawdust and the like must be kept in sealed containers. If such waste occurs during product demonstrations it must be ensured that it can be stored in closed containers immediately after the demonstration. The work areas must be designed so that such waste does not occur on traffic areas. If **wood is machined during the exhibition** and/or **sawdust extractors or silos are used**, the rules set out in Items 5.2, 5.2.1 and 5.2.2 must be observed.

The use of the waste described above for decoration purposes is prohibited.

Waste disposal can be ordered at extra cost from the ServicePartners of NürnbergMesse using the Online ExhibitorShop (OES).

4.4.1.10 **Spray guns, solvents**

The use of spray guns and substances and paints containing solvents is prohibited in all halls.

The use of
- combustible liquids, including for cleaning purposes
- materials releasing toxic vapors and
- substances hazardous to the environment is prohibited.

4.4.1.11 **Abrasive cutting and all other work using naked flame**

All welding, cutting, soldering, thawing and abrasive cutting work must be notified to NürnbergMesse in writing for approval before commencement of the work. The approval of this work is granted by NürnbergMesse (Exhibition Technology Departement (for contact details see 4.2) in the form of a permit for work involving dust, smoke, welding and heat. The adjacent area is to be adequately protected from hazards during this work. Suitable fire extinguishers and VdS approved fire blankets must be available for use in the direct vicinity.

In addition, a fire safety guard must be ordered at extra cost via the Online ExhibitorShop (OES). Due to the particular risk potential during assembly and dismantling, we recommend designing your stand so that such hazardous work is avoided or can at least be done outside the hall. The work permit can only be issued on time if the relevant application is submitted in good time to the Exhibition Technology Departement (for contact details see 4.2). Actions involving fire hazards or work involving heat during the event require the written approval of NürnbergMesse (Exhibition Technology Department, see contact details in 4.2) and are only permissible when they are absolutely necessary for the presentation of exhibits. NürnbergMesse is under no obligation to grant its approval.

4.4.1.12 **Empty packaging/storage of materials**

The storage of filled and empty packaging of any kind (e.g. packaging and packing materials), waste or remnants inside or outside the stand, in the halls or in the loading yards is not permitted. This also applies to storage under stages, podiums, stands, and stairways or behind stand construction walls.

Empty packaging is to be removed without delay. Collection and storage can be ordered at extra cost from the ServicePartners of NürnbergMesse using the Online ExhibitorShop (OES).

If the exhibitor does not comply with a request to remove material stored in contravention of the rules or does not remove waste, remnants, filled or empty packaging immediately when asked, NürnbergMesse reserves the right to have it removed at the cost and risk of the exhibitor.

4.4.1.13 **Fire extinguishers**

At least one fire extinguisher conformant with DIN EN 3 (see Instruction Sheet i4.7 Fire extinguishers) with at least 10 extinguishing agent units (EAUs) must be kept on hand on exhibition stands/event areas larger than 100 m² during assembly and dismantling and the event itself.

Only water or foam extinguishers with an up-to-date test label may be used. Powder extinguishers are only admissible for demonstrations using combustible gases.

Cleaning costs resulting from the use of powder extinguishers will be charged to the perpetrator.

In general, a suitable fire extinguisher must be available for electrical distribution boxes with a total power rating of 6 kW and up. To ensure the easy handling of the fire extinguishers, we recommend that you choose fire extinguishers that do not exceed a weight of 12 kg per extinguisher. Suitable fire extinguishers (kitchens: Class A, B, F, storage areas Class A, B) are to be available at stands with kitchens and storage areas.

In two-storey stands, a fire extinguisher must additionally be kept in each stairway on the second storey.

All fire extinguishers must be placed in highly visible and continuously accessible locations in such a way that they cannot topple over, and must be labelled in accordance with ASR A1.3.

Suitable tested fire extinguishers can be rented via our ServicePartner Wörnlein **(see 4.4.1.1)**. NürnbergMesse reserves the right to charge for used or damaged fire extinguishers taken from wall hydrants.

4.4.2 **Stand roofing**

The ceilings of all stands in halls equipped with sprinklers must be of open design to avoid impairing the operation of the sprinklers. Ceilings are regarded as open if not more than 30 % (CEA 4001 S) of each square meter of the ceiling area is closed. This also applies to conference rooms, catering areas and reception rooms.
Sprinkler-compatible ceilings with an untensioned mesh size of minimum 2 x 4 mm, or 3 x 3 mm, and a web width of maximum 1 mm are approved up to a ceiling area of 30 m². Ceiling areas can be added up. The fabric covering is to be braced horizontally and as a single layer only. Sagging of the fabric covering is to be prevented. Alternatively, the sprinkler compatibility can be demonstrated by means of a valid VdS certificate.
In general, the closed area of single-storey stands is not to exceed 30 m². For closed areas larger than 30 m², a suitable number of sprinklers and, in smoke-monitored halls (H4A, H7A, H11), smoke or differential heat detectors must be installed by the responsible ServicePartner. Exceptions are possible in individual cases.
Several closed ceiling areas up to 30 m² in one exhibition stand are possible, provided that there is a minimum distance of 3.00 m between the individual ceiling areas. So as not to exceed the maximum surface area of 30 m² when adding up several ceiling areas, a distance of minimum 1.50 m to the stand limits must be observed Any reduction of the 1.50 m distance (e.g. to passageways and hall walls) has to be approved by the Exhibition Technology Departement (for contact details see 4.2). If the stated minimum distances cannot be maintained (also across stands) and if the addition of the closed ceiling area would cause the maximum permissible area to be exceeded, the perpetrator will bear the costs for necessary compensation measures. This also applies explicitly to affected adjacent stands!
The ceiling areas, like sprinkler gauzes and fabrics, must be categorized as a **minimum as flame retardant (not readily flammable)** (class B1) and **must not drip on burning**, as per DIN 4102-1 with limited smoke development and/or as per EN 13501-1 as minimum class B/C – s2, d0. A test certificate on the construction material class, fire, smoke and droplet forming behaviors of the material used, and/or the VdS certificate, must be kept at the exhibition stand from the assembly period onwards. In addition, samples of the materials used must be kept on hand for a fire test on site.
Room and areas with a heightened risk of fire (e.g. kitchens, storage rooms, cloakrooms, utility rooms, etc.) must have open ceilings. In exceptional cases, sprinklers, and in smoke-monitored halls VdS-certified smoke or differential heat detectors, must be installed by the responsible ServicePartner. Sprinkler-compatible ceiling materials with a current VdS test certificate are admissible.
In the case of rooms, tents, containers, vehicles and similar enclosed on all sides and with closed ceiling areas, it may be necessary, depending on their purpose and condition, to fit them with a sprinkler system or smoke or differential heat detectors, even if the ceiling area is less than 30 m². In addition, it must be ensured that these enclosed rooms/areas are equipped with suitable emergency lighting (see 5.3.5). Such installations and rooms must be inspected and authorized in advance by NürnbergMesse (Exhibition Technology Department, see contact details 4.2). All fully enclosed reception and lecture rooms that have no visual or acoustic contact with the hall must be fitted with appropriate alarm systems (see 4.4.4).
More information on sprinkler-compatible ceiling materials is provided in the instruction sheet "Installation of sprinkler-compatible ceiling materials" i4.2.
For two-storey structures please refer also to 4.9.2.

4.4.3 **Glass and acrylic glass**

Only safety glass suitable for the intended purpose may be used. For glass structures (floors, balustrades, facades and ceilings) please observe instruction sheet i4.8 "Glass in stand construction". Appropriate stability verifications and datasheets for the safety glass must be kept in the stand.
The edges of glass sheets must be finished or protected to reliably prevent risk of injury. Stand components made of glass only are to be clearly visibly marked at eye level.
Wall panels or supports in glass have to be designed to be load-free, i.e. roof structures or similar projecting elements have to be supported on beams or walls and structurally stable, without the loads being carried by glass panes or supports used (including glass cabinets).
Acrylic glass must at least meet the requirements of DIN 4102, B1 or DIN EN 13501, B/C – s2, d0 and must **not** drip on burning (see Instruction Sheet i4.8 "Glass and acrylic glass"). In addition, the acrylic glass must generate minimal smoke (s1 or s2 to DIN EN 13501).

4.4.4 **Reception rooms/inner rooms**

All **fully enclosed reception and audience rooms** that are accessible to visitors (e.g. booths, conference rooms, offices, and the like) and **have no optical and acoustical contact to the hall** must be equipped with an optical and acoustical alarm system to ensure that an alarm can be sounded in these rooms at any time.
Alternatively, **fully enclosed rooms** that are accessible to visitors (e.g. booths, conference rooms, offices, and the like) that **have acoustic contact to the hall** can be provided with a line of sight into the hall via the exhibition stand.
The **visual contact** should be designed so that when anyone is in the enclosed room they still have an unencumbered view when sitting or standing. A window 0.20 m wide and 0.80 m high is recommended as a suitable size for the field of vision. Small window areas at head level (e.g. so-called **portholes**) do not meet the stated requirements and are therefore not permitted. If it is not possible to see the hall via the stand (because the view is blocked by structures, walls, exhibits, etc.), technical measures must be taken to compensate for this.
This also applies to exhibition areas in which the line of sight to the hall is blocked in certain areas by exhibits, installations or structures.
Technical compensation measures must be notified to and approved by NürnbergMesse (Exhibition Technology Department, see the contact data in Item 4.2) in advance.
In rooms enclosed on all sides, care must be taken to ensure an adequate level of light to allow for safe orientation also in case of a power outage. If necessary, suitable **safety lighting** must be provided (see Item 5.3.5).
Reception rooms and lecture rooms etc. with a **floor space exceeding 100 m²** or that accommodate **more than 200 people** (see Item 4.2.1), require special approval.
Seating is to be provided in accordance with § 10 of the Venue Regulations (VStättV) and drawn into an escape and emergency route plan in accordance with § 32.
Trapped rooms (rooms that can only be left via other rooms) are not permitted.

4.5 **Exits, escape routes, doors**

4.5.1 **Exits and escape routes**

The distance from any point on a stand space to a necessary hall gangway must not exceed 20 m walking distance (§7 VStättV). This also applies to a multi-storey stand.
Reception rooms with a floor space exceeding 100 m² must have at least two exits to escape routes and these must be positioned opposite each other and as far apart as possible.
The following minimum number and inside widths of escape routes (exits, corridors) are to be provided:

- up to 100 m² room area and less than 100 people
  1 escape route, 0.90 m wide
- over 100 m² room area and less than 200 people
  2 escape routes, each 0.90 m wide
- more than 100 m² room area and more than 200 people:
  at least 2 escape routes each 1.20 m wide
  Escape route widths are to be graduated only in 0.60 m increments per 100 people.

The escape and emergency routes are to be permanently marked as per ASR 1.3 and/or DIN EN ISO 7010, DIN EN 1838 and DIN 4844-1 (German Workplace Regulations).
It must be possible to open the doors of these exits from the inside in the escape direction at all times during the event and these doors must not protrude into the hall gangway. A suitable recess must be provided in all cases.

4.5.2 **Doors**

Swinging doors, revolving doors, code-operated doors and sliding doors, folding doors, and other obstructions may not be used along escape routes.
Doors and door systems in escape and emergency routes must open smoothly at all times to their full width from the inside to the escape direction and may not have door sills or stumbling hazards. Escape doors must not impair or restrict emergency routes or hall gangways.

4.6 **Platforms, ladders, stairs, and catwalks**

Areas generally accessible to pedestrian traffic and directly adjacent to areas 0.20 m lower are to be enclosed by **railings/balustrades**. These must be at least 1.10 m high and consist of at least a top band, centre band and bottom section (maximum separation 0.35 m). Safety devices must be suitably designed to prevent the risk of objects being placed on them and falling into areas below. The separation between the parts of the railings must not exceed 0.12 m in any direction.

For **platforms**, a verifiable structural analysis with **load capacities** to DIN EN 1991-1-1/NA:2010-12 Table 6.1DE [Cat. C] is to be provided as detailed below and submitted to NürnbergMesse by the specified deadline (see 4.2):

- **$q_k \geq 3.0$ kN/m²** Perpendicular load for limited use by trade fair visitors.
- **$q_k \geq 5.0$ kN/m²** Perpendicular load for freely accessible areas and/or unrestricted use.
- **$q_k = 1.0$ kN/m** Horizontal load at rail height of the balustrade.
- **$H = \sum q_k/20$** q_k = Perpendicular load. To ensure sufficient longitudinal and transverse rigidity, a **horizonal load H** must be set at the highest floor height.

Staircases and stair landings must always be designed for a load (Cat. T2) of): **$q_k = 5.0$ kN/m²**.

Costs will be incurred for the inspection and approval of this special structure and will be billed to the exhibitor/stand builder.

Accessible single-level platforms must not be higher than 0.20 m

The area underneath platforms and podiums must not be used for storage. They must be designed to be fire load free. Hollow spaces of platforms with a height of less than 0.20 m, can be excepted from monitoring by the fire alarm system. Hollow spaces of platforms with a height of more than 0.20 m, which accommodate an automatic turntable, or an accumulation of cables and/or electrical distributors, must be monitored by VdS certified smoke detectors. Installation must be done by the NürnbergMesse ServicePartner.

Moving parts such as escalators or revolving stages are subject to the prior approval of NürnbergMesse, Exhibition Technology Departement (for contact details see 4.2).

All **staircases** must be constructed according to DIN 18065 and must have a clear width of at least 1.20 m. Essential stairs and stairs used for general visitor circulation must have closed steps. The risers may not be higher than 0.19 m and the tread width may not be less than 0.26 m. When determining the tread width, it should be ensured that "undercutting" (e.g. with risers) cannot be added on. Furthermore, in designing the undercutting, care must be taken to ensure that the heel is not caught when going down stairs. With stairs, an **intermediate landing** must be provided after 18 steps. The depth of the landing should be a multiple of the step dimension. An uneven number of steps should be taken as a basis.

Stairs may not begin immediately behind a door. There must be a sufficient landing (min. depth 1.0 m) between the staircase and the door.

Winding or spiral stairs within emergency exits and escape routes are not allowed.

Stairs must have **handrails** on both sides. Stairs more than 2.40 m wide need central handrails. Handrails must be continuous and allow for a firm grip. Handrails must be designed in such a way as to exclude any risk of accidents and allow for a firm grip. The ends of the handrails must be designed in such a way that it is not possible to hang from them or slide off of them.

Ladders, stairs and catwalks must conform to the accident prevention regulations (German DGUV Information 208-016).

4.7 **Stand design**

4.7.1 **Appearance**

The exhibitor is responsible for the design of the stand, which must be in keeping with the typical exhibition criteria for the event. Walls bordering visitor gangways should be made more attractive by installing glass showcases, niches, displays, etc. Please refer to the terms and conditions of participation for each event for more detailed information and requirements.

Rear walls of stands that exceed a height of 2.50 m and are adjacent to neighboring stands should have a single, neutral and light colour and be kept free of installations to avoid adversely affecting the design of the neighboring stand.

Fittings and structures on corners of the stand area that border on visitor walkways must be designed in such a way as to exclude any risks. In particular, **stumbling hazards** in the form of platforms, double floors or raised floors must be avoided at freely accessible stand corners, especially in the case of **tapered stand areas**.

The use of products made by exploitative child labor within the meaning of ILO Convention 182 is prohibited for stand design and equipment.

4.7.2 **Verification of rented area**

The rented area is marked out by NürnbergMesse. Every exhibitor is obliged to obtain information about the location, dimensions and possible structures in this area by visiting the site.

The stand limits must be strictly observed. The exhibitor must expect minor deviations in the size of the stand. These are due to variations in the thickness of the stand partition walls and may be up to 5 cm in front and depth. The corners are marked. No responsibility can be accepted for the correctness of the dimensions. The supply points inside the stand space must remain accessible. Any pillars, wall projections, stand partition walls and firefighting equipment are part of the allocated stand space.

The supply grid for electricity, compressed air, water and telecommunications is shown on the hall plans sent to exhibitors. The supply ducts are not to be opened by exhibitors or obstructed by stand structures.

The stand boundaries must be adhered to. Lighting fixtures or signs must not project out into the halls from the stand boundaries. Machines and other exhibits must be positioned so that there is enough space for exhibitors to demonstrate them on their own stand area. Provision must be made for the necessary safety barriers or enclosures in this conjunction. Every exhibitor/stand builder is obliged to verify the proper condition of the stand area before starting to assemble the stand. Any damage must be shown to the Facility Service without delay before starting to build the stand. Any such deficiencies not recorded will be rectified after the event at exhibitor's cost.

4.7.3 **Interference with building fabric**

Hall parts and technical equipment must not be damaged, soiled or altered in any other way (e.g. drilling, nails, screws, glue). Painting, wallpapering and the use of adhesives are also prohibited.

Hall parts and technical equipment must not to be used to support loads from stand structures or exhibits.

However, hall pillars and supports inside the stand space can be adapted provided they are not damaged and the permissible construction height is not exceeded.

Installations on the hall pillars, walls and technical equipment must be freely accessible. If necessary inspection ports must be provided by the exhibitor building the stand.

If floor anchors are necessary please observe 4.7.4.

4.7.4 **Hall floors**

Carpets and other floor coverings are to be laid so as not to cause accidents and must not extend beyond the stand limits. Floor coverings in exhibition stands may only be fastened with adhesive tape, which must later be removed without a trace.

In general, all materials used must be removed without trace. Substances such as oil, grease, paint and similar must be removed from the floor immediately. Hall floors are not to be painted or glued. NürnbergMesse reserves the right to pass on the cost of repairing damage to the hall floor and removing soiling to the person responsible.

Carpets and other floor coverings in the exhibition areas have to be **flame retardant** to DIN 4102 B1 or EN 13501-1 **Class C_{fl} as a minimum**. A certificate verifying the building material class of the material used must be kept at the exhibition stand.

If **high-pile carpet** or floor coverings are made from **synthetic grass**, the fire and smoke behavior (according to EN 13501) in combination with the requirements for laying and installation must be taken into account since these floor coverings generally do not meet fire protection requirements. Due to their burning and dripping behaviour, floor coverings may not be installed on walls or above people. Further requirements regarding the necessary fire behavior are provided in 4.4.1.1.

When using loose material or bulk solids (earth, sand, organic material etc.) the hall floor must be covered and protected from dirt and liquids. Dust development and distribution are to be counteracted using suitable means. During trade fair operations loose material must be prevented from getting onto the traffic areas.

Freely accessible **platforms, double floors or raised floors** with a maximum height of 0.20 m must be sufficiently load-bearing. A **vertical load capacity of at least 5.0 kN/m²** must be proven. These raised surfaces must be tightly jointed and enclosed on all sides. Further requirements for structures which can be walked on are given in Item 4.6.

Anchors and fixing of stand structures in the hall floor are not allowed. The fixing of exhibits using **floor anchors** is only permitted in justified exceptional cases and with the written permission of NürnbergMesse. Exhibitors do not have a right to install and use floor anchors. Applications must be submitted on time (see 4.2) with scale plans showing the location, type of anchor, loading at the anchor and drilled hole diameter plus the number of anchors. The exhibitor must provided written evidence that the exhibit is
also stable during operation. Tensile forces at the anchor are not permitted. The number of anchors must be limited to the quantity absolutely necessary. NürnbergMesse reserves the right to lay down the materials to be used for anchors. If impermissible materials are used or if floor anchors are installed without the written approval of NürnbergMesse, these will be removed at the exhibitor's expense (flat-rate repair cost of EUR 250 – net price per floor anchor) and risk by NürnbergMesse. Any heavy-duty anchors, screws or anchor bolts must be removed by the exhibitor or its representative during dismantling; care should be taken to ensure that anchor bolts are twisted out and may not be cut off flush. If this requirement is not observed, the exhibitor shall be liable for consequential damage. NürnbergMesse is entitled to remove any heavy-duty anchors, screws or bolts left in place at the exhibitor's expense and risk. Stand structures that are not approved, or which do not comply with the Technical Guidelines or the current state of the art, must be modified or removed if required. If this is not done on time, NürnbergMesse is entitled to carry out the changes itself at the exhibitor's expense or to prohibit the use of the exhibits.
Only the relevant ServicePartners of NürnbergMesse are permitted to use supply ducts and floor shafts.

4.7.5 **Suspending objects from hall ceilings**

It is possible to hang objects from the facilities provided for this purpose in accordance with the relevant regulations DGUV Regulation 17 and the applicable exhibition technology standards (IGVW SQ P1 to SQ P5 with SQ Q1, SQ Q2 and SQ O2) (see Instruction Sheet i4.9 "Suspension points, trusses and lifting equipment"). This also applies to pre-rig trusses, elevated truss systems (e.g. ground support), tripods and other constructions.

4.7.5.1 **Provision of suspension points**

The provision of suspension points and modification of suspension carried out exclusively by NürnbergMesse through its appointed ServicePartners. The suspension point will be provided for the exhibitor in the desired position in the space above the stand if structural conditions permit.
The number of possible suspension points in the halls depends on the stand size and the grid of the hall ceiling.
The **provision of suspension points cannot be guaranteed in all areas**. This applies mainly to the peripheral areas of the following halls:

- **Halls 3A and 3C:**
  No suspension points can be provided over the exhibition areas in the area of the loading yard gates with limited headroom. The necessary minimum distances from the sprinkler heads must also be strictly observed in these areas (see Point 3.1.4).
  Information on the reduced bearing load of suspension points in Halls 3A and 3C can be obtained from the responsible Service Partner.
- **Halls 4A, 7A and 11.0:**
  Only a few suspension points with a reduced bearing load are available in the exhibition areas in the area of the loading yard gates with limited headroom. Die application of dynamic loads and the use of lifting equipment are not possible here. Additional information can be obtained from the responsible Service Partner.

The stipulated heights for construction and advertising must be observed. Suspension points incl. installed equipment are to be mounted with a residual clearance of at least 2.50 m below them. NürnbergMesse checks the feasibility of the desired suspension points using the documents submitted and reserves the right to have the suspension loads and the rig used inspected by a structural engineer. This inspection is subject to a fee, which is charged to the **exhibitor or person ordering** the suspension points.

The **maximum vertical structural load capacity of each suspension point is 25 kg (0.25 kN) for halls 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 and 12 and the separation between suspension points in halls 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 and 12** must not be less than 1.00 m.
The maximum vertical structural load capacity of the available suspension points in halls 3A, 3C, 4A, 7A and 11 is 240 kg (2.4 kN).
Higher loads in the halls are only possible on request and require written approval by NürnbergMesse.
If the ordered suspension point is not below an existing suspension point or under the beams of the hall roof structure, the suspension point will be provided by using a pre-rig. The end of each suspension point (transfer point) is to be notified beforehand to the responsible ServicePartner using the order form.
The use of "bridles" at suspension points in the hall is not permitted on the NürnbergMesse site.
In the case of complex systems (statically indeterminate systems, generally more than single-span girders) a load plan must be submitted showing the total load and the loads on the suspension points (supporting loads) and all concentrated and section loads. NürnbergMesse GmbH reserves the right to request the installation of load measurement systems for statically indeterminate systems. The load measurement systems are to be supplied, installed and operated exclusively by SPIE SAG GmbH. Load measurement systems are provided at extra cost, which will be charged to the exhibitor.
Please note that the use of load cells can reduce the maximum suspension height by up to 50 cm.
For technical or organizational reasons, suspension points above the exhibition stand may already have been prepared or installed for subsequent events. The exhibitor/stand builder is not entitled to remove these suspension points and must not use or modify them.

4.7.5.2 **Attaching objects to suspension points**

The objects to be suspended (lighting bars, spotlights, projectors, loudspeakers, etc.) may only be mounted by the exhibitor's own **skilled staff**, approved **contractors or the ServicePartner** in accordance with legal standards in force and current engineering practice. When selecting the **skilled personnel** on site or the supervising person (coordinator), the provisions of the current guidelines as per DGUV regulation 17, the DGUV Information Sheet 215-310 and in accordance with IGVW SQ Q2 must be observed. **Evidence of the required qualifications** must be carried.
When installing lighting trunking systems the associated spotlights and accessories must also be provided with an adequately dimensioned secondary fuse in accordance with the latest engineering practice (DGUV Information Sheet 215-313).
Further information on approved and non-approved attachment gear, load-bearing lines, load-bearing equipment, fasteners, rope terminations and lifting equipment can be obtained from **Instruction Sheet i4.9 "Suspension points, trusses and lifting equipment".**

The regulations listed below must also be observed for safety reasons.

The following are not prohibited:

- Suspension points used for securing stand components or exhibits (stand components or exhibits must stand securely on their own)
- Suspended constructions with a rigid or non-positive connection to the hall floor
  (structures with an additional connection to the roof supporting system as a result of suspension points
- The use of bridle suspension points
- The use of bridle suspension points

4.7.5.3 **Use of truss systems**

The use of trusses, rigs and truss systems is governed by the requirements and implementation instructions of DGUV Regulation 17, DGUV Information Sheet 215-313 and the Quality Standard IGVW SQ P1. This is independent of the type of use of the trusses, rigs or truss systems, which can be hung, moving or ground-supported.
The use of trusses, rigs and truss systems outdoors is governed by the requirements for "temporary structures" (Code of Practice for the Construction and Operation of Temporary Structures, German FlBauR). In addition, the Quality Standard IGVW SQ P5 and DIN EN 13814 (Safety of Carnival Rise and Leisure Facilities).

For rigs that cannot support the load of a single-span girder (girder/truss on two supports or two suspension points), evidence of structural strength may be requested at the exhibitor's cost. The data sheets must be enclosed for the trusses used. If temporary structures are used, the building permit (Baubuch) must be carried.
Conductive parts must be included in the measures to protect against direct contact by providing additional equipotential bonding (see also projector5.3.3).

4.7.5.4 **Use of lifting equipment**
The use of lifting equipment (electric chain hoists, manual chain hoists, etc.) is only possible in halls 3A, 3C, 4A, 7A and 11 and requires prior approval by NürnbergMesse.
The use of lifting equipment (electric chain hoists, manual chain hoists, etc.) in halls 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 and 12 is strictly prohibited!
The use of lifting equipment is governed by the requirements and implementation instructions of DGUV Regulation 17, DGUV Information Sheet 215-313 and the industry standard SQ P2.
A suitable rope termination (e.g. ring or rope socket) must be provided. **Wire rope fasteners** (holders, sliders) are only designed for static loads and must not be used in conjunction with lifting gear.
Cable holders must be used at least in pairs, i.e. the objects suspended in this way must be fixed to at least two wire ropes in order to stop the load twisting around its own axis on the wire rope. Cable holders may not be installed in the securing chain of the secondary safety component against falling.
Secondary safety devices must be provided for all lifting equipment and slings (polyester round slings) in accordance with the latest engineering practice.
The use of lifting gear must be advised when ordering suspension points!

4.7.5.5 **Electric chain hoists**
Electric chain hoists may only be used in halls with heavy duty suspension devices (halls 3A, 3C, 4A, 7A and 11).
The use of this lifting gear is subject to the Requirements for Electric Chain Hoists in Event Technology (IGVW SQ P2).
The dead weight of the electric chain hoists and dynamic coefficients must be taken account of in the load plan so as not to overload the slinging points and slinging material.
The contractor must subject the hoists to an annual inspection. The test certification mark must be affixed to a visible location on the lifting equipment and the test documentation has to be available on site at all times. This inspection does not replace the inspection by an officially appointed expert every four years.

4.7.5.6 **Manual chain hoists**
Manual chain hoists may only be used in conjunction with heavyduty suspension devices (halls 3A, 3C, 4A, 7A and 11).
Manual chain hoists may only be used in the case of statically determinate systems, i.e. a line load on two hoists or a distributed load on three hoists. The use of manual chain hoists for complex systems is not admissible.
The carrying and load hook of the hoist must be in a perpendicular straight line above the centre of gravity of the load. Winding round the load with the chain (carrier) or guiding the load chain over corners is not admissible.
Loads must always be moved with all attached manual chain hoists at the same time, i.e. there must be as many people lifting at the same time as there are manual chain hoists in use. It must be ensured that the lifting and lowering processes are uniform.
The dead weight of the manual chain hoists and dynamic coefficients must be taken account of in the load plan so as not to overload the slinging points.

4.7.6 **Stand partition walls**
The stand partition walls are fiber board or plastic-coated walls depending on the event. They are not suitable for mounting heavy objects and have no support function during assembly and dismantling. It may be necessary to erect additional supporting walls at extra cost, which may only be removed on the instructions of the organizer.

4.7.7 **Advertising materials, presentations**
The lettering on stands and exhibits, company logos and trademarks must not exceed the specified construction height and should create an attractive impression.
Presentations and slow-moving visual and acoustic advertising and musical reproductions are permitted, provided they do not annoy neighboring stands, do not cause congestion in the gangways and do not drown out the public address systems in the halls. The loudness at the edge of the stand must not exceed 70 dB(A).
When mounting loudspeakers and sound systems they must be directed towards exhibitor's own stand area.
NürnbergMesse can intervene if these regulations are violated and may demand that the items causing the noise are shut down. In the case of show events the provisions of the German accident prevention regulation "Venues and production sites for stage presentations" (DGUV Regulation 17) must be observed.
Shows or product presentations with performance elements must be notified to NürnbergMesse, Exhibition Technology Departement (for contact details see 4.2). It must be demonstrated here that there is enough room for spectators on the stand surface. It must be ensured that the demonstrations/advertising measures do not cause any blockages, interference or congestion in the passageways. The demonstrations must not have any adverse impact on neighbouring stands and other exhibitors.
NürnbergMesse is entitled to restrict or prohibit previously approved demonstrations if they create a danger for visitors or exhibitors. In addition, demonstrations may be restricted or prohibited also by reason of optical or acoustical impairments of the current exhibition/ event operation, the emission of substances (dirt, dust, steam, smoke, odours) or by reason of vibrations.
The distribution of printed matter and the use of advertising material are permitted only in the exhibitor's own stand space.
Advertising structures inside the stand must not protrude into the gangways or be mounted higher than the prescribed height.
Advertising that contravenes legal regulations or offends against moral standards is not permitted. Advertising packages or advertising material of companies not registered at the event must not be displayed. Exhibits are not to be set up outside the stand limits.
Possible advertising offers can be found in the Online ExhibitorShop (OES) under Marketing Services.

4.7.8 **Accessibility**
The stands must be designed to meet requirements for access by the disabled. Stands and their equipment should also be accessible and usable by people with restricted mobility without needing the assistance of others.
We recommend installing suitable ramps with a maximum slope of 6 % and minimum width of 1.20 m and a non-slip floor covering. Doors need to have a clear opening width of minimum 0.9 m. Areas of movement and traffic areas need to be at least 1.5 m wide.

4.8 **Outdoor area**
The outdoor area of NürnbergMesse consists of paved or asphalted traffic areas and uneven, mostly non-compacted ballast lawn areas or grown lawn areas.
During event opening times, the outdoor area is illuminated by general road and path lighting after dark. The necessary service connections are available at irregular intervals.
The general provisions of the technical guidelines for stand construction also apply similarly for stands in the outdoor area. Other supplementary instructions are provided in the Instruction Sheet i4.14 Stand structures in the outdoor area.

Responsible person
At the time of registration or at the latest upon commencement of assembly, a **technically responsible person must be named along with his or her mobile telephone number. This person must be continuously reachable at during all event phases** (assembly/event times/dismantling) and must be able to immediately initiate and perform the necessary measures to halt operations in response to weather alerts or disturbances.

4.8.1 **Stand approval/stand structures requiring permission**

Depending on the type and extent, stand structures and special constructions in the outdoor are subject to review and approval by the relevant authority. They are also fundamentally subject to written approval by NürnbergMesse (Exhibition Technology Department). To this end, (see 4.2) an audited or auditable structural analysis (proof of stand safety), dimensioned layout plans and views of the structures and designs must be submitted for review and approval in a timely manner. The type and extent of stand structures requiring permission and approval are defined in Instruction Sheet i4.14 Stand structures in the outdoor area. An audited or auditable proof of stand safety must be provided in every case.

Stand structures in the outdoor area of the Exhibition Centre that are subject to permission and approval include all structural installations that are to be classified as regular temporary structures according to Art. 72 BayBO with a valid model permit or are comparable to them in terms of their construction and design, and all other walkable and/or covered, space-creating or freestanding structural installations (e.g. tents, stages, show trucks, etc.).

In erecting and operating non-stationary stages and stage coverings, the requirements of the Quality Standard **IGVW SQ P5** must also be met.

A copy of the registration with the government authority must be submitted to NürnbergMesse no later than 14 days before the beginning of the event. If you have any questions, please contact

Bauaufsicht Süd
Bauhof 5
90402 Nürnberg
T +49 9 11 2 31-43 71.

The costs for the necessary acceptance of the temporary structure by the relevant authority will be billed to the exhibitor/stand builder.

4.8.2 **Ground anchors**

In general, excavations and ground anchors (e.g. ground stakes) are prohibited in the outdoor area.

If you do not follow this rule, you will be generally liable for all losses and consequences resulting from damage to pipes and cables (even if you are in possession of a special approval and permission from NürnbergMesse).

Materials placed in the outdoor area must be removed without a trace and the original condition restored.

4.8.3 **Weather-related loads**

4.8.3.1 **Wind loads**

As a general rule, all stand structures in the outdoor area must be rated for wind loads in accordance with **Eurocode 1: DIN EN 1991-1-4** with due regard to the local wind zone.

4.8.3.2 **Wind loads for temporary structures**

If a structure is a **temporary structure** under the building codes according to **Art. 72 BayBO**, the wind loads according to DIN EN 13814, 5.3.3.4 (for exhibition installations) and DIN EN 13782, 6.4.2.2 (for tents) in conjunction with the "BayBO List of technical rules introduced as technical building regulations " may be applied.

If an operational load case according to DIN EN 13814, 5.3.3.4 is claimed, the exhibitor/stand operator must take organizational measures to ensure the cessation of operations from a **wind speed of v_{10} = 15 m/s** (also in gusts).

4.8.3.3 **Snow loads**

No snow loads need to be considered for stand construction measures in the snow-free period (April - Oct.). For stand construction measures in the **winter time (Nov. - March)**, the regular snow loads according to **Eurocode 1: DIN EN 1991-1-3/NA** must be demonstrably considered for all supporting roofs, with due regard to the local **snow load zone**.

4.8.4 **Weather alerts**

The stand operator is obligated to pay attention to weather forecasts and take the necessary protective measures, up to and including dismantling or cessation of operations, in response to weather alerts. In addition, the exhibition company will issue a general weather alert to the designated responsible person of the outdoor stand operator in accordance with Item 4.8.

In the case of mobile installations (e.g. small exhibits, furniture, sunshades, small promotional displays, etc.), the exhibitor/stand operator must ensure that they can always be quickly dismantled and adequately secured in response to weather alerts.

4.8.5 **Exits/escape routes**

The escape **route length** from every visitor site to the next exit to the outside may not be longer than **30 m**.

The width of escape routes must be measured on the basis of the highest possible number of persons. The clear width of every part of escape routes must be at least 1.20 m.

The clear width of escape routes must be dimensioned for the persons who rely on them:

- 1.20 m for each 200 persons in enclosed rooms
- 1.20 m for each 600 persons in outdoor areas.

Steps are only permitted at intervals of 0.60 m.

Enclosed rooms with a surface area of more than 100 m² must have at least two exits, if possible on opposite sides.

The clear width of the exits must be equal to the width of the escape route.

The necessary exits must be permanently and well visibly marked with appropriate emergency exit pictograms. Additional requirements for the marking of escape and emergency routes can be found in 4.5.1.

4.8.6 **Glass**

Only safety glass suited for the intended purpose may be used. Additional information on the use of glass and acrylic glass is provided in Item 4.4.3.

4.9 **Two-storey stands**

4.9.1 **Application**

Multi-storey stands are only possible in the exhibition halls if authorized by NürnbergMesse. The application must be submitted immediately after receipt of stand approval and by the specified deadline (see 4.2). The necessary application form **(Form P1.1)** is obtainable from the respective exhibition management.

Two-storey stands are not possible in halls 10.1, 11.1 and 12.2.

4.9.2 **Regulations on building over stand areas, safety clearances, height of rooms in stands**

The maximum height of structures is shown in the Instruction Sheet: Hall details at a glance.

The clear height of inside rooms of multi-storey stands must be at least 2.30 m on the ground floor and upper floors.

For fire safety reasons, a sprinkler system must be installed by the responsible ServicePartner BSS to protect the structure.

By way of exception, smoke or differential heat detectors must be installed by the relevant ServicePartner SPIE SAG GmbH in halls 4A, 7A and 11 as an alternative to a sprinkler system.

Stand structures bordering on neighboring stands are to be finished in a light and neutral single color above the height of 2.50 m.

4.9.3 **Permissible loads/load assumptions**

The **vertical loads** for the ceiling of a multi-storey stand inside an exhibition hall must comply with Eurocode 1: DIN EN 1991-1-1/NA:2010-12 Table 6.1DE [Cat. C] as follows:

- Load required for **restricted use** by visitors or stand staff for meetings and customer support, i.e. furnished with tables and chairs arranged at random or divided into office cubicles **q_k = 3,0 kN/m²** (Cat. C1).
- Load required for **unrestricted use** as freely accessible display and meeting area or as sales space with or without closely spaced seats: **q_k = 5.0 kN/m²** (Cat. C3).

The respective option must be clearly identified in the plans submitted for approval.

Staircases and stair landings must always be designed for a load (Cat. T2) of: **q_k = 5.0 kN/m²**.

To achieve sufficient **longitudinal and lateral stability** for multi-storey exhibition stands, landings or platforms, a horizontal load of **$H = \sum q_k/20$** (q_k = vertical load) is required at the height of the floor of the second storey.

For **balustrades and railings**, a horizontal load of **q_k = 1.0 kN/m** at handrail height (at least 1.10 m) must be applied according to Eurocode 1: DIN EN 1991-1-1/NA:2010-12 Table 6.12DE. The fall-protecting function of **outer walls** in the upper floors must be appropriately demonstrated. A **horizontal equivalent distributed load q_h = 0.125 kN/m²** (see Item 4.1) must be taken into consideration in order to achieve adequate protection against tilting and sliding and ensure the stability of stand structures.

It must be verified that the permissible loads on the hall floor are not exceeded, e.g. by single supports (see 3.1 Hall data). If required, load-distributing floor panels have to be provided underneath the supports. Service ducts and covers must be covered with floor panels to prevent loads on them.

The proof of stand stability must take into account that floor anchors are not admissible.

4.9.4 **Escape routes, stairs**

The **walking distance** to the next hall necessary gangway from any accessible point on the top floor of a multi-storey stand **must not exceed 20 m**. Escape routes may not pass through functional areas (e.g. kitchen, storage room).

The following minimum **number and clear width of escape routes** (exits, corridors) are to be provided:

- up to 100 m²: and less than 100 people 1 escape route (clear width 0.90 m)
- over 100 m²: and less than 200 people at least 2 escape routes (0.90 m wide)
- more than 100 m² and more than 200 people at least 2 escape routes (each 1.20 m wide)
  Escape route widths are to be graduated only in 0.60 m increments per 100 people.

If the floor space of the upper floor exceeds 100 m², at least two stairs are required. The stairs must be positioned opposite each other.

All **stairs** must conform to DIN 18065 and must have a clear width of at least 1.20 m.

The necessary stairs and the stairs used for general visitor traffic must have closed steps. Winding or spiral stairs are not permitted. The rise of the stairs must not exceed 0.19 m and the depth of the treads must not be less than 0.26 m. When determining the tread width, it should be ensured that "undercutting" (e.g. with risers) cannot be taken into account. Furthermore, in designing the undercutting, care must be taken to ensure that the heel is not caught when going down stairs.

With stairs, an intermediate landing must be provided after 18 steps. The depth of the landing should be a multiple of the step dimension. An uneven number of steps should be taken as a basis.

Stairs may not begin immediately behind a door. There must be a sufficient landing (min. depth 1.0 m) between the staircase and the door.

Winding or spiral stairs are not permitted.

Hand rails must offer a firm grip and be continuous.

The side clearance between hand rails and adjacent parts must be at least 0.05 m.

Stairs must have handrails on both sides. Stairs more than 2.40 m wide must have central handrails. The clear headroom must be at least 2.00 m.

Due to the design of multi-storey exhibition stands, the general **safety lighting** available in the hall may not work in all areas of the stand in the event of a power outage. To ensure that persons in these enclosed areas can find their way safely to the general traffic areas, it is necessary to install an additional, own safety lighting system (see Item 5.3.5), which must be coordinated with NürnbergMesse in advance (see Item 4.2).

Escape and emergency routes must be permanently marked in accordance with ASR A1.3 or DIN EN ISO 7010, DIN EN 1838 and DIN 4844-1. It must always be possible to open the doors to these exits from inside to the escape direction during the event and these doors must not protrude into the hall gangways. An appropriate niche must be provided in any case.

4.9.5 **Building materials**

In the case of two-storey stands the load-bearing structures, ceilings on the ground floor and floor of top floor have to be made of flame resistant materials (to DIN 4102 or EN 13501-1) or flame retardant components as a minimum. Further requirements relating to stand construction and decoration material are described in 4.4.1.1. Stand roofing/ceilings are to be executed in accordance with 4.4.2.

4.9.6 **Upper floor**

If balustrades are necessary on the upper floor, a lip of at least 5 cm must be provided on the floor at the base of the railings to **prevent objects rolling over** the edge.

Railings and balustrades are to conform to **Item 4.6** and **Item 4.9.3**. Handrails/upper balustrade ends must be designed in such a way as to prevent the placement of objects and the risk of their falling below.

The fall-protecting function of **outer walls on the upper floor** must be assured and demonstrated in the structural calculations.

If **ceilings above the upper floor** are closed design, the requirements for **stand roofing** as per **Item 4.4.2** must be observed.

All reception and lecture rooms enclosed on all sides must have a **line of sight** to the hall. For other requirements please refer to 4.4.4.

In addition to the fire extinguishers available on the ground floor, on the upper floor at least one **fire extinguisher** (EN3) must be provided ready for use in a prominent position for each stairway (see Item 4.4.1.13).

5. Industrial safety, technical safety regulations, technical rules, technical supplies

5.1 **General regulations**

Assembly and dismantling work may only be carried out in accordance with labour and industrial regulations. The exhibitor/stand builder/customer is responsible for operating safety and for compliance with the Occupational Health & Safety and Accident Prevention Regulations on his stand/event area.

5.1.1 **Damage**

Any damage to the exhibition grounds, its buildings or installations caused by exhibitors or their agents will be rectified by NürnbergMesse at exhibitor's cost after the end of the event. The exhibition areas must be restored to their original condition after dismantling and all damage is to be notified to the event organizer. The exhibitor is responsible for any damage caused to the hall ceilings, walls, floors and installations.

Stands not dismantled or exhibits not removed by the official deadline for dismantling may be removed and stored by the exhibition forwarding agent at the exhibitor's cost and risk or disposed of at the exhibitor's cost.

5.1.2 **Coordination of work at the exhibition site**

If the employees of different companies must perform work concurrently at the exhibition site/event area (especially in the assembly and dismantling phases), **the stand construction supervisor** must perform a **coordination according to the German Working Conditions Act** (ArbSchG) and DGUV (German Statutory Accident Insurance) Regulation 1 to rule out possible mutual threats.

This applies particularly also to the work performed by service providers of the exhibition company on the exhibition stand.

In addition, necessary measures to improve the safety and health protection of employees in the workplace in accordance with the currently valid European Directive EC-RL 89/391/EWG must be observed and implemented in the work performed at the exhibition site.

Entering the exhibition site during assembly, conversion, and dismantling may be associated with dangers that necessitate the wearing of suitable **personal protective equipment (PPE)**. The exhibitor must conduct a risk assessment for its employees and contractors under its own responsibility and inform them of dangers, compensation measures, and suitable personal protective equipment (PPE). The exhibitor is responsible for implementing and monitoring the specified measures.

5.2 **Use of tools and equipment**

The use of bolt-firing tools, nail guns and chain saws is prohibited. The use of woodworking machines without sawdust extractors is prohibited.

In general, all types of **wood working** during the event must be notified to NürnbergMesse (see Item 4.2) and require a written approval. During all wood working demonstrations, suitable safety enclosures must be provided for the protection of visitors (see also Item 5.6.2.1). Furthermore, suitable fire prevention measures must be implemented.

The requirements of DGUV Information 203-006 must be observed in the selection and operation of **electrical equipment and tools**.

Rented **elevating work platforms** may only be operated by qualified persons above the age of 18 years. Proof of qualification to IPAF or DGUV Rules of Procedure 308-008 must be provided. Drivers must be in possession of driving licences at all times.

For reasons of safety and liability, elevating work platforms may only be requested from our ServicePartner SPIE SAG GmbH.

Cranes and forklift trucks may only be used by the forwarding agents appointed by NürnbergMesse.

For safety and liability reasons, working platforms etc. may only be requested via our ServicePartner SPIE SAG GmbH.

5.2.1 **Explosive mixtures**
Explosive mixtures may be formed when handling flammable hazardous materials (e.g. liquids, gases, dusts. etc.).
It is therefore essential that an **explosion protection document** is prepared for all systems, structures, exhibits or demonstrations involving hazardous materials of this type.
The explosion protection document must be drawn up by the exhibitor. The complete explosion protection document must be submitted by the exhibitor to NürnbergMesse in time (see Item 4.2) beforehand for approval. Safety against explosion will be tested on site, for a fee, before the system is taken into operation (before the start of the trade fair).
If no explosion protection document is submitted or if defects are found during the inspection on site, the operation of the system/the demonstration cannot be approved.
Detailed information about the explosion protection document and the explosion safety test is provided in the information sheet ***i4.15 Explosive Mixtures***.

5.2.2 **Devices for catching wood dust and shavings**
Devices for the extraction and storage of dust, shavings or chippings from wood or wood materials (e.g. silos) must be tested before start of operation in accordance with the German Hazardous Substances Act (GefStoffV) by a person authorized to carry out testing according to the German Occupational Health and Safety Regulations (BetrSichV), taking into account the proposed mode of operation, to ensure that they are in order in terms of their assembly, installation, set-up conditions and safe function.
In general, devices of this type must be notified in time (see Item 4.2) in advance to NürnbergMesse for approval. The operator of the system is responsible for guaranteeing operating safety on start of operation (see Item 5).
The operator/exhibitor must draw up a **risk assessment in the form of an explosion protection document** (according to the Hazardous Substances Regulations, Industrial Safety Regulations, TRGS 720 bis 725 und TRGS 727) and enclose it with the notification (see information sheet ***i4.15 Explosive Mixtures)***.
If **wood working machines** are demonstrated during the trade fair so that an increased **amount of dust or shavings** becomes likely, the provisions of DGUV Information 209-083 and 209-045 regarding the installation of automatic spark extinguisher systems must be also be followed. In justified exceptional cases (e.g. restricted demonstration of the system), there may be no need to install the spark extinguisher system once approval has been given in writing by NürnbergMesse (see Item 4.2).

5.3 **Electrical installation**

5.3.1 **Connections**
When ordered, each stand to be supplied with electricity will receive one or more connections, which will be installed exclusively by the relevant ServicePartner of NürnbergMesse. The installation of these connections is only to be carried out by the responsible ServicePartner of NürnbergMesse. The layout plan showing the desired position of the connections is to be enclosed with the orders on the order form. Electricity consumption will be charged at a fixed amount for connections up to 20 kW and based on meter readings for connections over 20 kW.
The power supply is available from the start of assembly until the end of dismantling. Other times of availability can be arranged with the responsible ServicePartner. The exhibitor is obliged to protect his supply connection point against damage and accidents.
For safety and fire protection reasons, all electricity consumers must be shut off upon leaving the stand at the end of every event day. By way of exception, safety systems, emergency lighting, refrigerators and servers may remain in operation.
Generators may not be used at exhibition stands.

5.3.2 **Stand installation**
Electrical installation work on the stand can be carried out to order by the responsible ServicePartner of NürnbergMesse.
Within the stands, i.e. from the transfer point, installation work after the supply connection point on the stand can be carried out by the exhibitor's own electricians or by approved electrical contractors in accordance with VDE regulations, applicable European regulations and current engineering practice. If clamp or screw connections are used in the installation within the stand, the electrician performing the work must inspect the installed system. Afterwards, the electrician must prepare written documentation of the inspection (measurement reports and construction certificates), which must be kept on hand at the stand for examination. In addition, the valid inspection reports for all electrical equipment according to DGUV Regulation 3 must be kept on hand.
Connections, machines and equipment that do not comply with the regulations or whose consumption is higher than registered are inadmissible. Such items may be removed from the stand and taken into custody by NürnbergMesse at exhibitor's cost and risk.

5.3.3 **Installation and operating regulations**
The entire electrical installation is to be carried out in accordance with the latest safety regulations of the Electrical Engineering Association (VDE) and Accident Prevention Regulations (DGUV Regulation 3).
The requirements of VDE 0100, VDE 0100-706, VDE 0100-718, VDE 0108, VDE 0128, VDE 0100-560 and VDE 0100-711 (IEC Standard 60364-7-711). The exhibitor assumes full liability for damage resulting that may occur due to faulty electrical installations on halls and building parts of NürnbergMesse and on the stands and exhibits of other exhibitors.
Protection with residual current devices (RCD) is mandatory for all power circuits.
An RCD with a maximum fault release current of 30 mA is specified for mains sockets and lighting circuits. Another suitable method of protection may be used for special machinery and equipment (frequency converters). The exhibitor is responsible for such measures.
The amount of high- or low-frequency interference with the mains supply must not exceed the limits stated in VDE 0160 and VDE 0838 (ISO 50 006 and EN 61000-2-4).
Cables with solid conductors must be laid and connected permanently. Flexible cables must be provided with strain relief devices. The minimum specification for all cables used during assembly and dismantling is H07RNF or at least equivalent (VDE 0298). Cables such as H05.... or similar may only be used in areas where they are subject to low mechanical loads (VDE 0298). Only cable with a minimum cross-section of 1.5 mm² Cu may be used.
Conductive components are to be incorporated in the precautions for protection against indirect contact (stand grounding and/or equipotential bonding).
Secondary circuits (all cables from the provided electrical connection) must be protected from short-circuit and overload using suitable circuit breakers.
Low-voltage systems may only be operated with safety transformers to DIN EN 61558 (VDE 0570) or 61046/61047 or equivalent. The transformers must be suitable for installation on combustible surfaces and their primary and secondary circuits equipped with protection against overheating, short-circuit and overload.
Bare (uninsulated) electrical conductors and clamps are prohibited in low- voltage lighting systems and cable systems must also be completely insulated. All terminal connections have to end in a closed box. Flexible cables (and flat cables) must not be laid under floor coverings without protection against mechanical loads.
The electrical installation on the stand may not be taken into operation for the event until it has been accepted and inspected and approved by an authorized person. An acceptance report must be available for inspection on the stand.

5.3.4 **Safety measures**
As a special precaution, all heat-generating electric appliances (hot plates, spotlights, transformers, coffee percolators, etc.) are to be mounted on non-combustible, heat-resistant, asbestos-free bases. Depending on the **heat generated**, sufficient separation is to be maintained from combustible materials.
Light fittings may only be mounted on non-combustible decorations or the like. Spotlights, floodlights, spotlights on luminaire tracks and their supply fittings such as power rails, switch boxes or the like are to be secured individually with **safety back-up wire ropes** to current standards.
Power rails have to be fitted with protective caps. They must not be fastened using cable ties. In the case of halogen lighting only spotlights with **protective screens** are admissible. In addition, suitable **shatter protection** as specified by manufacturer must be used in the case of lens spotlights (e.g. natural light spotlights with exchangeable lenses, or PAR spotlights with halogen bulbs).
When UV lamps are used, any threats resulting from increased radiation exposure must be ruled out. When discharge lamps are used, appropriate **UV filters** conforming to the manufacturer's instructions must be used. UV lamps of types UV-B and UV-C may be used for the intended purpose in devices designed for that purpose only if it can be assured that no unprotected radiation can escape.
Unauthorized modifications to hall lighting such as removing individual fluorescent bulbs is prohibited.

5.3.5 **Emergency lighting**
Stands whose special design means that the existing general emergency lighting of the building is ineffective must have their own additional emergency lighting in accordance with VDE 0100-718 and DIN EN 50172.
This is to be designed to ensure safe access to the general escape routes.

5.4 **Water and waste water installation**
When ordered, each stand to be supplied with water and waste water drainage will receive one or more connections to current standards.
These connections may only be installed by the relevant ServicePartner of NürnbergMesse. A layout plan showing the desired placement of the connections must be enclosed with the orders placed using the required form.
All installations inside the stands have to comply with the current regulations and engineering practice (e.g. drinking water regulations and DIN 1988), so as to prevent any lasting impairment of drinking water quality due to the installation and operation of a connection.
NürnbergMesse reserves the right to perform random inspections of the installations.
Continuous flow coolers may not be connected directly to the drinking water supply.
It is forbidden to take water from hydrants or other fire extinguishing equipment.
For safety reasons, the water supply is shut off on the last day of the exhibition – usually one hour after closing time!
Chemically contaminated waste water, food and grease residues must not be introduced into the waste water system but must be properly disposed of.
For more information, guidelines and conditions see Online ExhibitorShop (OES) under Water supply and drainage.

5.4.1 **Connections**
In the installation of the water connection, the feed line is usually installed in the form of a ½-inch hose and the drain line in the form of a 50 mm pipe (DN 50).
The connections lead from the service shafts in the hall floor within the stand area (positioned according to the hall layout plan).
Within the stand, the lines are laid on the hall floor, meaning that the arrangement of the pipelines must be coordinated with the relevant ServicePartner in advance and it may be necessary to consider the installation height of the pipes and lines.
The placement of lines that cross other stands must be avoided; in exceptional cases, such placement requires the prior written approval of NürnbergMesse (see Item 4.2). The lines must be laid and covered in such a way as the ensure traffic safety. The exhibitor bears the costs of this work.
Water pipes may not be placed in the hall gangways!

5.4.2 **Use of water-bearing systems and equipment**
When using water e.g. in basins, fountains, water walls, humidity or other water spray systems at the stand, the water must be completely hygienic.
This is why when using such systems the circulating water must always be protected from infection.
Documentary evidence of this must be produced at the request of NürnbergMesse.
The use of the systems described above must limited on the stand area. Hall gangways or other exhibitors must not be located in the effective area of such systems or equipment.
The exhibitor is liable for water damage and related consequential damage.

5.5 **Compressed air/gas installation**

5.5.1 **Compressed air**
When ordered, each stand to be supplied with compressed air (max. 7.5 bar) will receive one or more connections of the required size. The supply connection point is always fitted with a ball valve or quick coupler.
The installation of these connections is only to be carried out by the responsible ServicePartner of NürnbergMesse.
The layout plan showing the desired connection points is to be enclosed with the orders on the order form.
The amount of compressed air used is included in the connection charge.
Compressed air is available during the official assembly and dismantling period. During the event, compressed air is available from 8:00 until closing time. For safety reasons, the compressed air supply is shut off at all other times.
Compressed air can be provided outside the stated times by arrangement and at extra cost.

5.5.1.1 **Connections**
Nominal widths of up to 1 inch are possible for the installation of compressed air connections.
The connections lead from the supply ducts in the hall floor within the stand area (positioned according to the hall layout plan).
Within the stand, the lines are laid on the hall floor, meaning that the arrangement of the pipelines must be coordinated with the relevant ServicePartner in advance and it may be necessary to consider the installation height of the pipes and lines.

5.5.1.2 **Stand installations**
Qualified employees of the exhibitor may perform the installation of compressed air lines from the main connection and connections to exhibits inside stands if they observe the applicable regulations. Alternatively, the work can be ordered from the responsible ServicePartner of NürnbergMesse or carried out by suitably qualified outside contractors.
The exhibitor bears responsibility for self-installation.

5.5.1.3 **Installation and operating regulations**
We recommend the installation of fine filters, water traps, reducing valves and safety valves to protect exhibits. The hoses and fittings used must be rated for a minimum operating pressure of 10 bar and protected against mechanical loads. The hoses must be laid and fixed to allow the smallest possible freedom of movement in the event of an accident – especially at the joints.

5.5.1.4 **Compressed air cylinders**
The large capacity of the supply network means that compressed air chambers/cylinders are not normally required for the operation of exhibits. In general, compressed air containers must be rated for a minimum operating pressure of 10 bar and equipped with tested and approved fittings according to the German Occupational Health and Safety Regulations (BetrSichV).
The inspection log for the specified initial inspection and regular 5- or 10-year inspections must be available on the stand. Compressed air containers must pass an acceptance inspection by an authorized person (according to TRBS 1203 Part 2) before being taken into operation and the inspection certificate must be available on the stand.

5.5.1.5 **Compressors**
Own compressors are not permitted for operational safety reasons. This also includes the use of small or auxiliary compressors.
Compressors may be used under certain conditions and with the written approval of NürnbergMesse (see Item 4.2).
Exceptions to the aforementioned prohibition are possible in the following cases:
- The compressor is an integral part of the exhibit
- The compressor is your exhibit
- The compressor is an integral part of the exhibit and is sold together with it

In general, compressors may only be used if they have been inspected by a capable person to verify their operability and operational safety in accordance with the applicable BetrSichV and TRBS 1203 (Part 2).
The noise produced by the compressor may not disturb exhibitors and visitors and may not exceed 70 dB (A) at the edge of the stand.
The manufacturer's EC declaration of conformity for the compressor is to be available at the stand.
The exhibitor is responsible for proper disposal of condensates and solids containing oil and waste oil. Evidence of this is to be available at the stand.

5.5.2 **Gas**
It is not possible to supply gas/natural gas from the hall network of NürnbergMesse.
Please refer to Item 5.7 is technical gases are used.

5.6 **Machines, pressure vessels, exhaust gas systems**

5.6.1 **Noise emission**

The operation of machinery and equipment causing noise is to be limited as far as possible in the interest of all exhibitors and visitors. The noise at the edge of the stand must not exceed 70 dB(A) and measures to prevent the risk of hearing loss of the audience according to DIN 15905 (Part 5) must be taken.

The exhibition management team may establish demonstration times for noise-generating machines and devices to prevent a continuous noise nuisance for other exhibitors and visitors. Furthermore, if demonstrations cause noise, the exhibitor may be required to provide suitable hearing protection free of charge. The exhibitor must provide signs to draw attention clearly to the emission of noise and the provision of hearing protection.

The operation of machinery and equipment with centrifugal force is only admissible provided there is no transfer to building components. DIN 4150-2 can be applied to determine and comply with the permissible vibrational immission limits according to the Federal Immission Control Act (BImSchG).

5.6.2 **Product safety**

All exhibited products, equipment in need of monitoring, technical equipment, medical products and consumer products must fulfill the requirements of the Product Safety Act (ProdSG) and the respective harmonized EU regulations.

Technical equipment and consumer products not conforming to these requirements must bear a sign in a prominent position stating that they do not conform to the requirements of the above-mentioned act and cannot be purchased until they comply with the statutory requirements.

The relevant manufacturer's declaration of conformity must be available on the stand for technical equipment and consumer products bearing the CE marking.

For demonstrations, the necessary protective precautions must be taken by stand staff. Your attention is also drawn to the Product Liability Act (ProdHaftG) and Product Safety Regulations (ProdSV).

5.6.2.1 **Safety devices**

Machines and apparatus may only be taken into operation with all safety devices in place. The normal safety devices may be replaced with a safety cover of safety glass or a similar transparent material if the same level of safety is assured.

If equipment is not being operated and is reliably secured against start-up, the safety devices can be removed to show visitors the design and finish of the covered parts. In this case, the safety devices must remain in a clearly visible position next to the machine.

Risks of injury must be precluded under all circumstances.

5.6.2.2 **Inspection procedures**

The technical equipment on display will be inspected for accident prevention and safety by the responsible supervisory authority for each exhibition, if necessary with the responsible trade association committees, and checked for compliance with the safety requirements.

The EC declaration of conformity or manufacturer's declaration and operating instructions in the German language must be available for inspection on the stand to enable the authority to check the CE marking. In case of doubt, the exhibitor should contact the responsible authority at an early stage before the start of the exhibition.

5.6.2.3 **Requirements before start-up**

NürnbergMesse is entitled to ban the operation of machinery, apparatus and equipment at any time, if such operation is deemed to constitute a hazard to persons and property or adversely affect other exhibitors or the orderly running of the exhibition.

5.6.3 **Pressure vessels**

5.6.3.1 **Acceptance certificate**

Pressure vessels may only be operated on the stand if the inspections stipulated in the currently valid Occupational Health and Safety Regulations (German BetrSichV) have been carried out.

The associated inspection certificates are to be available at the installed location of the pressure vessel (exhibition space) and presented to the responsible supervisory authority or NürnbergMesse on request.

5.6.3.2 **Testing**

In addition to the submission of certification on structural and hydrostatic pressure testing (EC declaration of conformity plus the necessary documents in German or English), an acceptance inspection must be conducted on site by a capable person or approved inspection agency..

Pressure vessels and pressure systems must be inspected on site before initial operation, following modifications requiring a renewed inspection and then recurrently by the above-mentioned persons. If the pressure system is assembled on site at the exhibition centre, this system must then be inspected in the same way as before initial operation.

5.6.3.3 **Rented equipment**

As during the relatively short assembly period it is not possible to conduct assessments of pressure vessels without an EC declaration of conformity, preference should be given to rental equipment that has already been tested.

5.6.3.4 **Supervision**

The necessary acceptance certificate must be available for the trade inspectorate during the event at the exhibition stand. Information for specific exhibitions is available from the responsible supervisory authority.

5.6.4 **Exhaust gases and vapors**

Combustible and/or oily vapours, gases, aerosols and dust emitted by exhibits and equipment that constitute a health hazard or nuisance to the general public must not be discharged into the halls. They must be discharged outside through suitable pipes in accordance with the German Federal Immission Control Act.

Vapors or odors given off by cooking appliances must not be discharged into the hall but have to removed using an exhaust air system or treated using suitable activated carbon or aerosol separators.

5.6.5 **Exhaust gas systems**

To discharge vapors and gases that are combustible, hazardous to health or a nuisance to the general public an exhaust gas duct with outlet has to be installed.

The exhaust gas ducts will be mounted into the atmosphere only by the relevant ServicePartners of NürnbergMesse using their own material, insofar as technically feasible. The connections to the exhibits are to be executed by the exhibitor. The connections must comply with the regulations in force and accepted engineering practice.

Pipes discharging fumes and waste gas must be made of non- combustible materials. The distance from exhaust gas piping to combustible materials or similar must be at least 0.50 m and if necessary enclosed in a protective pipe or sleeve.

Exhaust gas systems are generally to be approved in writing by NürnbergMesse.

5.7 **Use of compressed gases, liquid gases and combustible liquids, fuel paste and other fuels**

5.7.1 **Compressed and liquid gas systems**

The storage and use of compressed and liquid gas in the exhibition halls or outdoor area is prohibited unless approved in writing by NürnbergMesse.

5.7.1.1 **Approval of compressed gas cylinders**

The storage and use of liquid gas or other combustible or non-combustible gases in compressed gas cylinders, compressed gas packs or tanks without the written approval of NürnbergMesse per Form P2 (see Item 4.2) are prohibited.

Compressed gas cylinders must be protected against impact, falling over, unauthorized use and heating up in accordance with the relevant accident prevention regulations. Toxic gases may not be used.

When using technical gases, the supply in the stand must be limited to the lowest possible quantity that is immediately required for the work process. If necessary, the container must also be replaced several times a day.

The gas cylinder may be stored in the exhibition stand for day-to-day use only during the event hours. Technical gases (and compressed gas cylinders) must generally be stored outside of the halls during assembly and dismantling and overnight.

Gas cylinders must feature approved safety valves and be sealed at the close of day.
Only one cylinder filled with combustible technical gases to a max. net weight of 5 kg may be used for each stand in the halls. **Non-combustible technical gases are limited to a max. net weight of 11 kg.** Only one connected use cylinder may be located in the stand.
If a larger quantity of technical gas is needed to operate an exhibit, NürnbergMesse shall work with the exhibitor, the relevant authorities and the ServicePartners to find a way of storing it outside the hall.
In addition to the currently valid Hazardous Substances Regulations (GefStoffV), the provisions of TRGS 510 and TRGS 800 must be observed. Colour marking of compressed gas cylinders as per DIN EN 1089 is necessary.

5.7.1.2 **Use of liquid gas**
When **using combustible liquid gas, only one compressed gas cylinder with a content of up to 5 kg** may be set up in any one exhibition stand, subject to the written approval of NürnbergMesse.
The lines to the operating unit and the feed line must be installed in the form of rigid pipes or flexible metal-reinforced hoses.
The operating unit must be set up on a large and non-combustible base at an adequate distance from heat sources and in such a way that it cannot topple over. Open fireplaces and hot surfaces must be kept at a minimum distance of 1.5 m from emergency routes (e.g. hall gangways) and effectively shielded. A gas detection system is required in certain cases.
An acceptance certificate for the liquid cylinder must be prepared by a capable person and submitted to NürnbergMesse. The prescribed instruction sheet for the operation of the unit must be displayed in a clearly visible place.

5.7.1.3 **Installation and maintenance**
Liquid gas systems are to be installed and maintained in accordance with the "Technical Rules for Liquid Gas" DVFG-TRF 2012 (publisher: DVGW Deutscher Verein des Gas- und Wasserfaches e.V. and DVFG Deutscher Verband Flüssiggase e.V.), DGUV Regulation 79 and the DGUV Regulation 80 "Use of Liquid Gas".
Please pay attention to Item 5.7.1.1.
The operator of the system must prepare an **explosion protection document** in accordance with § 3 and § 5 of the German Occupational Health and Safety Regulations and submit it with the application for approval. The overall system must be **inspected by an expert (capable person)** in accordance with DGUVPrinciple 310-005 before being placed in service. The expert must be engaged directly by the exhibitor.

5.7.2 **Combustible liquids**
The storage of combustible liquids is prohibited as a general rule. Exceptions for operational reasons must be coordinated with NürnbergMesse using Form P2 at an early time (see Item 4.2); written approval is required.
DGUV Rule 113-001, TRGS 510 and the corresponding documents, as well as the instructions of the safety data sheet, must be followed. Because combustible liquids are usually also declared to be hazardous substances, the requirements of Item 5.8 must be observed.
Combustible liquids kept on the site may not exceed the necessary quantity for the work process.
The quantity kept on hand may not exceed one day's supply.
Refillings must be notified and may only be done outside of visitor hours and in compliance with the technical safety regulations.
Emptied containers must be removed immediately from the hall.
The storage of flammable and/or explosive cleaning agents in the hall is prohibited.
The smoking ban must be strictly observed.
Suitable extinguishing agents for liquid fires must be provided in a sufficient quantity. See Item 4.4.1.13.
The use of dummies is prescribed for exhibition purposes.

5.7.3 **Open flame, fuel pastes and other fuels**
Heating and cooking appliances using wood, charcoal, gas, combustible liquids or fuel pastes are not allowed in the halls.

5.8 **Hazardous substances**
The deployment and use of materials or products containing asbestos, or of other hazardous substances or building materials containing hazardous substances, are prohibited.
This ruling is based on the Protection against Hazardous Substances Act (Chemicals Act), as amended, Federal Law Gazette (German BGBl) 1, Part 1, page 1703, in conjunction with the Prohibited Chemicals Act (Chem.Verbots V) and the Hazardous Substances Regulations (GefStoff V).
In general, the use of substances declared or marked as hazardous must be notified in good time to NürnbergMesse (see Item 4.2). For inspection and release, it is essential that the notification is accompanied by a list of substances including the corresponding **safety data sheets and operating instructions along with a risk assessment**.
If hazardous materials are handled and used in connection with exhibits, the exhibitor must guarantee that this does not cause any risk. Based on the Hazardous Substances Regulations (GefStoffV), it is essential that the exhibitor prepares a risk assessment beforehand. The determined and specified protective measures must be implemented at the stand and the local staff must be instructed according to the risk assessment. The risk assessment and the safety data sheets for the hazardous materials must be kept permanently on the stand and displayed so that they are clearly visible.

5.9 **Performance areas**
Performance areas are defined areas used for artistic and other performances.
Performance areas are areas used for artistic and other perform
For performance areas of more than 50 m² or 200 m², "event equipment directors" must be appointed in accordance with § 39 of the Bavarian Venue Regulations (BayVStättV) in conjunction with § 40. Even for smaller performance areas, complex technical installations and structures may require the presence of a **"responsible person for event technology"** according to BayVStättV § 39 in conjunction with BayVStättV §40. The "responsible person for event technology", who will be present during assembly and dismantling, rehearsals and during the performances on location must be designated in writing to NürnbergMesse (see Item 4.2 for contacts).
All stage and performance-related structures are to be installed as per the latest state-of-the-art (DGUV Regulation 17, formerly BGV C1 and instructions contained therein). NürnbergMesse must be notified of stage effects (e.g. wind, fog, pyrotechnics, activities involving fire hazards, candles etc.) at least 28 days before the event.
Please take note of 4.2.1, because certain structures (e.g. podiums, rostrums, LED walls etc.) have to be inspected and approved by NürnbergMesse. Under certain circumstances the cavities underneath stages and podiums need to be monitored by VdS-certified smoke alarms (see 4.6).
Depending on the type of event and the risk from technical structures, suitably qualified personnel (stage and studio professionals) are to be appointed.
During musical, acoustical or stage performances, the **noise level at the stand edge** may not exceed **70 dB (A)**. Any threat to the hearing sense of visitors in the stand area must be ruled out. Additional information regarding musical performances, presentations, acoustical or optical demonstrations at the exhibition stand can be found in 4.7.7 and 5.13.

5.10. **Radiation protection**
Information about radiation protection can be obtained from the DGUV and the responsible trade inspectorate.

5.10.1 **Radioactive substances**
The handling of radioactive substances is subject to permission and must be additionally approved by NürnbergMesse. NürnbergMesse is under no obligation to grant its approval.
According to the Radiation Protection Regulations (StrlSchV), approval is to be applied for from the State Environmental Protection Office and submitted to NürnbergMesse by the specified deadline (see 4.2). If approval already exists, evidence must be provided that the intended handling of radioactive substances in the exhibition grounds is legally permitted.

5.10.2 **X-ray systems and stray radiation sources**

The operation of X-ray systems and stray radiation sources is subject to permission and must be additionally approved by NürnbergMesse.

The current Radiation Protection Regulations (StrlSchV) and the Radiation Protection Act (StrlSchG) must be observed. The operation of X-ray systems and sources of stray radiation is subject to approval or notifiable in accordance with StrlSchG. The authority responsible for the exhibition grounds is the Nuremberg Trade Inspectorate and applications must be submitted in writing on time (see 4.2) (see Instruction Sheet i4.11).

X-ray facilities and stray radiation sources requiring permission must be inspected by an expert at the place of installation in the Exhibition Centre. The inspection report must be submitted to the government authority and NürnbergMesse.

Stray radiation sources that are expressly approved for portable demonstration use outside of X-ray rooms according to the up-to-date test report do not need to be tested after installation at the exhibition stand.

The exhibitor must ensure the presence of a radiation protection officer during operation. The permission of the government authority or confirmation of registration of the X-ray system, the inspection report and technical qualification verification of the radiation protection officer must be kept on hand in the stand.

5.10.3 **Laser systems**

The operation of laser systems is subject to permission and must be approved by the Exhibition Technology Departement of NürnbergMesse (see Instruction Sheet i4.10 "Operation of laser systems"). The operation of laser systems is to be notified to the responsible authority in accordance with § 5 of the Accident Prevention Regulation "Laser Radiation" (German DGUV Regulation 11 and 12). Notification is to be accompanied by a written order for the appointment of a laser safety officer for operation of the laser system and proof of appropriate liability insurance.

In addition, the exhibitor must prepare a **risk assessment for the demonstration and operation of the laser system** and submit it to NürnbergMesse in advance.

The requirements of the Occupational Safety Regulation on Artificial Optical Radiation 2006/25 EC/OStrV, **TROS Laser**, DIN EN 60825-1, DIN EN 12254 and in the **case of show lasers DIN 56912** must be met. For show laser systems, the indications of DGUV Information 203-036 and 203-037 must be additionally observed.

Class 3R, 3B or 4 devices/systems must generally be inspected on site by an officially appointed and sworn expert and declared safe before use. A copy of the inspection report is to be submitted to NürnbergMesse.

If changes are made to the laser system following inspection by the officially appointed and sworn expert, the operating permit becomes void. NürnbergMesse is then entitled to switch off the power supply to the stand or to confiscate and secure the laser system.

When adjusting and operating the laser equipment technical and organizational measures must be taken to ensure that no-one is exposed to laser radiation in excess of the maximum admissible radiation limits (MAR limits). The protective measures defined in the threat assessment prepared in advance must be implemented. A laser safety officer is to be provided and nominated in writing by the exhibitor. When demonstrating laser devices it must be ensured that no uncontrolled reflected radiation can occur and that the laser and/or projection area is not accessible to anyone.

The authority responsible for industrial safety is the Nuremberg Trade Inspectorate (see Instruction Sheet i4.10).

5.10.4 **LEDs**

The Exhibition Technology Department of NürnbergMesse must be notified by the specified deadline (see 4.2) of the operation of high-power or high-intensity LED systems, and/or spotlights in Risk Groups 2 and 3.

LED walls/video walls and their stability generally have to be inspected and approved by NürnbergMesse (see 4.2.1).

Suitable extinguishing equipment must be kept in readiness in the immediate vicinity of all LED systems. The operation of high-intensity LED spotlights or LED walls must not cause an annoyance to other exhibitors. Please observe 4.7.7 in the case of presentations and musical reproduction.

5.11 **High-frequency equipment, radio installations, electromagnetic compatibility and harmonics**

The operation of high-frequency equipment and radio systems must be reported to the Federal Network Agency in accordance with the **Telecommunications Act** and approved by NürnbergMesse. The frequency ranges and transmission power must be notified to achieve an even distribution of frequencies and prevent mutual interference as far as possible.

The operation of high-frequency equipment and radio systems is only permitted if they comply with the provisions of the Telecommunications Act (TKG) and the Electromagnetic Compatibility Act (German EMVG).

If exhibits are displayed or stand decorations used that involve electric, magnetic or electromagnetic fields, the provisions of the 26th Regulation on the Implementation of the Federal Immission Control Act (26 VImSchV), the DGUV Regulation 15, and the DGUV Rule 103-013 are to be observed.

Sources of strong magnetic fields must be notified to NürnbergMesse specifying the location on the respective stand.

The electrical installations of the exhibits and stands are to be designed to prevent unacceptably large interference with the network through harmonics in the exhibition center supply network (see Item 5.3.3).

Bundesnetzagentur
Außenstelle Nürnberg
Breslauer Straße 396, 90471 Nürnberg
T +49 9 11 9 80-40
F +49 9 11 9 80-41 80
poststelle@bnetza.de
www.bnetza.de

5.12 **Cranes, forklift trucks, empty containers**

The operation of exhibitors' own cranes and forklift trucks is not permitted. Only equipment supplied by the appointed ServicePartner may be used in the exhibition grounds.

The responsible ServicePartners exercise sole forwarding rights in the exhibition grounds, i.e. the delivery of exhibits, stand structures etc. to the stand, incl. provision of any auxiliary equipment and customs handling for temporary or permanent importation. Orders placed with the forwarding agents are subject to the current edition of the General German Forwarding Conditions (German ADSp) and the Forwarding Tariff for Trade Fairs and Exhibitions at NürnbergMesse.

Any liability of NürnbergMesse for all risks arising out of the work of the forwarding agents is excluded.

The storage of any kind of empty containers, full containers, or combustible materials of any kind (e.g. packaging, packaging materials, cases) on the stands, in the gangways or in free areas not approved as storage areas is prohibited. Empty containers are to be removed to the empties storage location by the forwarding agents approved for the exhibition grounds without delay.

Obstructing the fire brigade access roads, wall hydrants, fire doors and escape routes with filled/empty containers or waste is strictly prohibited (see Item 2.). NürnbergMesse reserves the right to have illegally deposited filled/empty containers removed by the approved forwarding agents at the cost of the exhibitor.

5.12.1 **Exhibiting heavy and bulky exhibits and machinery**

To ensure smooth transport of heavy and bulky items during the assembly and dismantling phase, timely consultation with the responsible forwarders (ServicePartner) is necessary.

If your **item being delivered measures more than 3.00 m x 2.50 m x 4.00 m or exceeds a total weight of 5.0 t**, you must notify the responsible ServicePartner of the forwarding company at least 28 days in advance.

If necessary the delivery must be made on the first day of assembly or in special cases during assembly that has been brought forward. This must be agreed in advance with NürnbergMesse.

When erecting the exhibits please observe the maximum admissible floor loads in the halls. To avoid excessive foundation pressure concentrated loads have to be distributed via load-distributing floor panels, so that the maximum admissible area loading is not exceeded. Supply ducts and covers must be covered with suitable floor panels to prevent loads on them.

If floor anchors are needed for the secure presentation of your exhibits, please note the requirements of 4.7.4.

5.12.2 **Exhibition and/or operation of cranes, lifting equipment, construction equipment and other equipment**

In general, all exhibits and devices are to be positioned in such a way that no extensions, booms or other movable components can protrude or swing out of the stand area. This also applies to the air space above the hall gangways and adjacent stands.
All work equipment or construction equipment must have been recently inspected in accordance with the German Occupational Health and Safety Regulations (Betr-SichV) and no unsecured **loads** may be lifted **above persons**. Additional information regarding loads above persons at events can be found in the DGUV Information 215-313 "Loads above persons".
In addition, technical or organizational measures must be taken to ensure that **no uncontrolled lowering of fixtures of the devices or loads** is possible in the event of failure of an hydraulic system or cable drive system. This can be done, for example, by blocking off the threat area or by using hose breakage protection or mechanical locking systems to support the hydraulic cylinder.
The equipment may only be operated by trained personnel of the exhibitor. The directives of DGUV Rule 100-500 "Operation of equipment" must be observed.
If the exhibited devices or equipment are equipped with an internal combustion engine or an alternative drive system (e.g. electric/hybrid drive, gas drive, fuel cells), the rules set out in Item 4.4.1.2 must be observed without exception.
In positioning the equipment, due consideration must be given to the maximum permission floor loading of the hall. Supply ducts and shaft covers must be covered over with appropriate base plates to avoid any loads on these spots.
The exhibitor is responsible and bears the burden of proof for stand safety and the safe operation of all exhibits.
In justified cases, NürnbergMesse reserves the right to have a capable person perform an on-site inspection at the exhibitor's expense.

5.13 **Musical reproduction**

According to the legal provisions (§ 15 Copyright Act, **German UrhG**), permission is required from the Society for Musical Performance and Mechanical Reproduction Rights (German GEMA) for any form of musical reproduction. Unregistered musical reproduction can lead to
claims for damages from GEMA under (§ 97 Copyright Act, **German UrhG**). Applications and inquiries are to be sent to:

GEMA
KundenCenter
11506 Berlin
T +49 3 05 88 58-9 99
kontakt@gema.de
www.gema.de

Acoustic and visual demonstrations also require approval by NürnbergMesse. Approval is granted on condition that the loudness at the edge of the stand during operation of the system does not exceed 70 dB(A) and the measures to prevent the risk of hearing loss of the audience according to DIN 15905 (Part 5) are observed. Furthermore, it must be demonstrated here that there is enough room for spectators on the stand surface. It must be ensured that the demonstrations/advertising measures do not cause any blockages, interference or congestion in the passageways. The demonstrations must not have any adverse impact on neighbouring stands and other exhibitors and any health hazard/risk of hearing loss for visitors or employees must be ruled out.
In the event of repeated failure to comply with these rules, the power supply to the exhibitor's stand can be interrupted without regard to the associated effects of the power failure. The exhibitor shall not be entitled to claim for direct or indirect damage caused by the interruption of the power supply. It is the responsibility of the exhibitor to provide evidence of compliance with the regulations.

5.14 **Beverage dispensing systems**

Beverage dispensing systems on the stand are to be installed and operated in accordance with the Operating Safety Regulations, DGUV Rule 100-007 and DIN 6650-6.
Compliance with technical and food hygiene requirements must be demonstrated by the exhibitor and may be checked by the Public Order Office. This results in a documentation obligation regarding the exhibitor's aforementioned duty of monitoring and care to ensure compliance with technical and food hygiene requirements of the entire system.
Furthermore, food hygiene regulation No. 852/2004 dated 29 April 2004 of the European Parliament and Council will apply.
Notice of the use of pressurized gas containers must be submitted to NürnbergMesse using Form P2 (see 5.7).

5.15 **Handling foods**

The serving of samples for immediate consumption and the sale of food and drinks on the stand must conform to the currently valid statutory regulations and the current standards, especially the Food Hygiene Regulations (**LMHV**; Directive (EU) No. 852/2004) and the Food Information Regulations (**LMIV**; Directive (EU) No. 1169/2011).
For further information please contact

Stadt Nürnberg
Ordnungsamt
Abteilung Lebensmittelüberwachung
Innerer Laufer Platz 3, 90403 Nürnberg
T +49 9 11 2 31-25 24
F +49 9 11 2 31-30 70
lebensmittelueberwachung@stadt.nuernberg.de
www.ordnungsamt.nuernberg.de

Over-the-counter sales of food and drinks (including bar sales) at the event itself are not permitted.

5.15.1 **Requirements to be met by stand/kitchen facilities**

The kitchen facilities absolutely must comply with the following requirements:
- Hand-washing facility with running hot and cold water with liquid soap and disposable hand towels must be provided.
- Crockery and glasses must be washed with running hot and cold water and/or a dishwasher is to be provided.
- Smear-resistant floor coverings, washable wall coverings and storage areas are to be provided in food preparation and storage areas.
- The floors in the work area must be non-slip, flat and impermeable to liquids.
- Effective spittle/sneeze guards must be installed in the food service area.
- Functioning cooling equipment for perishable food
- Install effective exhaust air systems or extractor hoods with active charcoal filters if vapors or odours can be expected when food is being prepared or kept warm.
- Provide suitable number of portable fire extinguishers (to EN3, foam extinguishers or extinguishers for cooking oils and fats).At least one cooking oil/fat fire extinguisher and fire blanket for each cooking area (fire classification F to DIN EN2).

5.15.2 **Cooking appliances and food preparation processes**

Cooking equipment (e.g. deep fat fryers, fryers, large frying pans etc.) may only be electric and must be operated under supervision in the halls following notification to NürnbergMesse.
At the end of each day of the event the appliances must be switched off at the mains. The mains switch must be clearly marked EMERGENCY OFF switch.
Cooking appliances and equipment must not be installed in traffic routes at the stand directly next to hall gangways. **A minimum distance of 1.5 m** is to be observed.
Deep fat fryers or similar equipment must not be used in the top storey of multi-storey stands. For fire safety reasons when using deep fat fryers a non-flammable canopy must be provided so that in the event of a hot grease fire there is no effect on the hall sprinkler system.
The maximum filling level is 40 l (filling level of adjacent appliances to be added up). If the maximum level is going to be exceeded this must be discussed with NürnbergMesse beforehand.
When using pressure cookers, hot air convection ovens or similar appliances using **steam**, such as combination steamers or convection ovens, a suitable air extractor and/or condensation hood must be provided above the appliance. Alternatively, appliances with integrated extraction systems may be used. In general it must be ensured that no hot steam, vapors or fumes can escape into the hall. In other respects the provisions of DGUV Regulations 110-002 are to be observed.
In covered areas of multi-storey stands fitted with a temporary sprinkler system, smoke or differential heat detectors, the use of the appliances described above must be agreed with NürnbergMesse beforehand (4.2). The costs associated with all false alarms caused by the handling of cooking appliances will be billed to the perpetrator.

5.15.3 **Grilling/barbecuing**
Grilling/barbecuing in the halls and outdoor area is allowed subject to the prior written permission of NürnbergMesse.
If written permission is given, only electric grills/barbecues may be used inside the halls and the vapors/smoke must be discharged outside using suitable exhaust systems.

6. Environmental protection
NürnbergMesse is committed to pro-active protection of the environment. As contractual partner of NürnbergMesse, the exhibitor is obliged to ensure that all binding regulations and standards concerning environmental protection are also observed by his contractors (e.g. stand builders).

6.1 **Waste management**
All the following rules are based on the currently valid requirements of the Recycling Management Act (German **KrWG**), the associated imple- mentation provisions and regulations, particularly including the Commercial Waste Regulations (German **GewAbfV**), the "state laws" and "local government by-laws".
The city of Nuremberg has issued a by-law on waste management which governs waste prevention and waste sorting and is binding on exhibitors and organizers.
The exhibitor is responsible for proper and environmentally compatible disposal of waste produced during assembly and dismantling and during the event by it or its contractors (e.g. stand builders, caterers, etc.). The exhibitor is the producer of this waste.
The technical handling of disposal for recycling and removal is solely incumbent on NürnbergMesse or its appointed ServicePartner.

6.1.1 **Waste disposal**
According to the principles of recycling management, waste should be primarily avoided during assembly and dismantling and during the event. Exhibitors and their contractual partners are obliged to effectively contribute to this in every phase of the event. This aim must be pursued by all concerned in the planning and coordination phases. This especially applies to packaging material, advertising material, carpets, disposable stand equipment, empty containers, pallets and disposable crockery.
As a general principle, reusable and environment-friendly materials are to be used where possible for stand construction and operation.
Every exhibitor is responsible for the proper and environment-compatible disposal of his own unavoidable waste.
The following waste disposal options are available to the exhibitor:

1. The exhibitor can make his own arrangements to dispose of the waste outside the exhibition grounds at his own cost.
2. Proper disposal of the waste at extra cost by the official ServicePartner of NürnbergMesse by placing an order using the Online ExhibitorShop (OES).

The disposal of waste in waste containers or in other facilities of the Nuremberg exhibition grounds is expressly prohibited.
Exhibitors are obliged to hand over their stand spaces in a clean condition at the end of the event. This particularly applies to materials left on the hall floor (e.g. remains of adhesive tape etc.). See **Item 4.7.4**. If a completed and signed order form is not received by the return deadline, NürnbergMesse assumes that the exhibitor will make his own arrangements for waste disposal. If waste and materials left behind are not or not completely disposed of in this case, NürnbergMesse will appoint the official ServicePartner to perform this work at the cost of the respective exhibitor. The amount of any waste remaining in the halls will be estimated in m^3 without checking the value and the exhibitor charged for its disposal at the higher official price.
The exhibitor shall also ensure that all waste is properly disposed of by the subcontractors, stand construction companies and other partners he has appointed for his stand. Please co-operate – think of the environment!

6.1.2 **Hazardous waste**
The exhibitor and exhibitor's contractual partners (e.g. stand builders) are obliged to notify NürnbergMesse of waste whose type, property or quantity is especially hazardous to health, air or water, explosive or combustible (e.g. batteries, coatings, solvents, lubricants, paints, etc.) and to arrange their proper disposal by the responsible ServicePartner.

6.1.3 **External waste**
Materials and waste not produced in connection with assembly and dismantling or the duration of the event are not to be brought into the exhibition grounds.

6.2 **Water, waste water, soil protection**

6.2.1 **Oil and grease separators**
The amounts discharged into the waste water network must not exceed the level of pollutants deemed normal for households.
If waste water containing oil or grease exceeding these levels is to be discharged, oil and grease separators must be used.
These must comply with generally accepted engineering practice.
If mobile catering units are used, fats and oils must be collected and disposed of separately.

6.2.2 **Cleaning, cleaning agents**
All cleaning work is to be done using biologically degradable products. If products classified as **hazardous substances** are used, Item 5.8 must be observed.
NürnbergMesse cleans the traffic areas and other areas unless they were made available to exhibitors or other third parties.
The exhibitor is responsible for cleaning the exhibition stand. Cleaning must be completed every day before the end of the exhibition or event.
The official ServicePartner of NürnbergMesse can be hired to clean the stand in the Online ExhibitorShop (OES).

6.3 **Environmental damage**
Environmental pollution/contamination (e.g. through petrol, oil, solvents, paint) is to be reported to NürnbergMesse without delay. NürnbergMesse will arrange for this to be removed properly at the cost of the perpetrator.

Instruction sheet “Technical data for halls“ 2021

Hall/floor	Hall area in m²	Hall doors	Hall doors width x height in m	Lifts W x H x D payload	Max. floor load in kN/m² (1 kN = 100 kg)	Hall height in m	Suspensions	Electricity	Water	Compressed air	Telephone	Sprinklers	Smoke alarms	Heating	Venti-lation	Refrige-ration
1	10,800	4	4 x 4.05 x 4.90		50	5.80 / 9.80	■	■	■	■	■	■		■	■	■
2	4,680	2	2 x 4.05 x 4.90		50	5.80	■	■	■	■	■	■		■	■	■
3	12,730	3	3 x 4.10 x 3.80		50	5.60	■	■	■	■	■	■		■	■	
3A	8,400	3	3 x 5.65 x 5.10		50	10.0 - 15.00/5.00*	■	■	■	■	■	■	■	■	■	■
3C	9,600	3	Door 1 + 2 5.60 x 4.90 Rolling gate 4.50 x 4.80		50	10.0 - 15.00/5.20*	■	■	■	■	■	■	■	■	■	■
4	11,690	3	Door 2 + 3 4.50 x 4.80 Door 1 4.00 x 4.80		50	5.80	■	■	■	■	■	■		■	■	■
4A	7,020	5	5 x 4.50 x 4.85		50	15.00/5.80*	■	■	■	■	■		■	■	■	■
5	7,840	3	3 x 4.05 x 4.90		50	5.80	■	■	■	■	■	■		■	■	■
6	7,840	3	3 x 4.05 x 4.90		50	5.80	■	■	■	■	■	■		■	■	■
7	16,410	6	Door 1 + 6 4.50 x 4.80 Door 2 - 5 4.00 x 4.90		50	5.80	■	■	■	■	■	■		■	■	■
7A	8,850	5	5 x 4.65 x 4.80		50	15.00/4.90*	■	■	■	■	■		■	■	■	■
8	4,680	2	2 x 4.05 x 4.90		50	5.80	■	■	■	■	■	■		■	■	■
9	10,800	4	4 x 4.05 x 4.90		50	5.80	■	■	■	■	■	■		■	■	■
10.0	6,720	2	2 x 5.05 x 3.95	2 x 2.45 x 2.45 x 4.5 m 3,500 kg	20	5.30 (max. stand height 4.95)	■	■	■	■	■	■		■	■	■
10.1	6,870			1 x 2.65 x 2.9 x 5.9 m 5,000 kg	10	3.95 (max. stand height 3.50)	■	■	■	■	■	■		■	■	■
11.0	5,340	2	2 x 5.20 x 4.15	West: 2.15 x 2.35 x 3.25 m 4,000 kg	50	10.50/3.70*	■	■	■	■	■	■		■	■	■
11.1	4,780			East: 2.25 x 2.45 x 3.7 m 3.200 kg	5	3.60		■	□	□	□	■		■	■	■
12.0	13,730	4	4 x 5.00 x 4.40	2 x 2.4 x 2.45 x 4.95 m 6.375 kg	50	5.80	■	■	■	■	■	■		■	■	■
12.2 Permanent stand area	13,330				10	6.40 (max. stand height 5.80)	□	■	■	□	■	■		■	■	■

□ possible / provided with limitations ■ possible / provided

* Only limited headroom is available in the area of the hall gates. Ceiling suspensions are only possible to a limited extent. Additional information can be found in the hall plans and Info 4 4 (Item 4.7.5.1).

Instruction sheet “Instructions on installing sprinkler-compatible ceiling fabrics“ 2021

General information on stand coverings

Ceiling surfaces must be in materials that as a minimum meet the requirements of building material classes DIN 4102 (B1) or DIN EN 13501 B-C, allow only limited smoke development at most (s2 under EN 13501) and do not drip on burning (d0 under EN 13501) (see Instruction Sheet Building Material Classes, i4.4).

Rooms and areas with a heightened risk of fire (e.g. kitchens and storage areas, cloakrooms, utility rooms, etc.) must always be open to the top.
In the case of closed ceiling surfaces of 30 m² and more, a suitable number of sprinklers, and in halls fitted with smoke detectors (H4A, H7A, H11) a suitable number of heat detectors are to be installed by the relevant ServicePartner.
The installation of a sprinkler system, and/or smoke or heat detectors must be provided.

The sprinkler system may only be dispensed with:
- if the ceiling is a grid design, whereby not more than 30 % (CEA 4001S) of the ceiling area may be closed referred to the individual square meters. Allowance has to be made for additional lighting fixtures or other installations in the ceiling.

or

- if the ceilings have an untensioned mesh size of minimum 2 x 4 mm, or 3 x 3 mm, and a web width of maximum 1 mm. Ceiling areas can be added up. The fabric covering is to be braced **horizontally** as a **single layer only**. Sagging of the fabric covering is to be avoided.

or

- if the **fabrics** used have been approved by VdS Schadenverhütung GmbH Cologne for **use in risk areas with sprinklers**. The installation of open mesh fabrics must be in accordance with VdS specifications (see VdS approval certificate).
  The use of mesh fabrics and materials with "smoke-out” protection is prohibited. You will find an overview of approved sprinkler-compatible fabrics here:
  http://vds-global.com/en/certifications/vds-approved-products-companies-and-experts/products-for-water-exinguishing-system/?context=PWLA&lang=en&par=324511000
  (VdS > Certifications > Lists > Products for Water Extinguishing System > Tension fabrics)

Basic requirements for stand coverings:

- Several ceiling sections of up to 30 m² are possible within a stand provided there is a minimum distance of 3.00 m between the individual ceiling sections.
- So as not to exceed the maximum area of 30 m² when adding up several ceiling sections, **a distance of minimum 1.50 m to the stand boundaries must be maintained**. Any reduction of this 1.50 m distance (e.g. to the gangways and hall walls) must be approved by the Exhibition Technology Department of NürnbergMesse.
  If the stated minimum distances cannot be maintained – also across stands – and if the addition of the closed ceiling area would cause the maximum permissible area to be exceeded, the perpetrator will bear the costs for necessary compensation measures. This also applies explicitly to affected adjacent stands!
- A test certificate on the construction material class, fire, smoke and dripping behaviors of the material used, and/or the VdS certificate is to be kept at the stand during the assembly period. In addition, samples of the materials used must be kept on hand for a fire test on site.

Contact at NürnbergMesse:

Exhibition Technology Department
eventtechnology@nuernbergmesse.de

Master 2021/001

Instruction Sheet
“Fire prevention – European classification of building products“ 2021

European classification of building products

Building authority designation	DIN 4102	DIN EN 13501	Additional requirements: Smoke production	Additional requirements: Flaming particles/droplets
Non-combustible	**A1**	**A1**	no/hardly	no drips/droplets
Non-combustible	**A2**	**A2 – s1, d0**	no/hardly	no drips/droplets
Difficult to ignite	**B1**	**A2 – s1, d1**	no/hardly	limited drips/droplets
Difficult to ignite	**B1**	**A2 – s1, d2**	no/hardly	many drips/droplets
Difficult to ignite	**B1**	**A2 – s2, d0**	limited	no drips/droplets
Difficult to ignite	**B1**	**A2 – s2, d1**	limited	limited drips/droplets
Difficult to ignite	**B1**	**A2 – s2, d2**	limited	many drips/droplets
Difficult to ignite	**B1**	**A2 – s3, d0**	unlimited	no drips/droplets
Difficult to ignite	**B1**	**A2 – s3, d1**	unlimited	limited drips/droplets
Difficult to ignite	**B1**	**A2 – s3, d2**	unlimited	many drips/droplets
Difficult to ignite	**B1**	**B – s1, d0**	no/hardly	no drips/droplets
Difficult to ignite	**B1**	**B – s1, d1**	no/hardly	limited drips/droplets
Difficult to ignite	**B1**	**B – s1, d2**	no/hardly	many drips/droplets
Difficult to ignite	**B1**	**B – s2, d0**	limited	no drips/droplets
Difficult to ignite	**B1**	**B – s2, d1**	limited	limited drips/droplets
Difficult to ignite	**B1**	**B – s2, d2**	limited	many drips/droplets
Difficult to ignite	**B1**	**B – s3, d0**	unlimited	no drips/droplets
Difficult to ignite	**B1**	**B – s3, d1**	unlimited	limited drips/droplets
Difficult to ignite	**B1**	**B – s3, d2**	unlimited	many drips/droplets
Difficult to ignite	**B1**	**C – s1, d0**	no/hardly	no drips/droplets
Difficult to ignite	**B1**	**C – s1, d1**	no/hardly	limited drips/droplets
Difficult to ignite	**B1**	**C – s1, d2**	no/hardly	many drips/droplets
Difficult to ignite	**B1**	**C – s2, d0**	limited	no drips/droplets
Difficult to ignite	**B1**	**C – s2, d1**	limited	limited drips/droplets
Difficult to ignite	**B1**	**C – s2, d2**	limited	many drips/droplets
Difficult to ignite	**B1**	**C – s3, d0**	unlimited	no drips/droplets
Difficult to ignite	**B1**	**C – s3, d1**	unlimited	limited drips/droplets
Difficult to ignite	**B1**	**C – s3, d2**	unlimited	many drips/droplets
Normal combustibility	**B2**	**D – s1, d0**	no/hardly	no drips/droplets
Normal combustibility	**B2**	**D – s1, d1**	no/hardly	limited drips/droplets
Normal combustibility	**B2**	**D – s1, d2**	no/hardly	many drips/droplets
Normal combustibility	**B2**	**D – s2, d0**	limited	no drips/droplets
Normal combustibility	**B2**	**D – s2, d1**	limited	limited drips/droplets
Normal combustibility	**B2**	**D – s2, d2**	limited	many drips/droplets
Normal combustibility	**B2**	**D – s3, d0**	unlimited	no drips/droplets
Normal combustibility	**B2**	**D – s3, d1**	unlimited	limited drips/droplets
Normal combustibility	**B2**	**D – s3, d2**	unlimited	many drips/droplets
Normal combustibility	**B2**	**E**		
Normal combustibility	**B2**	**E – d2**		many drips/droplets
Easily ignited	**B3**	**F**		

The following conditions apply at the NürnbergMesse site (acc. to DIN EN 13501):

- unrestricted approval
- limited approval only as a stand construction material (see Technical Guidelines 4.4.1.1)
- approved up to 2.50 m wall construction/not approved over people (d1)
- not approved (D, E, F, s3 or d2)

Key to building product classes: to DIN 4102

A1 = non-combustible (without combustible components)
A2 = non-combustible (with combustible components to a minor extent)
B1 = difficult to ignite
B2 = normal combustibility
B3 = easily ignited

Key to building product classes: to DIN EN 13501

A1 = non-combustible (without combustible components)
A2 = non-combustible (with combustible components to a minor extent)
B,C = difficult to ignite
D,E = normal combustibility
F = easily ignite
s1 = no/hardly any smoke production
s2 = limited smoke production
s3 = unlimited smoke production
d0 = no drips/droplets
d1 = limited drips/droplets
d2 = many drips/droplets

Notification and application for use of stage pyrotechnics 2021

i4.5

General Information

Pyrotechnic presentations require approval and must be coordinated with NürnbergMesse (Exhibition Technology Departement).
If pyrotechnic effects are used on the NürnbergMesse site, the exhibitor/organiser must obtain approval from the competent regulatory agency, the Industrial Trade Inspectorate, and the Nuremberg Fire Department by max. 28 days before the actual event.
A copy of the approved application must be submitted to NürnbergMesse by no later than 14 days before the start of the event. NürnbergMesse is under no obligation to approve the request.
The certificate of compliance of the articles may be taken from the relevant packing unit. In addition, any instructions for use on the packaging must be printed on in German. Pyrotechnic objects without certificates of compliance or fireworks of Categories II, III or IV are not allowed. Pyrotechnic objects may only be used when they have a CE label and a registration number. The former BAM approval symbol lost its validity on 3 July 2017.

For further information, please contact:

NürnbergMesse GmbH
Abteilung Veranstaltungstechnik
Messezentrum, 90471 Nürnberg
eventtechnology@nuernbergmesse.de
www.nuernbergmesse.de

For pyrotechnic presentations, the following applications and notifications should be noted.

- **Application for a license to test stage pyrotechnics in accordance with Art. 23 (4) of 1st Explosives Act (German SprengV)**
  (Responsible authority: Nuremberg fire brigade)
- **Notification of the use of stage pyrotechnics in accordance with Art. 23 (4), (5) of 1st Explosives Act**
  (Responsible authority: Trade Inspectorate)
- **Application for a license to show stage pyrotechnics** *in the presence of visitors and participants*
  (Responsible authority: Public Affairs Office)

☐ **Application for exemption from the notification deadline (subject to a fee)**

Return to:

Stadt Nürnberg
Feuerwehr
Feuerwache 5
Karl-Schönleben-Straße 80, 90471 Nürnberg

T +49 9 11 2 31-65 00
F +49 9 11 2 31-65 05

Regierung von Mittelfranken
Gewerbeaufsichtsamt Nürnberg
Dezernat 2
Roonstraße 20, 90429 Nürnberg
gewerbeaufsichtsamt@reg-mfr.bayern.de
T +49 9 11 9 28-0
F +49 9 11 9 28-29 99

Stadt Nürnberg
Ordnungsamt
Waffenrecht
Innerer Laufer Platz 3, 90403 Nürnberg
waffenrecht@stadt.nuernberg.de
T +49 9 11 2 31-22 60
F +49 9 11 2 31 1 61 01

1. License holder in accordance with Art. 7 of Explosives Act

Surname | First name | Company

Name and address of issuing authority | Date of issue | License no.

Does the license holder possess the necessary expert knowledge?
Enclose copy of proof of expert knowledge. ☐ Yes ☐ No

2. Expert knowledge of person responsible for display
Information on ☐ certificate of competence or ☐ license

Name and address of issuing authority (☐ as at 1. if applicable) | Date of issue | No. of license/certificate of competence

Surname | First name | Company

Street, number | Postcode | Town

Telephone | Fax | E-mail

3. Event director, exhibition director (NM), event engineering officer (NM)

Event director in accordance with Art. 38 of Bav. Venue Regulations (Bayr. VStättV)

Surname | First name | Company

Street, number | Postcode | Town

Telephone | Fax | E-mail

For guest events with external organizers:
Has the **exhibition director** of NürnbergMesse GmbH been informed about the use of pyrotechnic articles? ☐ Yes ☐ No

Has the **event engineering officer** of NürnbergMesse GmbH **in accordance with Art. 39 of the Bavarian Venue Regulations** been informed about the use of pyrotechnic articles? ☐ Yes ☐ No

Notification and application for use of stage pyrotechnics 2021 (continued) i4.5

4. Information about the use of pyrotechnic effects

Venue (hall/building, room, area, level) | Date of use | Duration of use (from – to)

Event

Client

Notification must be submitted at least **14 days before the planned use** of the pyrotechnic effects.

5. Type and scope of planned stage pyrotechnic effects

Registration number (category)	**Trade name**	**Rise**	**Safety clearance** (in surrounding area and above)	**Duration of effects**	**Number**

6. Date of test:

Date | **Time** | **Venue** (hall/building, room, area, level)

7. Planned security measures:

During preparation

During demonstration

General

8. Miscellaneous/remarks (e.g. special hazards or safety improvement measures)

9. Enclosures:

– Copy: License/certificate of competence

10. License charges to be invoiced to

Surname | First name | Company

Street, number | Postcode | Town

Telephone | Fax | E-mail

I hereby confirm the correctness and completeness of the information provided above.

Place and date

Company stamp and authorized signature

Instruction Sheet
"Use of fog machines"[1] 2021

Fog machines and hazers may only be used after prior consultation with NürnbergMesse (Event Technology) in due time before the event and must be approved. The request must be submitted in writing using form P2. NürnbergMesse must be notified of the type and model of fog machine used and the data sheet, the fog machine operating instructions and the safety data sheet for the fog fluid are to be submitted. Proof of regular inspections of the machine must also be provided if applicable.
NürnbergMesse will charge the organizer for the cost of substitute measures if firefighting appliances must be deactivated before operating a fog machine. The organizer and/or person responsible will be charged for the cost of calling out the fire brigade and the subsequent costs resulting from the interruption or cancellation of the event if the fire alarm system is set off without prior consultation with NürnbergMesse.
The use of fog machines in exhibition areas may not impair the operation of the trade fair or other stands and any health risk to visitors and employees must be ruled out.
Only fog machines and hazers conforming to the basic requirements of the current Equipment and Product Safety Act (German GPSG) may be provided and used.
The type of use and the specific operating conditions must be taken into account when selecting fog machines. The user of the fog machines must be in possession of the relevant operating instructions.

The following regulations must be observed in the selection and operation of fog machines:

- **DGUV Information 215-312 "Pyrotechnics, Fog and Other Stage Effects"**
- **DGUV Information 215-315 "Special Stage Presentations"**

General hazards associated with the use of fog machines

The conditions for the use of fog effects are based on the performance requirements and an assessment of the risk.

The fog is to be limited to the necessary amount and agreed with all concerned. Suitable measures are to be implemented to reduce the fog as much as possible in areas in which it is not required for performance effects. When used in an exhibition stand, it must be ensured that adjacent exhibition stands and hall gangways are not impaired by the use of fog machines or hazers.

The following hazards are to be included in the risk assessment of all types of fog production:

- **Visibility obstructions**
  Obstacles, places with a risk of falling or injury like stairs, lowered areas, exits, sharp edges, etc. are to be marked especially clearly if fog is used, likewise escape routes and emergency exits.
  If thick fog is used and obstacles, hazardous areas or their marking are not visible, special care is necessary to avoid these hazards.
  Fog must not cause warning and safety equipment and particularly escape route signs to become unrecognizable.
- **Risk of slipping**
  Fog directed onto a cold and smooth surface from a short distance away can cause condensation. Even thin layers of moisture can cause a risk of slipping and constitute a hazard, particularly for dancers, artistes and all other actors within the range of the fog machines.
  Measures must be taken to prevent condensation and the accompanying risk of slipping occurring within a radius of one to two meters.
  Condensation on the performance area and spilt fluids must be removed as quickly as possible.
- **Reaction of respiratory passages**
  As a high concentration of fog can cause a reaction in susceptible persons (e.g. dryness of the respiratory passages due to the hygroscopic property of fog), the use of fog must be notified in good time before the event.
  Higher concentrations may especially occur in the performance area.
- **Creation of hazardous substances through inappropriate use**
  Fog fluids and additives (e.g. fragrances and processing aids) are only to be used in fog machines if they are declared as suitable for the machine by the manufacturer. The instructions for use apply.
  The arbitrary mixing of fog fluids with fragrances and other additives is not allowed and users are not to mix different fog fluids or prepare their own fog fluids.
- **Risk of fire and explosion**
  Fog fluids that are inflammable, easily flammableor highly flammable within the meaning of Art. 4 of the current Hazardous Substances Act (German GefStoffV) must not be used.
  The fog produced must not create any flame in the outlet area and must not be combustible. No ignition sources are to be located near the fog outlet. A safety clearance of at least one meter is to be maintained. Fog fluids may only be stored in the manufacturer's original containers.
  If fog is used in rooms, buildings or halls monitored by automatic fire detectors, the fire alarm system must be deactivated within the range of the fog machines.
  In this case, equivalent substitute measures are to be implemented, for example, a fire safety guard at the expense of the perpetrator.
  Because of the open building structure in parts of the site (e.g. entrance areas, congress centres, etc.) or the layout of automatic fire alarms in inaccessible areas, the use of fog machines may also be prohibited in general.
  Fog machines not in use are to be disconnected from the mains to prevent the risk of fire through overheating after a fault.
- **Risk of malfunctioning of fog machines**
  Only properly maintained fog machines are to be used and these must pass a visual and functional inspection without faults. Unpleasant smells, machines that do not work correctly or the discharge of unvaporized fluid indicate defective operation. Such machines are to be serviced or repaired.
  Technical maintenance is to be performed at regular intervals by the manufacturer or in accordance with the manufacturer's instructions.

Types of fog production:

Fog through cold	typical:	for ground fog, e.g. using dry ice, liquid nitrogen
Fog through heating	possible:	clouds, room fog, mist, also ground fog, e.g. vaporizer
Fog through mech. methods	typical:	mist, e.g. atomizer method (crackers)

Fog through cold: e.g. "DRY ICE"

Ground fog is usually produced by vaporizing dry ice, which is frozen carbon dioxide (CO_2). The fog is distributed passively or with the help of a low-power fan.
Dry ice fog machines are equipped with a water tank and electric heating elements in the tank heat up the water to temperatures near the boiling point depending on the system. Measures to protect against scalding may be necessary depending on the temperature of the water bath.
Carbon dioxide gas is heavier than air. It can accumulate in low areas and force out the air. This constitutes a risk to life in performances at floor level – for example, persons lying on a floor covered with dry ice fog.
A risk of poisoning or suffocation exists if the concentration of carbon dioxide is not sufficiently diluted. To protect against these hazards, measures must be taken to prevent the accumulation of carbon dioxide in hollows and low areas. This may require extracting the (invisible, odorless) carbon dioxide from hollows and discharging it into the outside air.

Master 2021/001

Instruction Sheet
“Use of fog machines [1]” 2021

(continued)

Dry ice is very cold (minus 80 °C) and can cause frostbite on direct contact. Dry ice and any residues are to be stored to prevent access by unauthorized persons.
Personal protective equipment is required for handling dry ice: protective gloves, gloves insulated against the cold and, if necessary, safety goggles.

The hazards and protective measures necessary for using nitrogen for fog production differ only slightly from those for handling dry ice.

Fog through heating: e.g. “VAPORIZER”

Most fog for stage effects is created with vaporizer fog machines.

In these machines the fog fluid is sucked out of a tank or container, heated and pressed through a jet. The fluid is a mixture of alcohols and water. The alcohols used are hygroscopic. The bonded water forms the fog after passing though the jet and the cooling and expansion processes. The properties of the fog produced can be influenced by the choice of fog fluids and the machine settings.

Ground fog can also be produced with the aid of attachments. Here the fog from a vaporizer fog machine is cooled until it is distinctly heavier than air and sinks correspondingly quickly.

To provide information about the ingredients of the fog fluids or fragrance additives, the manufacturer’s information and a safety data sheet must be requested and be available for inspection at the event. Only fog fluids with vaporization temperatures that match the temperature of the vaporizer are to be purchased.

Risks can occur if inferior quality fluids are used with component properties that are irritating or damaging to health.

The addition of fragrance additives to the fluid and exceeding the stated optimum fog temperature of the fluid must be carefully avoided to exclude possible hazards through unknown reactions.

There is a risk of burning on the hot surface of the fog outlet. It may also be necessary to wait until the machine cools down before removing protective covers.

Fog through mechanical methods: e.g. “atomizer method” (crackers)

Oil crackers atomize oil by mechanical means without heating it. The oil mist produced is very stable and does not mix with the surrounding air.

Water/glycol crackers atomize the fog fluids in the same mechanical way as oil crackers. The fog fluid consists of water and polyvalent alcohols.
The condensation deposited by the fog on general traffic areas or on equipment – such as performance areas, decorations, trusses and machines – is a problem, as it creates a risk of slipping.
Oil fog and water/glycol fog are preferably used only in areas that visitors or the cast do not need to enter.
The condensation must be removed as quickly as possible.
Attention must also be paid to the special features of operating compressors and accessories. The system is to be depressurized before changing fittings, hose connections or additional elements.

For further information, please contact:

NürnbergMesse GmbH
Abteilung Veranstaltungstechnik
Messezentrum
90471 Nürnberg
eventtechnology@nuernbergmesse.de
www.nuernbergmesse.de

[1] **Instruction sheet based on: OHS information “Special Stage Effects and Operations” (DGUV Information 215-315)**

Master 2021/001

Instruction Sheet “Fire extinguishers” 2021

Suitability of fire extinguishers:

- Powder
- Foam
- Water

Fires involving solid materials, mainly of an organic nature, which normally form flames and embers on burning

Powder extinguisher with ABC powder | Water and foam extinguisher

- Powder
- Foam
- CO_2

Fires involving liquids or melting materials

Powder extinguisher with BC and ABC powder | Foam extinguisher | CO_2 extinguisher

- Powder

Fires involving gases (e.g. propane, butane etc.)

Powder extinguisher with BC and ABC powder

- Powder

Fires involving metals (e.g. magnesium, aluminum swarf)

Powder extinguisher with D powder

- Foam

Fires involving fat and oil, extinguisher marked orange

At least one fire extinguisher conformant with DIN EN 3 with at least 10 extinguishing agent units (EAUs) must be kept on hand at trade fair stands and event spaces larger than 100 m² during assembly and disassembly and during the event itself.

- The fire classes of fire extinguishers **have nothing** in common with the classification of building products to DIN 4102 and DIN EN 13501.
- The fire classes define **the suitability** of fire extinguishers for fires involving various materials, liquids or vapours that have caught fire.

Explanation of official designation of fire extinguishers:

DIN EN 3	Current European standard
6	Weight/charge in kg
PG	Code letter: In this case ABC powder

Table:

Designation	Extinguishing agent	Code letter
Water extinguisher	Water and aqueous solutions	W
Foam extinguisher	Foam	S
Powder extinguisher	ABC powder	PG
	BC powder	P
	D powder	PM
Carbon dioxide extinguisher	Carbon dioxide (CO_2)	K

Example of specified labeling to DIN EN 3:

Only water extinguishers or foam extinguishers with an up-to-date test seal may be used. Powder extinguishers may only be used for demonstrations with combustible gases. Cleaning costs resulting from the use of powder extinguishers will be charged to the perpetrator.
Generally, all fire extinguishers provided must have been tested by an accredited expert. This must be shown on the fire extinguisher itself by means of a valid test label or tag. All fire extinguishers must be placed in clearly visible and continuously accessible locations in such a way that they cannot topple over and must be labeled in accordance with ASR A1.3.

Information Sheet
“Glass in stand construction inside trade fair halls” 2021

PRELIMINARY REMARK

The contents of this information sheet have been jointly agreed upon by the following German exhibition companies:

Deutsche Messe AG Hannover
KölnMesse GmbH
Landesmesse Stuttgart GmbH
Leipziger Messe GmbH
Messe Berlin GmbH
Messe Düsseldorf GmbH
Messe Frankfurt Venue GmbH
Messe München GmbH
NürnbergMesse GmbH

It offers structural and design notes to Chapter 4.4.3 of the Technical Guidelines and defines the design specifications and requirements for the glass constructions in stand and decorative structures to be built within the trade fair halls of NürnbergMesse.
In the absence of additional specifications in this document, the Technical Guidelines (TR) of NürnbergMesse apply.

TABLE OF CONTENTS

1. SCOPE

2. DEFINITIONS AND EXPLANATIONS

2.1 **Types of supports**

2.2 **Types of glass and other transparent plastics**

2.3 **Design calculation standards**

2.4 **Material properties of glass products**

3. STAND DESIGN, CONSTRUCTION AND LOADS

3.1 **Vertical glazing not intended to prevent falling**

3.1.1 **Vertical glazing with a height h ≤ 4 metres above hall floor level**

3.1.2 **Vertical glazing of height h > 4 metres above hall floor level**

3.2 **Vertical glazing intended to prevent falls**

3.2.1 **Category A: Vertical glass wall**

3.2.2 **Category B: Clamped glass balustrade with continuous handrail**

3.2.3 **Category C: Railing and balustrade infills or glass walls with load-distributing cross-bar fitted in front of it**

3.3 **Horizontal glazing**

3.3.1 **Overhead glazing**

3.3.2 **Glazing designed to support human loads**

4. APPROVAL PROCEDURES

4.1 **Basics**

4.2 **Installation approval for a specific case**

5. NOTES ON DESIGN AND DESIGN CALCULATIONS

6. EXAMPLES OF VERTICAL GLAZING IN STRUCTURES DESIGNED TO PREVENT FALLS

6.1 **Category B**

6.2 **Category C 1 (railing infills)**

6.2.1 **Railing infills secured vertically on 2 sides**

6.2.2 **Railing infills secured horizontally on 2 edges**

6.2.3 **Railing infills secured on 4 sides**

6.2.4 **Point-fixed with drilled anchors (design specifications according to DIN 18008-4)**

6.2.5 **Railing infills with point mounting, lateral clamps and anti-slip grips**

6.2.6 **Railing infills with point mounting and clamps at top and bottom**

6.3 **Balustrade with fixed horizontal bars (protection against falling is provided solely by sufficiently strong handrails and knee-height bars)**

7. CONSTRUCTION ENGINEERING REGULATIONS, GENERALLY ACCEPTED RULES OF ENGINEERING AND REFERENCES

8. ABBREVIATIONS

9. SPREADSHEETS A – D (FOR STAND CONSTRUCTION)

Information Sheet
"Glass in stand construction inside trade fair halls" 2021 (continued)

1. Scope

Information sheet discusses the regulations concerning the use of glass in stand construction and design **inside the trade fair halls** NürnbergMesse. It does not apply to stand construction and design outside trade fair halls. Designing, dimension calculations and assembly of glass components for use inside trade fair halls require that the design, planning and assembly personnel involved is adequately qualified for glass construction projects. Glass structures which have received general construction approval (including European Technical Approval ETA) may be used in all cases in trade fair halls in accordance with the wording of the approval. This information sheet does not imp

2. Definitions and explanations

2.1 **Types of supports**

- Glazing secured by linear supports: Secured by linear supports on at least two opposite edges over the full length of each edge of the glass plate.
- Glazing secured at individual points: Glazing anchored through drilled holes or by a clamping system.

2.2 **Types of glass and other transparent plastics**

Types of glass granted statutory construction approval:

- **Float glass** (polished plate glass, SPG) as specified in DIN EN 572-9: Also called plate glass. It is characterised by relatively low ultimate flexural strength, and when destroyed, it fragments into large sharp-edged shards. **Its use as single sheet glazing in trade fair construction is prohibited**. If used in LSG, it is permitted in trade-fair construction.
- **Tempered safety glass** (**TSG**) as specified in DIN EN 12150-2: TSG is a fully thermically pre-stressed type of glass. It has internal residual stress characteristics: core tensile stress and surface compression stress. It has high ultimate flexural strength and when broken, it shatters into crumb-like fragments. Where TSG is referred to in this information sheet, TSG made of float glass is always meant.
- **Laminated safety glass** (**LSG**): LSG consists of at least two sheets of PPG, TSG or HSG glass. The individual thicknesses of these are not permitted to differ from each other by a factor of more than 1.5. The sheets of glass are laminated together by intermediate film layers (PVB or SGP films). If a sheet is broken, then the film prevents the fragments from being scattered, thus providing residual load-bearing capacities and reducing the risk of injury from cuts.
- **Heat-strengthened glass (HSG)** as specified in DIN EN 1863-2 or with other general approvals by building authorities (German: *allgemeine bauaufsichtliche Zulassung* – abZ): TVG is a type of glass that is only partially thermically pre-stressed. Its ultimate flexural strength is lower than that of TSG (tempered safety glass). When broken, HSG fragments into shards which are larger than those of broken TSG. Therefore LSG sheets made of HSG have higher residual load-bearing capacities than LSG sheets made of TSG. HSG laminated with PVB film is included in Building Regulation List A. A general construction approval by building authorities (German *allgemeine bauaufsichtliche Zulassung* – abZ) for the SGP film is required for HSG laminated with SGP.

Not permitted, on the other hand, are transparent panels made of mostly thermoplastic plastics for which no recognized engineering rules or certificates of usability in buildings or structural installations are available. Examples:

- **Acrylic glass** (PMMA), sold under the brand names *Plexiglas*® or *Perspex*®, for example;
- **Polycarbonate** (PC), sold under the brand name *Makrolon*®, for example;
- **Polyethylene terephthalate glycol** (PET-G).

These materials may only be used for non-supporting, non-bracing components that are not intended to prevent falling, thus for decorative or ornamental applications, for example.
In this case, however, due consideration must be given to the **critical smoking and burning behaviour** (e.g. normally flammable, strong smoke development) of these materials. In particular, the decorative use of such materials above persons is impermissible due to the frequently proven (burning) dripping behaviour in case of fire.

2.3 **Design calculation standards**

The static strength proof calculations for glass components must be carried out in accordance with the following design calculation concept and structural design standards (as amended): Glass in building design and construction rules.

DIN 18008 (T.1 - T.5) – Glass in building design and construction rules

- Part 1: T*erms and general bases*
- Part 2: *Linearly supported glazing*
- Part 3: *Point-fixed glazing*
- Part 4: *Additional requirements for barrier glazing*
- Part 5: *Additional requirements for walk-on glazing*

Table 1: Design concept

Design concept	**Load factor c**oncept
Proof concept	$\sigma_\kappa * \gamma_f < f_k * k_c * k_{mod} / \gamma_M$
Determination of action effects and stresses	At ULS (*GZT*)
Deformation checks	At SLS (*GZG*)
Designation of forces/stresses in the **serviceability limit state SLS** (forces due to characteristic loads, without γ_f)	SLS (*GZG*) after the number or index k after formula symbol e.g. supporting force = 12 kN (SLS) or F_k = 12 Kn
Designation of forces/stresses in **the ultimate limit state (ULS)** (forces due to characteristic loads, multiplied by γ_f)	ULS (*GZT*) after the number or index d after formula symbol e.g. supporting force = 16 kN (ULS) or F_d = 16 kN
Designation of the limit stress	f_k
Dimension calculation rules, dimension calculation standards	DIN 18008-1 [12] DIN 18008-2 [13] DIN 18008-3 [14] DIN 18008-4 [15] DIN 18008-5 [16]
Standards applying to loads and actions	This information sheet and DIN EN 1991-1-1 DIN EN 1991-1-1/NA: (2010-12)
Normal load factors γ_f for **permanent loads** (e.g. dead loads)	1.35
Normal load factors for **variable loads and actions** (e.g. dynamic pressure, imposed loads, cross-bar pressures)	1.5
Duration of loads typically encountered at trade fairs for k_{mod} from DIN 18008-1, Table 6	Own weight: permanent (k_{mod} = 0.25) Working loads: medium (k_{mod} = 0.4) Horizontal substitute load: short (k_{mod} = 0.7) Cross-bar pressure: short (k_{mod} = 0.7)

Information Sheet
"Glass in stand construction inside trade fair halls" 2021 (continued)

Based on the above-mentioned standards and design calculation concept, verifiable static load calculations must be performed for **all** glass constructions and they must be built in conformance with the applicable standards, depending on the planned use as
- Vertical glazing, including (where applicable) **the function of preventing falls** in the case of balustrades
- Overhead glazing,
- Walk-on glazing.

For static load calculations, the load factor concept shall be used as a basis. Supporting forces transmitted by glass components must always be stated for the GZT *(ULS)* so that the loads of the connected force-transmitting components of concrete, steel or wood can be calculated using the load-factor concept without transmission errors.

Note on the use of wire glass:
In consultation with the trade fair company, wire glass can still be used in existing components with certifications, based on the design calculation standards in effect at the time of initial construction of the trade fair stand.

2.4 **Material properties of glass products**

Glass products have a bulk density of 25 kN/m³, a thermal expansion coefficient of $8.4 \cdot 10^{-6}$/K and their Young´s modulus is 70.000 N/mm².
For structural design calculations, the design calculation values of the resistance R_d listed in *Table 1* must be observed.

Table 2: Normal material properties for design calculation concept B, application of load factors

Property	**Float glass** (not printed, not sand-blasted)	**HSG** (not printed, not sand-blasted)	**HSG** (printed/ enamel-coated)	**ESG** (not printed, not sand-blasted)	**ESG** (printed/ enamel-coated)
Normal **limit stress f_k** as DIN EN 572-1, DIN EN 1863-1 or abZ, DIN EN 12150-1	45 N/mm²	70 N/mm²	45 N/mm²	120 N/mm²	90 N/mm²
Design coefficient k_c, normal	1.8	1	1	1	1
k_{VSG} for laminated safety glass	1.1	1.1	1.1	1.1	1.1
k_{Kante} for calculating the effect of glass edges	0.8	1	1	1	1
Material factor γ_M	1.8	1.5	1.5	1.5	1.5
Modification factor for calculating the effect of load durations k_{mod}	permanent: 0.25 medium duration: 0.4 short: 0.7				
Rated value of the **resistance to stress failure R_d**	$R_d = k_{mod} * k_c * k_{VSG} * k_{Kante} * f_k / \gamma_M$	$R_d = k_c * k_{VSG} * k_{Kante} * f_k / \gamma_M$	$R_d = k_c * k_{VSG} * k_{Kante} * f_k / \gamma_M$	$R_d = k_c * k_{VSG} * k_{Kante} * f_k / \gamma_M$	$R_d = k_c * k_{VSG} * k_{Kante} * f_k / \gamma_M$

The intermediate films in LSG shall be made of PVB (polyvinyl butyral) or SGP (*Sentry glass plus/Ionoplast*):
- Films made of PVB must have a tear strength of at least 20 N/mm².
- Films or laminated safety glass made of SGP shall have general approval by building authorities (including European Technical Approval ETA) and shall be processed in accordance with this approval.

3. Stand design, construction and loads

3.1 Vertical glazing not intended to prevent falling

3.1.1 Vertical glazing with a height h ≤ 4 metres above hall floor level

Neither static proof of structural characteristics in accordance with the regulations specified in Chapter 2.3 is required, nor is it necessary to submit documentation of testing. In this case the exhibitor alone is responsible for ensuring that the construction/design is technically safe for general use and that it meets current and accepted technical standards. Table A provides an overview of the types of structural designs that are possible.
- Either TSG or LSG must be used.
- The glass sheets may be secured by linear supports or at individual points.
- **Glass walls tilting at an angle of more than 10° from the vertical are considered to be overhead glazing** for which the provisions of Chapter 3.3 shall apply.
- Additional measures, e.g. provision of static proof calculations similar to those described in chapter 3.1.2, may be required to ensure protection of neighbouring walkways, or to be able to bear the loads of persons leaning against or bumping into the glass.

3.1.2 Vertical glazing of height h > 4 metres above hall floor level

Vertical glazing **not** intended to prevent falling and whose uppermost edges are higher than 4 metres above hall floor level does **not** require ***Installation approval for a specific case*** (c.f. 4.2) provided that the type of glass used, structural design details and the type of supports securing the glass comply with the regulations specified in Chapter 2.3.

In addition, the following provisions shall be observed:
- Verified structural calculations or structural calculations suitable for verification and the corresponding construction plans must be submitted.
- In addition to the load of its own weight, the material must be capable of resisting horizontal forces, i.e. a pressure corresponding to at least h1 = 0.125 kN/m² for visible surfaces of up 4 m above hall floor level and at least h2 = 0.063 kN/m² for visible surfaces at more than 4 m above hall floor level.
- Wherever there is a high risk of impact, e.g. where there is a descending ramp leading towards the glazing, additional measures are required.
- Proof of structural characteristics is not required if the area of each individual sheet is less than 1.6 m² and TSG with a thickness of at least 4 mm is used, and the sheet(s) is(are) held on four sides by linear supports.
- Glazing secured at individual points may be used without further proof documentation if:
  - general construction approval (*abZ*) has already been granted for the combination of point-mounting method and glass type and thickness, or
  - the design specifications, and the dimensions and thickness of the glass as stated in DIN 18008-3, DIN 18008-4 or Table B are adhered to.

DIN 18008-3/-4 and Table B are referred to above because the fall-prevention glazing barriers described in these references are of course also suitable for glass panels not explicitly intended to prevent falls.
Installation approval for a specific case is required for all other designs.
If the use of TSG glazing is planned, a heat soak test certificate as TSG-H. Table A provides an overview of possible designs and the necessary proofs.

3.2 Vertical glazing intended to prevent falls

In all three of the following **categories, A, B and C**, static load proof calculations for the glass and the supporting structures and proof of the load-bearing capacity under impact-like conditions are required.
The static structural design calculations for the glass and the supporting structure shall be based on an assumed cross-bar pressure load and as an additional load case, a horizontal assumed surface load of h1 = 0.125 kN/m² for all visible surfaces at up to 4 m above the hall floor level and of h2 = 0.063 kN/m² for surfaces located at more than 4 m above hall floor level.

The load-bearing capacity of the structure under impact action can be verified as follows:
- a pendulum impact test in accordance with DIN 18008-4
- the relevant design specifications, glass dimensions and thicknesses as stated in Table B of this information sheet are adhered to, or
- by providing proof calculations in accordance with the rules described in Chapter 2.3.

Table B contains an overview of possible designs and the proofs required. All structural design details (including flexing/sag and glass insertion/clamping depths) shall be modelled in accordance with the rules described in Chapter 2.3.
Experimental pendulum impact tests must be carried out by one of the test centres/institutes named in Chapter 4 well in advance of the fair and outside the trade fair halls.

3.2.1 **Category A: Vertical glass wall**

Definition: Linearly-supported vertical glazing that does not contain any load-bearing bars at capping height and is not protected by a rail or cross-bar located in front of it, making it suitable for the direct action of rail or cross-bar loads, e.g. glazing of full room height.

If protection is required to prevent persons falling from a height of more than 0.2 then it will be necessary to refer to the Technical Regulations for accident-prevention (barrier) glazing or DIN 18008-4.

- Only LSG shall be used.
- Verified proof of structural characteristics or static structural calculations suitable for verification, as well as a pendulum impact test (test in accordance with DIN EN 12 600 or DIN 18008-4) are required.
- The pendulum impact test is not required for glass with linear support on all sides, provided that the appropriate dimensions and glass thickness conform to Table B, DIN 18008-3 and DIN 18008-4, or proof calculations are carried out in accordance with DIN 18008-4.
- The glazing supports must provide adequate protection to the edges of the glass sheets.

3.2.2 **Category B: Clamped glass balustrade with continuous handrail**

Definition: Load-bearing glass balustrades held by linear supports secured by clamp-type base mountings, the individual glazing elements of which are connected by a continuous, load-bearing handrail (see example in Chapter 6.1) attached to the top of the structure.

- Only LSG shall be used.
- Verified proof of structural characteristics or static structural calculations suitable for verification, as well as a pendulum impact test (test in accordance with DIN 18008-4) are required.
- If LSG made of 2 x 10 mm TSG (or 2 x 10 mm HSG) is used, no pendulum impact test is required, provided that the dimensions as stated in Table B are adhered to (design details in accordance with DIN 18008-4).
- The thickness of the intermediate PVB/SGP film must be at least 1.52 mm.
- The securing clamps/ clamping must be at least 100 mm above floor level.

Calculations shall be provided proving that the loads will be distributed via the capping to neighbouring glass sheets in the event of an individual sheet being destroyed. The stresses occurring in the neighbouring glass sheets can be classified as an extraordinary design calculation situation. The destroyed or damaged glass sheet shall be replaced immediately after the incident.



Figure 1: Clamped glazing with continuous handrail

3.2.3 **Category C: Railing and balustrade infills or glass walls with load-distributing cross-bar fitted in front of it**

Definition: Accident-prevention (barrier) glazing which is not intended to distribute capping loads and which corresponds to one of the following groups:

C1: Railing/balustrade infills secured by linear supports and/or at individual points on at least two opposing sides.

C2: Vertical glazing beneath a crosswise load-distributing spanning member located at capping level and secured by linear supports on at least two opposing sides.

C3: Category A type glazing with a load-distributing handrail placed in front of it.



Category C1 Category C2 Category C3

- For Category C1 and C2 type glazing, the use of TSG is allowed if the sheets are secured by linear supports on all sides. For all other types of supports and for Category C3, only LSG may be used unless other statutory construction approval exists.
- Table B contains an overview of possible designs and the proofs required.
- The pendulum impact test is not required if the relevant design specifications and the dimensions and thickness of the glass as stated in Table B or in DIN 18008-4 are adhered to.

Alternative measures/protection against glass breakage:

If the proof calculations for Category C in accordance DIN 18008-4 are not submitted for accident-prevention (barrier) glazing, then the accident-prevention (barrier) attribute can be achieved by installing adequately sturdy knee-height cross-bars or tightly stretched steel rope of at least 5 mm diameter at a vertical spacing of not more than 35 cm and at an adequate distance in front of the glass sheets of the balustrade infill. Measures to protect against scattering glass splinters shall always be installed above and along the length of traffic areas (walkways), if this is not possible, LSG shall be used.

3.3 **Horizontal glazing**

3.3.1 **Overhead glazing**

Glass walls tilted at an angle of more than 10° from the vertical are considered to be overhead glazing. Table C contains an overview of possible designs and the proof documentation required.

Only the following glass products may be used:

- LSG made with float glass (PPG)
- LSG made of HSG,
- Wire glass (only for existing components until effective span exceeding 0.7 m and the glass shall protrude into the supports by at least 15 mm).

In addition to submitting certification of load-bearing capacities, experimental of residual load-bearing capacities must be provided or, if this is not possible, a safety net must be hung under the glazing. If the structural design requirements of specified in DIN 18008-2 are met, proof of the residual load-bearing capacities in not required. The design loads to be assumed are the sheet's own weight and a horizontal pressure corresponding to at least h1 = 0.125 kN/m² for visible surfaces of up 4 m above hall floor level or h2 = 0.063 kN/m² for vertical visible surfaces at more than 4 m above hall floor level. The sheets must secured in such a way as to properly safeguard against them slipping out of the mounts and forces which may lift them off the mounts.

The design dimensions of glass sheets mounted at individual points and HSG sheets shall either be calculated according to the rules outlined in chapter 2.3 or they must have general construction approval (*abZ*).

If, for cleaning purposes, overhead glazing periodically has to support human loads, then such additional loads must be taken into consideration and experimental proof of residual load-bearing capacities must be provided [16]. In such cases, *a special individual construction approval* is always required.

Other design standards for overhead glazing:

- LSG sheets with an effective span exceeding more than 1.20 m shall be supported on all sides.
- The overall thickness of the intermediate PVB-/SGP-films must be at least 0.76 mm. If a sheet is supported on all sides, then a thickness of 0.38 mm is allowed under the condition that the effective span in the direction bearing the main load is not greater than 0.8 m.
- Cutting of recesses or notches in the glass sheets is not allowed.
- Only holes conforming to DIN 18008-3 are allowed.
- The maximum permissible sag shall not exceed 1/100 of the effective span between the closer supports of the sheet.

3.3.2 **Glazing designed to support human loads**

This kind of glazing is specifically intended to be subjected to persons walking over it, e.g. stairs, platforms, landings and cat-walks. The design and proof calculations shall take both dead loads (own weight) and the working loads into account. In addition, proof of impact resistance and residual load-bearing capacity shall be provided.
Proof of impact resistance and residual load-bearing capacities must be demonstrated by component tests or a general construction approval (abZ). The requirements are specified in DIN 18008-5 [16]. For glazing mounted in linear supports at all four edges and an assumed working load of not more than **5.0 kN/m²** for design calculations (as specified in DIN EN 1991-1-1/NA - **C**at. C3/T2), proof of impact resistance and residual load-bearing capacity is deemed to have been provided if the sheets conform to the dimensions listed in Table 3.

Table 3: Glazing mounted in linear supports at all four edges and intended to support human loads, with proven impact resistance and residual load-bearing capacity

max. length [mm]	**max. width** [mm]	**LSG structure** [mm] (top /*/ centre /*/ bottom)	**Min. supporting surface depth** [mm]
1500	400	8 HSG /*/ 10 Float /*/ 10 Float	30
1500	750	8 HSG /*/ 12 Float /*/ 12 Float	30
1250	1250	8 HSG /*/ 10 HSG /*/ 10 HSG	35
1500	1500	8 HSG /*/ 12 HSG /*/ 12 HSG	35
2000	1400	8 HSG /*/ 15 Float /*/ 15 Float	35

/*/ = 1.52 mm PVB – PVB or SGP *(SentryGlas® plus)*

Glazing designed to support human loads may be secured by linear supports or at individual points. It must be made of **LSG consisting of at least three layers** of TSG and/or HSG/float glass. From the point of view of impact resistance, the use of TSG or HSG for the top layer is recommended. This surface must possess non-slip characteristics in accordance with DIN 51097. In order to achieve the required residual load-bearing capacity, the two lower layers will normally be made of float glass or HSG.

Glazing, mountings and supporting structure must be designed and their dimensions calculated to withstand the load of their own combined weight (dead load) as well as intended human (working) loads in accordance with the applicable standards.



① LSG glazing
② Elastomer (shore hardness ≥ 60)
③ Supporting selection
④ Gimp tape
⑤ Silicon gap
⑥ Blocking

Figure 2: Supporting surface depth a (glass insertion depth)

Table 4: Measurement parameters for walk-on glass

Design calculation concept	**DIN 18008-5**
Working surface load q_k, depending on usage category as specified in DIN EN 1991-1-1 or DIN EN 1991-1-1/NA	C1: 3.0 kN/m² C3, T2: 5.0 kN/m²
Point load Q_k as an additional changing load parameter to be inves-tigated	C1: 4.0 kN C3: 4.0 kN / T2: 2.0 kN
Application area of point load	50 x 50 mm
Inclusion of top sheet in structural static calculations allowed	For constant design situation and for temporary design situation
Proof calculation for situation with broken top sheet (i.e. only the two lower sheets still bear the load)	Proof for an extraordinary design load calculation situation
Standards relating to the action of loads	DIN EN 1991-1-1 DIN EN 1991-1-1 /NA
Max. sag/flexure f_{max} with 3 load-bearing sheets	l/200
Max. sag/flexure f_{max} with 2 load-bearing sheets	l/100

In the case of **stairways**, the construction/design must guarantee sufficient distribution of loads. Stairs on stand structures in the trade fair halls shall always be classified with **usage category T2**.



Figure 3: Span and sag

Information Sheet
"Glass in stand construction inside trade fair halls" 2021 (continued)

4. Approval procedures

4.1 Basics

If a glass component and its glass products conform to the technical building regulations outlined in Chapter 2.3 and to generally accepted technical principles, then it shall be sufficient to submit the verified or verifiable structural calculations and plans. After that, the verification will be performed and if the documents are verified, construction approval will be granted. In addition, the construction work on site will be checked and the results subjected to an approval inspection.

If additional components are installed for which statutory construction approval (abZ), a statutory construction test report (abP) or type approval are required, then these documents are to be submitted together with the structural calculations.

If a glass component or parts of this component do not conform to the construction engineering regulations and generally accepted technical principles outlined in chapter 2.3, and if no statutory construction approval or statutory construction test certificate can be produced, then an *individual construction approval* (*Zustimmung im Einzelfall* – ZiE) shall be required. An Installation Approval for a Specific Case may be granted by NürnbergMesse instead of the individual construction approval if glass is used only within the rules and limitations described in this information sheet.

4.2 Installation approval for a specific case

This approval procedure is similar to the procedure for obtaining an *individual construction approval*.

If an **Installation Approval for a Specific Case** has been granted once for a particular construction/design and type of usage, then the German trade fair companies in question will accept this for an identical design serving an identical purpose.

Nevertheless, a new application for construction work approval and approval inspection shall be submitted for each repeated case. The test report, all certificates and approvals, design details, as well as glass dimensions and thicknesses must be submitted with the application.

Glass components requiring approval and which require type 3 proof documentation are listed in column 14 of the Spreadsheets A, B and C. Installation approvals for specific cases cannot be granted at short notice, as they require a considerable period of time for processing. Applications for these should therefore be submitted at least **42 days before the commencement of construction**.

Prior to conducting component tests, it is advisable to contact NürnbergMesse in good time in order to coordinate procedures and intended testing methods. Normally, component testing requirements stipulate inclusion of parts of the glass component's actual substructure in order to simulate realistic loads.

The procedure for obtaining an **Installation Approval for a Specific Case** from NürnbergMesse is as follows:

- The structural calculations and the required certificates confirming the identity of the product(s) (glass manufacturer/processing company's factory certificates) must be verified and checked by a publicly certified structural building surveyor and tester (in the field of steel, concrete and brick construction/engineering).
- The surveyor shall confirm that there are no objections with regard to the design's suitability for use. It is his responsibility to decide on the necessity of additional testing of materials, impact resistance and whether further proof of residual load-bearing capacities must be obtained. The test report must be submitted to NürnbergMesse (Exhibition Technology Department, see Technical Regulations Chapter 4.2) along with the other application documents requesting the construction permit.
- Final approval will be granted on location following an inspection to confirm that the construction/design on site conforms to the previously inspected documents. **The test engineer carrying out the monitoring and inspection acts on behalf of NürnbergMesse and at the expense of the requesting exhibitor/customer**.

Recommended institutes for testing components used in glass construction/design are listed in **Table D**.

5. Notes on design and design calculations

Glass is a brittle material, any failure of which will occur spontaneously and without warning.
Glass is sensitive to blows with hard, pointed objects.

These properties lead to the following guideline notes:

- Proof calculations for the load-bearing capacity of structural glass not only take into consideration the unbroken glass but always include an investigation of the broken or partially broken glass (proof of **residual load-bearing capacity**)
- The support design must ensure that glass sheets are **not subjected to pressure or stresses by the supports**.
- Direct glass-to-glass contact and contact between glass and other hard materials (e.g. metal) shall be prevented at all times, whereby the effects of load and temperature fluctuations have to be taken into account.
- The minimum supporting depths of glass sheets ("glass insertion depth") on their respective support sections as well as the allowable sheet and supporting beam sections as specified in Chapter 2.3 for the design calculation concept must be adhered to.
- After glazing has been installed, the markings identifying the individual type of glass sheet used (e.g. TSG, HSG) must be durable and legible at all times. In the case of LSG glazing, a section of the edge must be left free for inspection purposes (to check the number of glass sheets, thickness, interlayer films) until the construction has been approved. If required, a manufacturer's certificate shall be submitted as well.
- The edges of glass sheets must be finished or protected in such a way as to exclude any possibility of injury.
- In the case of TSG, HSG, or LSG glazing manufactured from sheets of TSG or HSG, subsequent reworking of the finished product such as cutting out sections or drilling holes is not possible.
- Sheets intended to bear human loads must have a durable non-slip surface finish.
- Load-bearing adhesive joints may only be used if a general construction approval (*abZ*) has been granted for the entire adhesive system (i.e. the glass, adhesive and metal combination), and under the condition that the joint is made exactly as described in the approval documents. The rules described in Chapter 2.3 do not yet make allowance for applying more favourable assumptions of the joint effect of the intermediate film layers in LSG and therefore an **Installation Approval for the Specific Case** has to be applied for if these assumptions are used in calculations. Trade publications [18] contain information on suitable calculation assumptions to account for the joint effects in LSG. This may possibly be useful for LSG in which SGP is used.

6. Examples of vertical glazing in structures designed to prevent falls

All possible dimensions, types of glass, thicknesses and the necessary proof documents are summarised in Table B

6.1 Category B



Note:

If **LSG** made of

- 10 mm TSG + 1.52 mm PVB/SGP + 10 mm TSG, or
- 10 mm HSG + 1.52 mm PVB/SGP + 10 mm HSG

in the dimensions as stated in Table B is used, only static structural proof calculations are required.

As specified in DIN 18008-4, this also applies to parallelogram-shaped balustrades.



Information Sheet
"Glass in stand construction inside trade fair halls" 2021 (continued)

6.2 **Category C 1 (railing infills)**

6.2.1 **Railing infills secured vertically on 2 sides**



Note: If the types of glass and the dimensions listed in Table B are used, only static structural proof calculations are required.

6.2.2 **Railing infills secured horizontally on 2 edges**



Note: If the types of glass and the dimensions listed in Table B are used, only static structural proof calculations are required.

6.2.3 **Railing infills secured on 4 sides**



Note: If the types of glass and the dimensions listed in Table B are used, only static structural proof calculations are required.

6.2.4 **Point-fixed with drilled anchors (design specifications according to DIN 18008-4)**



Note: If the types of glass and the dimensions listed in Table B are used, only static structural proof calculations are required for all point-fixed variants sided or 4-sided).



① LSG glazing
② Clamping retainer
③ Elastomer
④ Sleeve

Figure 4: Cross-section of clamping plate holder

In accordance with DIN 18008-4, the rules for Categories C1 and C2 also apply to parallelogram-shaped balustrades:

Category C1



Category C2



6.2.5 **Railing infills with point mounting, lateral clamps and anti-slip grips**



Note: Designs that have a general construction approval (abZ) shall be used in accordance with the specifications in the approval documents.

For all systems that have not been granted general construction approval, a pendulum impact test is required. Minimum requirement: **LSG** comprising :
- 6 mm TSG + 1.52 mm PVB + 6 mm HSG or
- 6 mm HSG + 1.52 mm PVB + 6 mm HSG

shall be used.

6.2.6 **Railing infills with point mounting and clamps at top and bottom**



Note: System designs that have a general construction approval (abZ) shall be used in accordance with the specifications in the approval documents.

For all systems that have not been granted general building approval, a pendulum impact test is required. Minimum requirement: **LSG** comprising
- 6 mm TSG + 1.52 mm PVB + 6 mm TSG,
- 6 mm HSG + 1.52 mm PVB + 6 mm HSG

shall be used.



① LSG glazing
② Elastomer

Figure 5: Cross section of edge clamp holder

6.3 **Balustrade with fixed horizontal bars (protection against falling is provided solely by suffi-ciently strong handrails and knee-height bars)**

Alternative measures: If the proof calculations for Category C in accordance DIN 18008-4 are not submitted for accident-prevention (barrier) glazing, then the accident-prevention (barrier) attribute can be achieved by installing adequately sturdy knee-height cross-bars or tightly stretched steel rope (at least 5 mm diameter) at a **vertical spacing of not more than 35 cm** and at an adequate distance in front of the glass sheets of the balustrade infill.



Note: In this case (with horizontal bars), the type of glass used can meet the specifications of Part 9 - Table A, glazing not intended to protect against falls.
In the case of accident prevention balustrades in areas that are freely accessible to the **general trade fair public**, only vertical cross-bars should be used at the above-mentioned distance in front of the glass sheets, so as to prevent people (particularly children) from climbing over the balustrades.

7. Construction engineering regulations, generally accepted rules of engineer-ing and references

[1] Wörner J.-D., Schneider J., Fink A.: Glasbau: Grundlagen, Berechnung, Konstruktion, Springer-Verlag, Berlin Heidelberg; 2001

[2] Bucak, Ö.: Glas im konstruktiven Ingenieurbau, in Stahlbau Kalender. Ernst & Sohn Verlag für Architek-tur und technische Wissenschaften GmbH, Berlin, 1999

[3] Sedlacek S., Blank K., Laufs W., Güsgen J.: Glas im Konstruk-tiven Ingenieurbau. (1st ed.) Ernst & Sohn Verlag für Architektur und technische Wissenschaften GmbH, Berlin, 1999

[4] Siebert G.: Entwurf und Bemessung von tragenden Bauteilen aus Glas. Ernst & Sohn Verlag für Architek-tur und technische Wissenschaften GmbH, Berlin, 2001

[5] Bucak, Ö; Schuler, C: Glas im Konstruktiven Ingenieurbau, in Stahlbau Kalender. Ernst & Sohn Verlag für Architektur und technische Wissenschaften GmbH, Berlin, 2008

[6] Feldmann, M.; Kasper, R.: Glasbau im europäischen Kontext, in Stahlbau Kalender. Ernst & Sohn Verlag für Architektur und technische Wissenschaften GmbH, Berlin, 2015

[7] Weller, B., Krampe, P., Reich, S.: Glasbau-Praxis, Konstruktion und Bemessung, 3rd ed., vol. 1: Grundla-gen, Beuth Verlag Gmbh Berlin, Vienna Zurich 2013

[8] Weller, B., Engelmann, M., Nicklisch, F., Weimar, T.: Glasbau-Praxis, Konstruktion und Bemessung, 3rd ed., vol. 2: Beispiele nach DIN 18008, Beuth Verlag GmbH Berlin, Vienna Zurich 2013

[9] Wörner, J.-D; Schneider J.: Abschlussbericht zur experimentellen und rechnerischen Bestimmung der dynamischen Belastung von Verglasungen durch weichen Stoß, Fraunhofer IRB Verlag Stuttgart 2000, Heft T 2935

[10] Völkel, G. E.; Rück R.: Untersuchung von vierseitig linienförmig gelagerten Scheiben bei Stoßbelastung, Fraunhofer IRB Verlag Stuttgart 2000, Heft T 2915

[11] Weller, B., Nicklisch, F., Thieme, S. Weimar, T.: Glasbau-Praxis in Beispielen, Konstruktion und Berech-nung, Bauwerk-Verlag, 2nd ed. 2010

[12] DIN 18008-1 (December 2010) Glass in building design and construction rules - Part 1: Terms and gen-eral bases

[13] DIN 18008-2 (Dezember 2010) Glass in building design and construction rules - Part 1: Terms and gen-eral bases – Part 2: Linearly supported glazings

[14] DIN 18008-3 (July 2013) Glass in building design and construc-tion rules - Part 3: Point fixed glazing

[15] DIN 18008-4 (July 2013) Glass in building design and construc-tion rules - Part 4: Additional requirements for barrier glazing

[16] DIN 18008-5 (July 2013) Glass in Building design and construc-tion rules - Part 5: Additional requirements for walk-on glazing

[17] Kasper, R., Pieplow, K., Feldmann, M.: Beispiele zur Bemessung von Glasbauteilen nach DIN 18008; Ernst & Sohn Verlag für Architektur und technische Wissenschaften GmbH, Berlin, 2016

[18] Wellershof, F.: Bemessungsschubmodule für Verbundglass-cheiben, Stahlbau 76 (März 2007), H.3, S. 177 188

[19] Building Rules List (see www.dibt.de)

[20] ETB Guideline: Building components designed to prevent falls (June 1985))

8. Abbreviations

abZ	German: Allgemeine bauaufsichtliche Zulassung (general construction approval)
C1, C3	Categories for vertically acting working loads on floors of public meeting spaces in buildings as specified in DIN EN 1991-1-1 / NA
DIBt	Deutsches Institut für Bautechnik (German civil engineering institute)
ESG	German: Einscheiben-Sicherheitsglas (fully-tempered glass / toughened safety glass)
HSG	Heat-strengthened glass
LSG	Laminated safety glass
PPG	Polished plate glass
PVB	polyvinyl butyral (intermediate film material for LSG)
SGP	SentryGlas® plus (intermediate film material for LSG)
SLS	Serviceability limit state
SPG	German: Spiegelglas (float glass or PPG)
T2	Category for vertically acting working loads on stairs / staircase landings for large traffic loads and escape staircases as specified in DIN EN 1991-1-1 / NA
TSG	Toughened safety glass
TVG	German: Teilvorgespanntes Glas (heat-strengthened glass)
ULS	Ultimate limit state
VSG	German: Verbund-Sicherheitsglas (laminated safety glass)
ZiE	German: Zustimmung im Einzelfall (individual construction approval)

Information Sheet “Glass in stand construction inside trade fair halls” 2021 (continued)

9. Spreadsheets A – D (for stand construction)

Table A: Vertical glazing, not intended to prevent falls

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Structure type					**Allowed, yes/no**	**Glass thikkness in mm**	**SGP/PVB film thikkness**	**Width in mm**		**Height in mm**		**Min. glass insertion depth in mm**	**Type of proof required**	**Civil engineering rules**
Type	**Character-istic**	**Structure**	**Sheet support**	**Glass type**				**min.**	**max.**	**min.**	**max.**			
Tab. A: Vertical glazing	**not intended to prevent falls**	**Glass wall ≤ 4.0 m** above floor level	Linear support on 2 sides	TSG	yes								1	
				LSG 2 layers	yes								1	
				Wire glass	yes								1	2)
				Acrylic glass	yes								1	
			Linear support on 4 sides	TSG	yes								1	
				LSG 2 layers	yes								1	
				Wire glass	yes								1	2)
				Acrylic glass	yes								1	
			Point supports	TSG	yes								1	
				LSG 2 layers	yes								1	
				Wire glass	no									
				Acrylic glass	yes								1	
		Glass wall > 4.0 m above floor level	Linear support on 2 sides	TSG	yes								2.5	DIN 18008-1/2
				LSG 2 layers	yes								2	DIN 18008-1/2
				Wire glass	yes								2	2)
				Acrylic glass	yes								1	
			Linear support on 4 sides	TSG	yes								2[1)]	DIN 18008-1/2
				LSG 2 layers	yes								2[1)]	DIN 18008-1/2
				Wire glass	yes								2[1)]	2)
				Acrylic glass	yes								1	
			Point supports	TSG	yes								2, 3, 5	DIN 18008-1…3
				LSG 2 layers	yes								2, 3	DIN 18008-1…3
				Acrylic glass	yes								1	
				Wire glass	no									
		Railing infill system with cross-bar and fall-prevention crossbars at knee-height (the actual glass sheet has no barrier function)	Linear support on 2 sides	TSG	yes								1.5	DIN 18008-1/2
				LSG 2 layers	yes								1	DIN 18008-1/2
				Wire glass	yes								1	2)
				Acrylic glass	yes								1	
			Linear support on 4 sides	TSG	yes								1	DIN 18008-1/2
				LSG 2 layers	yes								1	DIN 18008-1/2
				Wire glass	yes								1	2)
				Acrylic glass	yes								1	
			Point supports	TSG	yes								1.5	DIN 18008-1…3
				LSG 2 layers	yes								1	
				Wire glass	no									
				Acrylic glass	yes								1	

Proof type [column 14]:

1: No specific proof

2: Verified static calculations

3: Installation appr. for spec. case

4: Pendulum impact test

5: Heat soak test

6: Residual load-bearing cap. test

7: Shock impact resistance test

1) Proof type 2 (verified static design calculations) are not required for sheet areas A ≤ 1.6 m² and d ≥ 4 mm

2) Wire glass may continue to be used in existing components if documentation has been submitted of compliance with the technical standards in effect at the time of initial installation.

Information Sheet “Glass in stand construction inside trade fair halls” 2021 (continued)

Table B: Vertical glazing, intended to prevent falls (barrier glazing)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Structure type					Allowed, yes/no	Glass thik-kness in mm	SGP/PVB film thik-kness	Width in mm		Height in mm		Min. glass insertion depth in mm	Type of proof required	Civil engi-neering rules
Type	Character-istic	Structure	Sheet support	Glass type				min.	max.	min.	max.			
Vertical glazing	Fall-prevention, barrier (Δh > 1 m)	Glass wall (cat. A as defined in TRAV)	Linear support on 2 sides	TSG	no [2]									
				LSG 2 layers	yes		0.76					18	2,4	DIN 18008-1/2/4
			Linear support on 4 sides	TSG	no [2]									
				LSG 2 layers	yes	2 x 6 Float	0.76	500	1200	1000	2000			
						2 x 8 Float	0.76	500	1500	1000	2500	12	2	DIN 18008-1/2/4
						2 x 10 Float	0.76	1000	2100	1000	3000			
						2 x 6 Float	0.76	500	2000	1000	1200	12	2	DIN 18008-1/2/4
						2 x 8 Float	0.76	500	2500	1000	1500	12	2	DIN 18008-1/2/4
						2 x 10 Float	0.76	1000	3000	1000	2100	12	2	DIN 18008-1/2/4
						2 x 6 Float	0.76	300	500	500	3000	12	2	DIN 18008-1/2/4
			Point supports	TSG	no [2]									
				LSG 2 layers	yes	2 x 10 HSG	1.52		1200 [3]		1600 [3]	[4]	2	DIN 18008-1…4
				LSG 2 layers	yes	2 x 8 TSG	1.52		1200 [3]		1600 [3]	[4]	2	DIN 18008-1…4
				LSG 2 layers	yes	2 x 10 TSG	1.52		1600 [3]		1800 [3]	[4]	2	DIN 18008-1…4
				LSG 2 layers	yes	2 x 10 TSG	1.52		800 [3]		2000 [3]	[4]	2	DIN 18008-1…4
				LSG 2 layers	yes		0.76						2, 3, 4	DIN 18008-1…4
		Balustrade/parapet clamped at the bottom, with handrail (cat. B as defined in TRAV)	Linear clamping at one edge	TSG	no									
				LSG 2 layers	yes	2 x 10 TSG	1.52	500	2000	900	1100	100	2	DIN 18008-1/2/4
				LSG 2 layers	yes	2 x 10 HSG	1.52	500	2000	900	1100	100	2	DIN 18008-1/2/4
		Railing infill (cat. C1 and C2 as defined in TRAV)	Linear support on 2 sides oben u. unten	TSG	no [2]									
				LSG 2 layers	yes	2 x 6 Float	0.76	1000			800			
						2 x 5 TSG	0.76	800	as desired	500	1100	18	2	DIN 18008-1/2/4
						2 x 8 Float	1.52	800			1100			
			Linear support on 2 sides links u. rechts	TSG	no [2]									
				LSG 2 layers	yes	2 x 6 Float	0.76		800	1000				
						2 x 6 TSG	0.76	500	1100	800	1100	18	2	DIN 18008-1/2/4
						2 x 8 Float	1.52		1100	800				
			Linear support on 4 sides	TSG	yes							12	2, 4	DIN 18008-1/2/4
				LSG 2 layers	yes	2 x 5 Float	0.76	500	2000	500	1000	12	2	
		Railing infill (only cat. C1 as defined in TRAV)	Point supports	TSG	no [2]									
				LSG 2 layers	yes	2 x 6 TSG	1.52		1200 [3]		700 [3]	10	2	DIN 18008-1…4
						2 x 8 TSG	1.52		1600 [3]		800 [3]			
				LSG 2 layers	yes	2 x 8 HSG	1.52		1200 [3]		700 [3]	10	2	DIN 18008-1…4
				LSG 2 layers	yes	2 x 6 HSG	1.52		1600 [3]		800 [3]			DIN 18008-1…4
		Glass wall with load-bearing/ protective handrail in front of it (cat. C3 as defined in TRAV)	Linear support on 2 sides	TSG	no [2]									
				LSG 2 layers	yes							18	2, 4	DIN 18008-1/2/4
			Linear support on 4 sides	TSG	no [2]									
				LSG 2 layers	yes	2 x 5 Float	0.76	500	1500	1000	3000	12	2	DIN 18008-1/2/4
			Point supports	TSG	no [2]									
				LSG 2 layers	yes								2, 3, 4	DIN 18008-1…4

Proof type [column 14]:

1: No specific proof
2: Verified static calculations
3: Installation appr. for spec. case
4: Pendulum impact test
5: Heat soak test
6: Residual load-bearing cap. test
7: Shock impact resistance test

If a pendulum impact test, proof type “4”, is not specified in column 14, then this advantage is subject to adherence to the limit values stated in columns 7 to 13. Structural designs not listed here will require an Installation Approval for the Specific Case.

2) In systems having a valid general statutory construction approval, LSG may be used in accordance with the text of the approval documents.

3) The distance between neighbouring point supports in x-direction and in y-direction, respectively.

4) Clamped on both faces by circular plates with diameter d >= 50 mm, if spacing is greater than 1200 mm, plate diameter shall be d >= 70 mm, see DIN 18008-3/4

The use of acrylic glass and wire glass is **not allowed** for vertical glazing intended to prevent falls (barrier glazing). If the sheets are held in linear supports, LSG made of HSG and with the same specified thicknesses may be used instead of LSG made of float glass.

Information Sheet "Glass in stand construction inside trade fair halls" 2021 (continued)

Table C: Horizontal glazing

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Structure type					**Allowed, yes/no**	**Glass thickness in mm** top /*/ centre /*/ bottom) /*/ = 1.52 mm PVB / SGF	**SGP/PVB film thikkness**	**Length in mm**		**Width in mm**		**Min. glass insertion depth in mm**	**Type of proof required**	**Civil engineering rules**
Type	**Characteristic**	**Structure**	**Sheet support**	**Glass type**				**min.**	**max.**	**min.**	**max.**			
Horizontal glazing	**Overhead glazing (angled at > 10° to the vertical)** [3]		Linear support on 2 sides	TSG	no									
				LSG 2 layers	yes		0.76		1200 [4]				2 [5]	DIN 18008-1/2
				Wire glass	yes				700 [4]			15	2	[7]
			Linear support on 4 sides	TSG	no									
				LSG 2 layers	yes		0.76						2 [5]	DIN 18008-1/2
				Wire glass	yes				700 [4]			15	2	[7]
			Point supports	TSG	no									
				LSG 2 layers	yes		1.52						2, 3, 6 [6]	DIN 18008-1…3
				Wire glass	no									
			Linear support on 2 sides	TSG	no									
				LSG 2 layers	no									
				VSG 3 layers	yes							30	2 [5]	DIN 18008-1…5
				Wire glass	no									
			Linear support on 4 sides	TSG	no									
				LSG 2 layers	no									
		Installed at height < 20 cm		VSG 3 layers	yes	8 HSG /*/ 10 Float /*/ 10 Float	1.52		1500		400	30	2	DIN 18008-1…5
				VSG 3 layers	yes	8 HSG /*/ 12 Float /*/ 12 Float	1.52		1500		750	30	2	DIN 18008-1…5
				VSG 3 layers	yes	8 HSG /*/ 10 HSG /*/ 10 HSG	1.52		1250		1250	35	2	DIN 18008-1…5
				VSG 3 layers	yes	8 HSG /*/ 12 HSG /*/ 12 HSG	1.52		1500		1500	35	2	DIN 18008-1…5
				VSG 3 layers	yes	8 HSG /*/ 15 Float /*/ 15 Float	1.52		2000		1400	35	2	DIN 18008-1…5
				VSG 3 layers	yes							30	2 [5]	DIN 18008-1…5
				Wire glass	no									
			Point supports	TSG	no									
				LSG 2 layers	no									
				VSG 3 layers	yes								2 [5]	DIN 18008-1…5
				Wire glass	no									
			Linear support on 2 sides	TSG	no									
				LSG 2 layers	no									
				VSG 3 layers	yes							30	2, 3, 6, 7	DIN 18008-1…5
				Wire glass	no									
			Linear support on 4 sides	TSG	no									
				LSG 2 layers	no									
		Installed at height < 20 cm		VSG 3 layers	yes	8 HSG /*/ 10 Float /*/ 10 Float	1.52		1500		400	30	2	DIN 18008-1…5
				VSG 3 layers	yes	8 HSG /*/ 12 Float /*/ 12 Float	1.52		1500		750	30	2	DIN 18008-1…5
				VSG 3 layers	yes	8 HSG /*/ 10 HSG /*/ 10 HSG	1.52		1250		1250	35	2	DIN 18008-1…5
				VSG 3 layers	yes	8 HSG /*/ 12 HSG /*/ 12 HSG	1.52		1500		1500	35	2	DIN 18008-1…5
				VSG 3 layers	yes	8 HSG /*/ 15 Float /*/ 15 Float	1.52		2000		1400	35	2	DIN 18008-1…5
				VSG 3 layers	yes							30	2, 3, 6, 7	DIN 18008-1…5
				Wire glass	no									
			Point supports	TSG	no									
				LSG 2 layers	no									
				VSG 3 layers	yes								2, 3, 6, 7	DIN 18008-1…5
				Wire glass	no									

Proof type [column 14]:

1: No specific proof
2: Verified static calculations
3: Installation appr. for spec. case
4: Pendulum impact test
5: Heat soak test
6: Residual load-bearing cap. test
7: Shock impact resistance test

3) Overhead glazing that has to be capable of supporting human loads to permit cleaning is subject to a special approval procedure.
4) The data apply to the smaller distance between supports (support direction).
5) If HSG which has not received general statutory construction approval (abZ) is used, an additional Installation Approval for the Specific Case is required.
6) If glass type/support type combination systems which have been granted a general statutory construction approval (abZ) are used, the Installation Approval for the Specific Case is not required
7) Wire glass may continue to be used in existing components if documentation has been submitted of compliance with the technical standards in effect at the time of initial installation.

The use of acrylic glass for horizontal glazing is not allowed. However, exceptions may be possible if the trade-fair company has no objections with regard to fire prevention/protection and structural stability.

Information Sheet
“Glass in stand construction inside trade fair halls” 2021 (continued)

Table D: Recommended institutions for conducting component tests of glass designs

Technische Universität Dresden,
Institut für Baukonstruktionen (Beyer-Bau)
Prof. Dr.-Ing. Weller
August-Bebel-Straße 30
01219 Dresden

MFPA Leipzig GmbH
Hans-Weigel-Straße 2B
04319 Leipzig

TU Hamburg - Harburg
Institut für Baustatik und Stahlbau
Prof. Dr.-Ing. Starossek
Denickestraße 7
21073 Hamburg

Leibnitz-Universität Hannover
Institut für Massivbau
Prof. Dr.-Ing. Marx
Appelstraße 9a
30167 Hannover

Materialprüfanstalt für das Bauwesen Braunschweig
Beethovenstraße 52
38106 Braunschweig

MPA Nordrhein-Westfalen
Marsbruchstraße 186
44287 Dortmund

RWT Aachen
Lehrstuhl für Stahlbau
Prof. Dr.-Ing. Feldmann
Mies-van-der-Rohe-Straße 1
52074 Aachen

MPA Darmstadt
Grafenstraße 2
64283 Darmstadt

TU Darmstadt
Institut für Werkstoffe und Mechanik im Bauwesen
Prof. Dr.-Ing. Wörner
Franziska-Braun-Straße 3
64287 Darmstadt

FMPA Baden-Württemberg
FB 2, Abt. 21, Referat 214
Pfaffenwaldring 4
70569 Stuttgart (Vaihingen)

Universität Karlsruhe
Versuchsanstalt für Stahl, Holz und Steine
Prof. Dr.-Ing. Ummenhofer
Otto-Amman-Platz 1
76131 Karlsruhe

Friedmann & Kirchner
Gesellschaft für Material- und Bauteilprüfung
Große Ahlmühle 7
76865 Rohrbach

FH München
Labor für Stahl- und Leichtmetallbau
Prof. Dr.-Ing. Bucak
Karlstraße 6
80333 München

TU München
Lehrstuhl für Metallbau
Prof. Dr.-Ing. Mensinger
Arcisstraße 21
80333 München

Institut für Fenstertechnik e.V.
Theodor-Grietl-Straße 7-9
83025 Rosenheim

Instruction Sheet
“Suspension points, trusses and lifting equipment” 2021

The suspension of objects from the hall ceiling, the provision of suspension points and the modification of suspension constructions are carried out exclusively by NürnbergMesse through its appointed ServicePartners. Suspension points must be ordered in writing from the Exhibition Services Dept. of NürnbergMesse using Form S2.15. The construction to be suspended must be located within the stand boundaries. The **maximum vertical purely** structural load capacity of each suspension point on the ceiling construction is **25 kg (0.25 kN)** for **halls 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 and 12**.
In halls **3A, 3C, 4A, 7A and 11**, the **maximum vertical structural load capacity is 240 kg (2.4 kN)**.
Higher loads are only possible on request via the Event Technology Department and after structural inspection by an engineer appointed by NürnbergMesse.
The exhibitor or client will be charged for the cost of such a structural inspection.
The **provision of suspension points cannot be guaranteed in all areas**. This applies mainly to the peripheral areas of the following halls:

Halls 3A and 3C:
No suspension points can be provided over the exhibition areas in the area of the loading yard gates with limited headroom. The necessary minimum distances from the sprinkler heads must also be strictly observed in these areas (see Technical Regulations Item 3.1.4). Information on the reduced bearing load of suspension points in the peripheral areas of halls 3A and 3C can be obtained from the responsible ServicePartner.

Halls 4A, 7A and 11.0:
Only a few suspension points with a reduced bearing load are available in the exhibition areas in the area of the loading yard gates with limited headroom. The application of dynamic loads and the use of lifting equipment are not possible here. Additional information can be obtained from the responsible ServicePartner.

NürnbergMesse reserves the right to require the installation of load measuring systems in the case of statically indeterminate systems. The load measuring systems are to be supplied, installed and operated exclusively by SPIE SAG GmbH. The costs of the load measuring systems will be billed to the ordering party. We would like to advise that the use of load cells can reduce the maximum suspension height by up to 50 cm.

Figure 1



Impermissible

Figure 2



Permissible

Figure 3



Impermissible

Figure 4



Permissible

Figure 5



Impermissible

Figure 6



Permissible

Figure 7



Impermissible

Figure 8



Permissible

The following types of suspension are not permitted for safety reasons:

- Suspended constructions with a rigid or non-positive connection to the hall floor (see Figures 1 and 2)
- Suspension points used for securing stand components or exhibits (stand components or exhibits must stand securely on their own, see Figures 3 and 4)
- Suspension from exhibits (see Figures 5 and 6)
- The use of bridle suspension points is not permitted on the NürnbergMesse site (see Figure 7)

The use of lifting equipment (electric chain hoists, manual chain hoists, sling hoists) is only possible in halls 3A, 3C, 4A, 7A, 11 and NCC Ost and must be agreed with NürnbergMesse/Event Technology Department.

The provision and use of attachment gear, load-bearing equipment, lifting equipment, load-bearing lines, fasteners, rope terminations, secondary safety equipment and equipotential bonding must comply with the relevant safety regulations and the recognized rules of engineering. The following regulations issued by the various German associations apply:

DGUV Regulation 1 – Principles of Prevention,
DGUV Regulation 17 – Staging and Production Facilities for the Entertainment Industry,
DGUV Regulation 54 – Winches, Lifting and Hoisting Equipment,
DGUV Information 215-310 Guide to Safety at Productions and Events,
DGUV Information 215-313 Safety at Productions and Events – Loads Suspended above Persons
DGUV Information 215-314 Spotlights
DGUV Information 215-315 Special Stage Effects and Operations
IGVW SQP1 “Trusses“
IGVW SQP2 “Electric Chain Hoists“,
IGVW SQP4 “Mobile electrical equipment in event technology”,
IGVW SQP5 “Erection and operation of non-stationary stages and stage coverings”.
IGVW SQQ1 “Event Electrician“,
IGVW SQQ2 “Event Rigging Expert“
IGVW SQO2 “Event rigging – Organisation and work methods”
Bavarian Venue Regulations (German: Bay. VStättV)

The following information on attachment gear, load-bearing equipment, lifting equipment, fasteners, rope terminations and secondary safety components is intended as a guide and is not exhaustive.

Attachment gear:

The maximum load on ropes and slings must not exceed one-tenth of the minimum breaking load. The maximum load for other attachment gear is half the manufacturer’s specified working load limit (WLL). Any dynamic forces occurring must be given special consideration (dynamic factor).

Instruction Sheet
“Suspension points, trusses and lifting equipment” 2021

(continued)

The edge radius for attaching loads must be greater than the nominal diameter of the attachment gear (rope, webbing sling and round sling). No further load reduction is necessary for an edge radius of more than three times the nominal diameter of the attachment gear. The heat resistance of attachment gear varies. Webbing slings and round slings made of man-made fibers (PA, PES) and wire ropes with fiber cores (ferrule and thimble) are only to be used up to 100 °C and are not suitable for use close to spotlights. Webbing slings and round slings made of polypropylene (PP) are only designed for use up to 80 °C and therefore even less suitable.
Wire ropes with steel cores (ferrule and thimble) are suitable for use at temperatures up to 150 °C.

Permissible attachment gear:

- Attachment ropes of steel wire with fiber or steel cores, ferrules and thimble rope terminations, and rope grade 1960 (corresponds to a minimum rated wire strength of 1770 N/mm²) to DIN EN 12385-4, Table 7 (rope class 6 x 19 for ropes ≥ 6 mm), Table 12 (rope class 6 x 19 M for ropes of 3 mm to 5 mm), DIN EN 13414-1, Table 3 and 4 (ropes ≥ 8 mm)
- Rope terminations must comply with DIN EN 13411-1 (thimbles) and DIN EN 13411-3 (ferrules)
- Short-link sling chains of quality grade 8 (DIN 5688-3) or higher, with a breaking strength ≥ 20 %
- Webbing slings and round slings made of man-made fibers to DIN EN 1492-1, DIN EN 1492-2 with marking and using a secondary safety component comprising a steel rope with thimble, ferrule and fastener (to DIN 56927)
- Wire rope round sling with sheath of man-made fibers (“steelflex”)
- Aluminum or steel clips and truss adapter approved for the respective trusses (accessory), with marking (indicating load capacity and safety coefficient)

Impermissible attachment gear:

- Wire ropes not conforming to the above requirements
- Wire ropes with sheath (sheath > 1/3 of rope length)
- Long-link sling chains (inside length of chain link (pitch) > 3 x nominal diameter of chain material)
- Untested short-link sling chains or short-link lifting equipment chains (these must not be used as sling chains, as they have a breaking strength of only 5 to 15 %)
- Cable ties, pipe clips or perforated tape without the use of a secondary safety component comprising a steel wire rope with thimble, ferrule and fastener (DIN 56927)
- Webbing slings and round slings made of man-made fibers, without marking and indication of load capacity
- Webbing slings and round slings made of man-made fibers to DIN EN 1492-1, DIN EN 1492-2 with marking and indication of load capacity, BUT without the use of a secondary safety component comprising a steel wire rope with thimble, ferrule and fastener (DIN 56927)
- Damaged attachment gear (e.g. kinked ropes, slings with damaged sheath and sling without recognizable marking)
- One-sided load pickups at trusses with two upper chord (e.g. four-point trusses) are not permitted since this could cause an additional loading of the trusses through torsion. Deviations from this must be accompanied by a structural loading certificate and agreed upon beforehand with NürnbergMesse (Exhibition Technology Departement)

Permissible load-bearing equipment:

- Aluminum trusses to DIN EN 1999-1-1, DIN EN 1999-1-1/NA, IGVW SQP1 “Trusses“
- Steel trusses to DIN EN 1090-2, DIN 18800-7, IGVW SQP1 “Trusses“

Permissible and impermissible positions for installing trusses without additional structural safety certificate:



Impermissible load-bearing equipment:

- Trusses not conforming to the requirements of SQP1 “Trusses“ and DIN EN 1999-1-1, DIN EN 1999-1-1/NA, DIN EN 1090-2, DIN 18800-7
- Trusses without a structural test certificate
- Trusses without marking
- Trusses those are no longer safe for use, i.e. damaged or worn (this also includes damage like dents, cracks, drill holes or other changes)
- Trusses without end struts, if the framework is ignored
- Trusses not used for their intended purpose, e.g. screwed to stand walls, on stand walls, frames, truss tower with base plates that are too small and/or too little ballasting
- Truss systems put together out of different types (manufacturers, versions, models)
- Variably **bendable truss corners** (so-called **book corners**), if they are not generally mounted load-free.

Equipotential bonding of truss systems[1]

Truss systems that may carry hazardous contact voltages in the event of a fault must be incorporated in a common equipotential bonding system. This applies to all elements of electrically conductive material on which electrical equipment is installed or mounted or over which lines and cables are routed which could come into contact with metal parts in the event of damage. Connection to the equipotential bonding system can be made using clips, pipe clamps, screwed fasteners or special single-pole plug-in connectors with locking device. The common equipotential bonding is to be connected to the ground conductor of the mains supply network. Suitable conductor cross-sections are 16 mm² Cu for conductor lengths of up to 50 meters and 25 mm² Cu for conductor lengths of up to 100 meters.

[1] IGVW SQP1 Provision and Use of Truss Systems, 5.3 Installation of Trusses, Equipotential Bonding on 2021 Trusses

Instruction Sheet
"Suspension points, trusses and lifting equipment" 2021

(continued)

Permissible lifting equipment:

- **C 1 hoist** Point hoist to DGUV Regulation 17, IGVW SQP2
  Nominal load as specified by manufacturer
- **D 8 hoist** Electric chain hoist to DGUV Regulation 54 with secondary safety component for bypassing the electric chain hoist (incl. hooks and hoist chain)
  MOVING OR HOLDING LOADS ABOVE PERSONS WITHOUT A SAFETY DEVICE IS PROHIBITED!
  Nominal load as specified by manufacturer
- **D 8 Plus hoist** Electric chain hoist with secondary safety component/ second brake to DGUV Regulation 54 with special features to hold loads in place above persons without secondary safety component – IGVW SQP2
  MOVING LOADS ABOVE PERSONS IS PROHIBITED!
  Nominal load as specified by manufacturer

Use of lifting equipment

The use of lifting equipment (electric chain hoists, manual chain hoists, etc.) is only possible in halls 3A, 3C, 4A, 7A and 11 requires prior approval by NürnbergMesse.
The use of lifting equipment (electric chain hoists, manual chain hoists, etc.) in halls 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 and 12 is strictly prohibited!
The use of lifting equipment is governed by the requirements and implementation instructions of DGUV Regulation 17, DGUV Information Sheet 215-313 and the industry standard SQ .
A suitable rope termination (e.g. ring or rope socket) must be provided.
Cable holders (sliders) are only designed for static loads and must not be used in conjunction with lifting gear.
The use of lifting gear must be advised when ordering suspension points!

Electric chain hoists – general information

Electric chain hoists may only be used in halls with heavy duty suspension devices (**halls 3A, 4A, 7A and 11**).
The use of this lifting gear is subject to the Requirements for Electric Chain Hoists in Event Technology (IGVW SQ P2).
The dead weight of the electric chain hoists and dynamic coefficients must be taken account of in the load plan so as not to overload the slinging points.
The contractor must subject the hoists to an annual expert inspection. The test certification mark must be affixed to a visible location on the lifting equipment and the test documentation has to be available on site at all times. This inspection does not replace the inspection by an officially appointed expert every four years.

Manual chain hoists – general information

Manual chain hoists may only be used in conjunction with heavy-duty suspension devices (hall 3A, 3C, 4A, 7A and 11).
Manual chain hoists may only be used in the case of statically determinate systems, i.e a line load on two hoists or a distributed load on three hoists. The use of manual chain hoists for complex systems is not admissible.
The carrying and load hook of the hoist must be in a perpendicular straight line above the centre of gravity of the load. Winding round the load with the chain (carrier) or guiding the load chain over corners is not admissible.
Loads must always be moved with all attached manual chain hoists at the same time, i.e. there must be as many people lifting at the same time as there are manual chain hoists in use. It must be ensured that the lifting and lowering processes are uniform.
The dead weight of the manual chain hoists and dynamic coefficients must be taken account of in the load plan so as not to overload the slinging points.

Impermissible lifting equipment:

- Electric chain hoists to DGUV Regulation 54, without secondary safety component
- Electric chain hoists to DGUV Regulation 54 with inadequately rated secondary safety component (see Permissible secondary safety components)
- Untested electric chain hoists or electric chain hoists without test certificates (annual inspection; for C1 and D-Plus hoists: plus expert inspection every 4 years)
- Electric chain hoists showing obvious signs of damage
- Electric chain hoists not used for their intended purpose (see IGVW SQP2, e.g. stage use of an electric chain hoist to DGUV Regulation 54)

Permissible fasteners:

The nominal load is half the manufacturer's specified load-bearing capacity, maximum one-tenth of the minimum breaking load.

- Shackles, straight and curved, grade 6, to DIN EN 13889 with marking, with type X threaded bolt (with hexagonal head, hexagonal splint nut) if used with dynamic loads (e.g. for suspension of loudspeakers)
- High-strength shackle, grade 8, to DIN EN 1677-1
- Quick link for operation of lifting equipment, non-standard (safety factor 5), marked with load-bearing capacity
- Quick link for event equipment (safety factor 10) to DIN 56927 with marking
- Turnbuckles with closed eyes to DIN 1480, marked with load-bearing capacity, only with safety splint and safety nut if used with dynamic loads
- Suspension ring/link (closed O-ring) marked with load-bearing capacity, or with manufacturer's data sheet
- Shortening clutch with safety element to prevent unintentional unhooking, e.g. locking pins

Impermissible fasteners:

- Carabiners with/without screw lock
- Open hooks
- Open turnbuckles to DIN 1480
- Quick link with lock nut, not marked with load-bearing capacity
- Lashing or tension straps as connection between two truss parts
- Shackles to DIN 82101 (have a working coefficient of only 3)
- Shortening clutch without safety element to prevent unintentional unhooking, e.g. locking pins
- Other fasteners without marking/indication of load-bearing capacity/manufacturer's data sheet

Permissible rope terminations:

- Thimble to DIN EN 13411-1 and ferrules to DIN EN 13411-3
- Rope locks (straight) to DIN EN 13411-7, for dynamic loads only with rope clamp (frog) to DIN EN 13411-5

Impermissible rope terminations:

- Rope clamps (so-called "frog clamps") to former DIN 1141
- Rope clamps (so-called "frog clamps") to former DIN 741

Instruction Sheet
“Suspension points, trusses and lifting equipment” 2021

(continued)

Secondary safety components:

A secondary safety component according to DIN 56927 usually consists of a wire rope, rope termination and fastener. The drop distance should be practically zero.

This is best achieved with a safety rope together with a grade 8 shortening clutch equipped with a safety element to prevent unintentional unhooking (drop distance ≤ length of one chain link (pitch)).

Only quick links with cap nuts according to DIN 56927, or grade 8 high-strength shackles to DIN EN 1677-1 may be used as fasteners for a secondary safety component.

If secondary safety components with a larger drop distance than one chain pitch are used, a structural certificate may be requested for the pulse load of all components of the secondary safety component, attachment gear, load-bearing lines, fasteners and load-bearing equipment.

Permissible secondary safety components:

- Wire rope of steel wire with fiber core, ferrule sling and thimble as rope termination, rope grade 1960, to DIN EN 12385-4, Table 7 (rope class 6 x 19 for ropes ≥ 6 mm), Table 12 (rope class 6 x 19 M for ropes of 3 mm to 5 mm), DIN EN 13414-1, Table 3, or to former DIN 3060 (round-stranded rope 6 x 19 standard)
- Rope terminations must comply with DIN EN 13411-1 (thimbles) and DIN EN 13411-3 (ferrules)
- Fasteners conforming to the above standards

Impermissible secondary safety components:

- Wire ropes not conforming to the above requirements
- Inadequately rated wire ropes (see DIN 56927, DGUV Information 215-313
- Fasteners not conforming to the above requirements
- Inadequately rated fasteners (see DIN 56927)
- Rope terminations not conforming to the above requirements (e.g. rope locks)

Instruction Sheet "Laser systems" 2021

The use of laser devices and equipment must be notified to NürnbergMesse. The form "Registration of a laser device" must be returned to NürnbergMesse at least 42 days before the start of construction. The written appointment of a laser protection officer to oversee the operation of the laser device and proof of adequate liability insurance must be attached to the registration form. In addition, the exhibitor must prepare a threat assessment for the demonstration and operation of the laser device in advance and attach it to the registration form.

According to DGUV Regulation 11 "Laser radiation", notice of the operation of laser systems must be submitted to the Berufsgenossenschaft [Trade Association] and the authority responsible for safety at work (Industrial Trade Inspectorate, Regierungsbezirk Mittelfranken):

Gewerbeaufsichtsamt Nürnberg
Roonstrasse 20
90429 Nürnberg
T +49 9 11 9 28-0
F +49 9 11 9 28-29 99
https://www.regierung.mittelfranken.bayern.de/

A trained **laser protection officer** (according to IEC/EN 60825; 2006/25 EC/OStrV) must be present on the stand if the laser or LED devices are classified in normal operation and/or during erection in **classes 3R, 3B or 4** (according to DIN EN 60825-1).

General:

Laser equipment (according to DIN EN 60825-1) produces extremely intensive radiation, which is concentrated into a high energy/power density by optical systems. The energy/power density is only slightly reduced even at long range. If laser radiation strikes the eyes or skin it can cause permanent damage.

The following instructions must therefore be observed when setting up laser equipment and also LED equipment where applicable at trade fairs, exhibitions and shows:

1. Only lasers that transmit **visible light** (wavelength 400 to 700 nm) may be used. The output power must be limited to the extent essential for the purpose.
2. Laser equipment must be assigned to a class (1-4) in accordance with DIN EN 60825-1 and marked accordingly.

Class 1	Safe for the human eye. Output power: < 0.4 mW
Class 1M	Safe as long as no optical instruments (lenses, etc.) are used.
Class 1C	Medical lasers (use and safety measures as per manufacturer's instructions)
Class 2	Safe for the human eye for short periods of exposure to radiation of max. 0.25 s. Output power: ≤ 1 mW
Class 2M	Safe for the human eye as long as no optical instruments (lenses, etc.) are used.
Class 3R	The accessible laser radiation is dangerous for the eye. Output power: ≤ 5 mW
Class 3B	Dangerous for the human eye and in special cases for the skin as well. Output power: ≤ 500 mW
Class 4	Very dangerous for the human eye and dangerous for the skin. There is also a **risk of fire**! (See Form P2) Output power: > 500 mW

3. Laser equipment covered by the EU Machinery Directive must meet the requirements of the 9th Ordinance German Product. Safety Act and generally accepted engineering practice. Material processing lasers must comply e.g. with DIN EN 60825-1/-4 and show lasers e.g. with DIN EN 56912. The manufacturer must confirm compliance with the provisions relating to the safety features of the laser equipment by means of a declaration of conformity. The operator must comply with the provisions of the Occupational Health and Safety Regulations on Artificial Optical Radiation **OstrV** and the **TROS Laser Radiation** as well as the safety regulation of the trade associations **DGUV Regulation 11 and 12**.
4. If class **3R, 3B or 4** lasers (e.g. for projections or show events) are used, the beam must be widened by optical instruments to reduce the power density to a safe level in all areas in which people are present. Alternatively, the beam must be routed at a minimum height of 2.7 m above the floor.
   In the case of class 3R, 3B or 4 laser equipment, the safety precautions taken must generally have been inspected on site by a publicly appointed and sworn authority to verify that they are effective before they are used. A copy of the inspection report is to be submitted to NürnbergMesse.
   For all modes of operation, any persons not trained in laser safety must not be exposed to laser radiation in excess of the MZB-/EGW limits (as per DIN EN 60825-1 and/or OStRV). This must be ensured by means of technical and/or organizational measures.
   Any persons in the laser area to perform maintainance and servicing must be equipped with appropriate PPE (laser safety goggles/alignment) glasses).
   For the operation of lasers class 3R, 3B or 4, a laser safety officer (as per OStrV and TROS Laser Radiation) must be nominated by the exhibitor in writing. The presence of a laser safety officer at the stand is necessary if the laser equipment is categorized as Class 3R, 3B or 4 (to DIN EN 60825) in normal operation and during assembly.
   When demonstrating laser equipment it must be ensured that no uncontrolled reflected radiation can occur and that no-one can access the laser or projection area. Laser equipment must be shielded in such a way that only the effective beam can be emitted. Other radiation must be shielded using suitable optical filters.
5. If individual requirements cannot be complied with, **the following protective measures shall be used**:
   - The laser beam shall be permanently installed so that people cannot enter the area of the beam.
   - Beams reflected intentionally or unintentionally from reflective surfaces (mirrors, metallic surfaces, glasses, bottles) must not be aimed at areas where people are present. If this cannot be precluded for other groups of people (operating personnel, performers, artists) or is accepted as necessary during demonstrations, these persons must be instructed accordingly and if necessary provided with suitable tested safety goggles.
   - If light effects are used during shows, persons must be prevented from entering the laser projection area. This also applies to areas through which the beam is deflected by reflection equipment.
   - No focusing devices are to be present in the laser area.
   - Unintentional drifting or deflection of the beam must be prevented by non-combustible barriers.
6. Laser systems must be shielded to ensure that only the useful beam can be transmitted.
7. Laser equipment must be set up in a firm position and secured to prevent movement.
8. Optical equipment, deflection devices, scanners, etc. must be secured to prevent falling or unintentional movement. The measures implemented must comply with the relevant event equipment regulations, e.g. DGUV Regulation 11 and DGUV Information 203-036/203-037 **(show lasers)**.
9. Optical components/equipment e.g. dispersion lenses, unless part of the equipment, must have technical data on them that can be used to determine whether changes to the radiation data have taken place.
10. The adjustment of the laser system must be checked for correctness before each demonstration. If maladjustment is detected, the system must be taken out of operation immediately and repaired by a skilled person.
11. Laser systems, operator consoles and other control equipment must be fitted with authorization devices (e.g. key-operated switch, password, transponder) so that they are not accessible to unauthorized persons and may not be started up inadvertently by such persons.
12. The operating staff must be able to view the complete sphere of action of the laser.

13. If the laser radiation could cause an unintentional fire hazard, this must be notified to NürnbergMesse on Form P2.

    For more detailed information please contact our Event Technology Department:

    eventtechnology@nuernbergmesse.de
    www.nuernbergmesse.de

14. **Laser pointers** with the designation “IIIa”, “IIIA” or ”3A” under the US ANSI/CDRH rules do not comply with the requirements of valid standard EN 60825-1 and may not be used, since these generally have power outputs > 1 mW.

NürnbergMesse may intervene in the case of violations of these rules and is then entitled to switch off the power supply to the stand or to confiscate and secure the laser devices/equipment (to be returned on the last day of the trade fair when the trade fair is over).

For further information, please contact:

- **NürnbergMesse GmbH**
  Abteilung Veranstaltungstechnik
  Messezentrum
  90471 Nürnberg
  eventtechnology@nuernbergmesse.de
  www.nuernbergmesse.de

- **For all questions concerning health and safety and work, safety technology and accident prevention, please contact, in Bavaria:**

  Bayerisches Landesamt für Gesundheit und Lebensmittelsicherheit
  Pfarrstrasse 3
  80538 München
  T +49 7 11 22 52-7 94
  F +49 7 11 22 52-8 00
  www.lgl.bayern.de

Instruction Sheet “Laser systems” 2021

(continued)

Notification of a laser system

Return to
NürnbergMesse GmbH
Abteilung Veranstaltungstechnik
Messezentrum
90471 Nürnberg, Deutschland
eventtechnology@nuernbergmesse.de
www.nuernbergmesse.de

Event _____

Return deadline **Hall/Stand**
No later than 42 days before use

Company _____

_____

Street _____

Postcode, Town, Country _____

Person to contact _____

Tel _____

E-mail _____

Because the **operation of laser systems** can cause dangers for visitors, employees of NürnbergMesse, their operation is **subject to notification**. Please complete a separate notification for each laser system.

1. **Type of laser system** on exhibition stand/event or stage space:

☐ Show/stage or display laser ☐ Laser for measuring purposes ☐ Labelling laser
☐ Medical laser ☐ Cutting laser ☐ Other laser (e.g. positioning lasers for material processing lasers)

2. In **normal operation for the intended use**, the system is classified as follows under IEC/EN 60825:

☐ Class 1 ☐ Class 1M ☐ Class 1C ☐ Class 2
☐ Class 2M ☐ Class 3R ☐ Class 3B ☐ Class 4

3. During the **erection phase and maintenance/service**, the system is classified as follows under DIN EN 60825-1:

☐ Class 1 ☐ Class 1M ☐ Class 1C ☐ Class 2
☐ Class 2M ☐ Class 3R ☐ Class 3B ☐ Class 4

4. If during normal operation and/or setup (incl. maintenance/service) your laser is classified as 3R, 3B or 4, you will need to have on the stand a trained laser protection officer as per OStrV (national) and TROS Laser Radiation.
Please enclose a copy of the certification of the laser protection officer with this notification.

Name of laser protection officer: _____

Telephone/mobile number: _____

5. The exhibited **laser device** has been classified or certified by an independent test institute (e.g. TÜV, BG-Zert., VDE, BSI, UL, FDA).
Please enclose a copy of the **laser system certification** with this notification.

☐ TÜV ☐ BG-Zert. ☐ VDE ☐ BSI
☐ FDA ☐ UL ☐ other: _____

6. The **laser source** used in the laser device has the following specifications:

Laser manufacturer: _____

Laser type/designation: _____

Maximum output of energy: _____ W or J

Pulse length/frequency: _____

Wavelength: _____ nm

7. The exhibited laser device meets the specified performance level in respect of the safety controller as per DIN EN ISO 13849-1 and 2 (PLr determined in risk assessment):

☐ PL_a ☐ PL_b ☐ PL_c ☐ PL_d ☐ PL_e

Notification of a laser system

(continued)

Laser operation in class 3R, 3B or 4:
The operation of a class 3R, 3B or 4 laser device is only allowed if it has been tested before the start of the trade fair/event by a **publicly appointed, certified expert** and declared safe. After the safety inspection, you will be provided with an acceptance report. A copy of this report must be submitted to NürnbergMesse.
The first copy and a **risk assessment according to § OStrV** should be retained at the stand and presented to the supervisory authorities on request.
The second copy should be handed over to NürnbergMesse.
Start-up of your laser systems will not be allowed if the exhibitor cannot produce the safety certificate.

☐ The exhibited laser device operated at the exhibition stand is categorized as **class 3R, 3B or 4** in normal operation. Any risk to persons is prevented through technical and/.or organizational measures. The effectiveness of the protective measures will be verified by a public appointed and certified expert. The associated report will be available to NürnbergMesse at the exhibition stand before the trade fair begins.

Tested on site on/at: _____
date/time

Expert (name): _____

Telephone/mobile number: _____

I confirm with my signature that the protective measures listed and defined in the acceptance report are complied with at all times.

In addition, I declare that I agree with the following:
If modifications or additions to the laser device are made after the inspection/acceptance by the publicly appointed, certified expert, the operating permit of NürnbergMesse will expire.
NürnbergMesse is then entitled to switch off the power supply to the stand and to confiscate and secure the laser device (to be returned on the last day of the trade fair when the trade fair is over)**.**

_____ _____
Place/date Signature

Instruction sheet "X-ray facilities and interference radiators" 2021

i4.11

Under the current **Radiation Protection Regulations** (StrlSchV) and the **Radiation Protection Act** (StrlSchG), the operation of X-ray systems and sources of stray radiation is subject to approval or notifiable to the competent Trade Inspectorate. The same also applies for shutdown. The former X-Ray Protection Act (RöV) ceased to be valid on 31.12.2018.
The respective approvals and notifications must be submitted to **NürnbergMesse** (eventtechnology@nuernbergmesse.de) and approved by it at least 14 days before the start of the event.

Only type-approved X-ray equipment and interference radiators may be used. The use of other equipment is strictly prohibited at events organized by NürnbergMesse. NürnbergMesse reserves the right to switch off such equipment or to confiscate the X-ray equipment and keep it safe.
X-ray equipment and interference radiators requiring approval must be tested by an expert at the installation location in the exhibition venue. The test report must be submitted to the government agency and NürnbergMesse.
Interference radiators that are expressly approved for portable demonstration use outside of X-ray rooms according to the up-to-date test report do not need to be tested after installation at the exhibition stand.
The exhibitor must ensure the presence of a radiation protection officer during operation.

In accordance with § 19 of the Radiation Protection Act (StrlSchG), the following equipment must be submitted for notification to the Trade Inspectorate.

1. X-ray equipment to be placed on the market with declaration of conformity according to the Medical Products Act (MPG).
2. Type-approved X-ray equipment with type approval marking, approval certificate and proof of quality control.
3. Basic, highly or fully protected equipment
4. X-ray training equipment

The form for "Approval/Notification under the Radiation Protection Act" is to be submitted to the Trade Inspectorate (GAA) in Nuremberg no later than 28 days before the X-ray equipment is to be taken into operation. The form for "Approval/Notification under the Radiation Protection Act" can be obtained from the Trade Inspectorate (GAA).

The original and copy of the approval certificate must remain with the equipment and a copy submitted to NürnbergMesse 14 days before the start of the event.

Proof of radiation protection skills

The certificate of qualification of the radiation protection officer according to StrSchV must be submitted to NürnbergMesse no later than 14 days before the start of the event.

Radiation protection skills must be updated every 5 years in accordance with §47 and §48 StrSchV.

Expert's certificate and inspection report

The exhibitor/operator himself is to commission the inspection from an officially approved expert according to StrSchV.

The inspection report and certificate will be sent to the operator or direct to GAA. A copy of the test report from the expert must be sent to NürnbergMesse (Exhibition Technology Department) at least 14 days before the start of the event.

The operation of the following devices must be approved by the competent GAA according to §12 of the Radiation Protection Act:

- X-ray equipment without type approval of CE designation (X-ray equipment without a valid type approval may not be operated on the premises of NürnbergMesse!)
- X-ray equipment used in technical radiography for coarse structural analysis in materials testing
- X-ray equipment for radiation therapy
- X-ray equipment for teleradiology
- X-ray equipment outside an X-ray room
- X-ray equipment in connection with early detection

Documents required for approval for a fee under §12 StrlSchG:

- Form for approval
- Explanatory plans, drawings
- Explanatory descriptions
- If applicable, proof of the involvement of a medical physics expert or personnel and technical equipment used

Under the Radiation Protection Act (StrlSchG), notice of the operation of X-ray equipment and interference radiators must be submitted to or approved by the authority responsible for health and safety at work (Trade Inspectorate, Regierungsbezirk Mittelfranken):

Gewerbeaufsichtsamt Mittelfranken
Roonstrasse 20
90429 Nürnberg
T +49 9 11 9 28-0
F +49 9 11 9 28-29 99

NürnbergMesse may intervene in the case of violations of these rules and is then entitled to switch off the power supply to the stand or to confiscate and secure the X-ray equipment (to be returned on the last day of the trade fair when the trade fair is over).

For further information, please contact:

- **NürnbergMesse GmbH**
  Abteilung Veranstaltungstechnik
  Messezentrum
  90471 Nürnberg
  eventtechnology@nuernbergmesse.de
  www.nuernbergmesse.de

Instruction Sheet “Bioethanol stoves” 2021

i4.12

Introduction:

Bioethanol stoves and fireplaces are becoming increasingly popular among exhibitors. As these involve naked flames with a greater risk of fire for NürnbergMesse if they are not used as intended, compliance with the following basic rules is mandatory.

Use:

Bioethanol stoves and fireplaces are not suitable for heating. The fire is real, but the stoves or fireplaces produce hardly any heat and the flickering flames only create a visual effect. They can be used in any room and do not need a chimney. They use the combustible liquid “bioethanol”.

Conditions imposed by NürnbergMesse:

- Use only tested products with the corresponding CE marking on them. (Caution! – see photo)
- The minimum separation from combustible materials, furniture etc. is 1 meter. The minimum distance from the hall gangways is 1.50 meters.
- Use only fuels approved by the stove manufacturer.
- The fuel may only be used in the combustion box or chamber provided for this purpose.
- Fuel may only be refilled when the combustion chamber has cooled down (otherwise there is a risk of jet flames!).
  As there is a particular risk associated with the pouring of liquid fuel, this must be done with the greatest care and caution. Moreover, it may only be at a time during the event when there are no visitors present. Ignition sources and electrostatic charges must be prevented.
- Do not spill fuel. Completely remove any spilled fuel before lighting the stove.
- There is a **total smoking ban** in all NürnbergMesse buildings, on the stands and in empty areas during assembly, dismantling and the trade fair itself.
- NürnbergMesse recommends using a candle lighter to light the flame.
- Only decorations approved for this kind of stove may be used in the combustion chamber.
- The maximum quantity of fuel that may be stored on each stand is maximum 5 liters in an unbreakable, sealed container. It must be ensured that the fire brigade and NürnbergMesse will be able to access the storage container in a hazardous situation and that access is not blocked by any structures or objects left in the way. Access by unauthorized persons must be prevented. The storage container must be kept in non-combustible drip pans.
- The container for bioethanol must bear the marking “GHS” (Globally Harmonized System) for the relevant hazardous substance.
- A foam fire extinguisher of at least conformant with S9 DIN EN 3 must be available on the stand. (Fire class AB; at least 10 EAUs with 9 kg). The fire extinguishers must be placed in clearly visible and continuously accessible locations in such a way that they cannot topple over and must be labeled in accordance with ASR A1.3.
- Empty containers that have contained combustible liquids must not be kept or stored at the stand or in the hall.

For more information on handling combustible liquids please refer to the Technical Guidelines Section 5.7.2 “Combustible Liquids”. DGUV Regulation 113-001, TRGS 510 and the corresponding documents, as well as the instructions in the safety information sheet for the combustible liquid, must be observed.



Important note:

The use of bioethanol stoves must always be registered in advance using **Form P2** from the Exhibitors Info Manual, and always requires the written approval of the NürnbergMesse Exhibition Technology Departement.

eventtechnology@nuernbergmesse.de

Operation can only be approved if the bioethanol stoves constitute the exhibits.

Information Sheet "Outdoor Stand Structures" 2021

1. Preamble

This information sheet provides supplementary instructions and explanations in respect of **Section 4.8 of the Technical Regulations** (Info 4) and consequently the technical specifications and requirements for stand structures subject to approval that are to be erected in the outdoor area of NürnbergMesse GmbH.
Unless stated otherwise in this document, the **Technical Regulations** of NürnbergMesse GmbH shall apply.

1.1 **Outdoor area**

The outdoor area of NürnbergMesse consists of paved or asphalted traffic areas and uneven, mostly non-compacted crushed aggregate or natural lawn areas.
It includes all areas outside of the existing exhibition halls, such as the following:

- **Loading yards and intermediate courtyards** are located adjacent to or between the exhibition halls and generally consist of a smooth paved or asphalted road surface.
- **Inner courtyard (known as the "Exhibition Centre Park"):** This area is enclosed by Halls 1, 5, 6 and 9 and Mitte entrance. There is a paved traffic lane all around a natural lawn area.
- **Outside area H12:** This uneven grassed area is surrounded by an asphalted vehicle lane.
- **Mitte Entrance forecourt**: Paved area in front of main entrance with traffic restrictions. Some areas are covered.

The necessary connections for utilities are provided, spaced at irregular intervals. After dark, general street and path lighting is provided to the outdoor area during event opening times.

1.2 **Admissible traffic-bearing capacity/floor loads**

The designated driving and traffic areas with asphalted or paved coverings are generally designed as designated fire service access/operational areas as per bridge category SLW 30 (DIN 1072) and as such can therefore be used by heavy vehicles with an admissible gross vehicle weight of up to 30 t (at 10 t axle load).

On **unpaved, partially compacted crushed aggregate and natural lawn areas**, a **maximum ground pressure of 150 – 160 kN/m²** is recommended for the structural load transfer when distributing contact loads. Suitable and effective load distribution measures must be provided in these areas by exhibitor/customer and if required appropriate proofs of such must also be provided.

1.3 **Interventions in the building fabric**

Existing buildings, furniture, fencing/enclosures, balustrades and technical installations (lighting, signage, flagpoles, infiltration basins etc.) as well as any trees, bushes and plants outdoors must not be damaged, soiled, clad or structurally modified in any way.
Even during setup and dismantling periods, the roads and designated operational areas for fire service and emergency vehicles must **not** be occupied or obstructed by stand structures, other stand installations or construction material belonging to the customer/exhibitor.
The entire width and area of these access roads and designated operational areas for the fire service must be kept clear.
Existing safety equipment and installations (e.g. above-ground fire hydrants) on the exhibition grounds must not be damaged, soiled or modified in any way. They must not be obstructed or encumbered either by stand structures and building materials or by exhibits.
Exhibitors are strictly prohibited from carrying out any work on existing structures and/or installations of the exhibition grounds.

1.4 **Ground anchors**

Generally, excavations and ground anchors (e.g. ground pegs/stakes) are prohibited in the outdoor areas.
If you do use them, you will be generally liable for all losses and consequences in the event of damage to piping and cable (even if you received special approval and permission from NürnbergMesse to use them).

1.5 **Definitions, explanations**

According to the Bavarian Building Code **BayBO**, all event-related stand structures erected outdoors are categorised as temporarily erected structures not subject to approval procedures and also **special structures** used under certain circumstances as a place of assembly and/or defined as **temporary (demountable) structures** due to the nature of their construction within the trade fair and exhibition grounds.
These special structures therefore have to meet the stipulations of the applicable public regulations according to the Bavarian Building Code **BayBO** and in particular the latest amended versions of the following regulations, directives and guidelines:

- **M-FlBauR** – Model directive on the construction and operation of temporary demountable structures
- **BetrVO** – Operating regulations on the operation of structural installations
- **DIN EN 13 782** – Temporary structures – **tents**
- **DIN EN 13 814** – Temporary structures and **systems for event venues**
- **IGVW SQ P5 – Erection and operation of non-stationary stages and stage coverings**

On a case-to-case basis, other special requirements may be imposed on stand structures outdoors in order to implement and ensure compliance with important event-related safety objectives, on the basis of the regulations and directives specified above. In the same way, it may be possible to relax certain requirements if compliance with regulations is not necessary due to the particular nature or event-related use of the stand structure at the location in the outdoor grounds.

2. Stand construction permit

All stands and special structures outdoors are generally notifiable, and depending on type and scope may also be subject to inspection and approval.
In all cases, a verifiable proof of structural stability must be provided.

2.1 **Stand structures requiring a permit**

The stand structures on the outdoor exhibition grounds that require a permit include all structures categorised as regular ***temporary structures*** as per **Art. 72 BayBO** with a valid model approval (e.g. inspection logbook) or that can be categorised as temporary structures due to their type and construction method, e.g.:

- **Tents** (including tents joined together) from a contiguous utilised floor area of ≥ 75 m²
  Tents < 75 m² floor area and similar structures are always categorised as *temporary structures*. They are exempt only from model approval and official approval for use but must still always comply with the technical specifications and stability requirements for *temporary structures* (including DIN EN 13 782).
- **Grandstands** and **stages,** including canopies and side covers
- **Playground, sports or entertainment equipment** and rides or sideshows like inflatable play equipment (bouncy castles etc.) from an accessible height of > 5 m or completely roofed areas > 25 m², where this roof covering is at risk of subsiding.
- **Show and stage trucks plus promotional vehicles and trailers** with integral extendable/sub-mountable trailers or stage elements. Following a resolution by the working committee on "*temporary structures*" (AKFlB), parked vehicles with retractable, walkable attachments and superstructures to the side and top, and that may possibly have a load-bearing substructure, can meet the general criteria of a "*temporary structure*". If such parked show trucks or stage vehicles are intended for use/access by **general visitors**, corresponding inspection documents (see TR Section 4.2.1) must be submitted to NürnbergMesse.
  Approval for use will generally be given after an on-site inspection of the vehicle following setup. NürnbergMesse reserves the right, on submission of the documents and approval of a local inspection, to impose further measures and/or special conditions on operations in/on the vehicle at the event, in particular with a view to fire prevention. Any costs resulting from this are to be borne by the customer/exhibitor.
- **Free-standing scaffolding/advertising installations** (monitors or LED walls)
- **Masts or signal installations** for exhibition or presentation purposes
- Miscellaneous **performance/show areas** (≥ 200 m²)
- Additional **extensions and projecting structures** on existing exhibition halls and/or tent systems
- All other **walkable and/or canopied freestanding or room-forming stand structures**:
  - Platforms, walkways;
  - Canopies and passageways;
  - Single and multi-story pavilions and/or container structures;
  - Structures with fully enclosed cinema, auditorium or visitor rooms.

(continued)

2.2 **Inspection/approval of stands requiring a permit and authorisation of their use on the outdoor grounds**

In this conjunction, the provisions and requirements of the **Technical Regulations Section 4.2.1** shall apply without exception.
For the purposes of inspection and approval, under certain circumstances also involving the relevant building inspectorate, the complete stand documents specified therein must be submitted in good time **in digital form (PDF files)** to NürnbergMesse (Event Technology Department). (See Technical Regulations Section 4.2).
In the case of canopied, closed and/or multi-storey stand structures (pavilions, containers or tent systems) that are designed to provide areas/rooms accessible to trade fair visitors and that have a contiguous **usable area of 200 m² or more**, the following documents must be submitted in addition:

- **Fire protection certificate/concept** with details of materials and test certificates:
  - o This includes the submission of a **verifiable fire protection certificate** adapted for the respective stand interior and utilisation. We recommend that this should be compiled in German on the basis of *vfdb Guideline 01-01: Fire Protection Concept (Brandschutzkonzept).*
  - o Submission of a corresponding **Emergency exits and escape route plan** (in A4 format or larger) based on DIN ISO 23601, with **Fire protection regulation (Part A)** to DIN 14096 in two languages (German/English) to be displayed at an accessible location within the stand (in the entrance area) for the duration of the event.
- Advance submission of a **type approval** or valid **model approval** (**inspection logbook**).
  The customer/exhibitor must itself present the original of the inspection log for the temporary structure to the building code authority, which will carry out a final acceptance on site. Charges apply for this procedure. The respective notifications must be submitted to NurnbergMesse and approved by it at least 14 days before the start of the event.

  Bauaufsicht Süd
  Bauhof 5
  90402 Nürnberg
  T +49 9 11 2 31-43 71

3. Stability

All stand structures erected outdoors for the purposes of the event must be of sufficient stability so that they do not jeopardise public safety and order and do not present a hazard for life and limb in particular. The exhibitor/customer is responsible for ensuring the load-bearing capacity and stability of these installations and must provide proof of such.

3.1 **Wind loads**

To achieve sufficient stand safety and stability, all rising, projecting or freestanding stands outdoors must withstand the regular wind pressure and suctions loads specified in **Eurocode 1: DIN EN 1991-1-4/NA** in conjunction with the *National Annex* (formerly DIN 1055-4) for all load-bearing elements of roof structures and exterior walls.
For the exhibition centre location (approx. 325 m above sea level), the following location-specific characteristic values and simplified velocity pressures apply:

Nürnberg: Wind zone 1 (inland)

- mean wind velocity: **$v_{b,0}$ = 22.0 m/s**
- ref. wind pressure: **$q_{b,0}$ = 0.32 kN/m²** (< 28 m/s)

Simplified gust velocity pressure [q] at:

- Stand height up to 10 m: **q = 0.65 kN/m²**
- Stand height > 10 – 18 m: **q = 0.80 kN/m²**
- Stand height > 18 – 25 m: **q = 0.90 kN/m²**

Based on DIN EN 1991-1-4, NA.B.5, a reduction in the calculated wind pressure for the above mentioned stand structures is a temporary condition and admissible as follows **without** safeguards:

- **q_{red} = 0.7***) x 0.5 **= 0.35 kN/m²** (v_m = approx. 28 m/s)

***) NOTE:**
This reduction in the calculated wind pressure applies for the verification of the unsecured structure. It may be used on condition that the weather situation is monitored sufficiently closely, that storm warnings are obtained from a qualified meteorological service, and that **preparations are made to discontinue operation**.

3.2 **Wind loads for *temporary structures***

For *temporary structures* requiring a model approval as per Art. 72 BayBO, the associated inspection logbook and/or construction record (original) with valid model approval, including verified stability proofs and inspection reports, are necessary.
These documents define and specify the regular wind load and operating conditions for the structure as per DIN EN 13 814, 5.3.3.4 (for event structures) and/or DIN EN 13 782, 6.4.2.2 (for tents) in conjunction with the established *Technical Building Regulations (as per BayBO).*
For *temporary structures* that are **not** required by the building code to have a model approval, a verified or verifiable proof of stability relating to the location of the outdoor grounds must be submitted to NürnbergMesse (Event Technology Department, see TR Section 4.2).
The above mentioned wind loads to Eurocode 1: DIN EN 1991-1-4 or DIN EN 13 814*) must be presented and applied here in the appropriate way and scope.

*) If the working load case to DIN EN 13 814, 5.3.3.4 (Table 1) is used, the exhibitor/stand operator must take the necessary organisational measures to prepare for and ensure the necessary **cessation of operation** in the event of a forecast **wind velocity of v_{10} = 15 m/s** and more (including single gusts).

Exceptions are possible in justifiable cases subject to more detailed proof of stability. In justified circumstances, NürnbergMesse reserves the right to have its structural engineer conduct an on-site inspection of the stability of the stand and to charge the exhibitor for this inspection.

3.3 **Snow loads**

Only in the case of stand construction during the **winter (Nov. - March)** do the regular snow loads to **Eurocode 1: DIN EN 1991-1-3/NA** in conjunction with the *National Annex* (formerly DIN 1055-5, Table 1) need to be taken into account for all load-bearing roofing/canopies and evidence of such provided:

Nürnberg: Snow load - Zone 1
Altitude of site around 325 m above sea level
Snow load: **S_k = 0.65 kN/m²** (minimum basic amount)

In the case of stand structures categorised as *temporary structures*, reduced snow loads to DIN EN 13782 (tents), 6.4.3.3 and/or DIN EN 13814 (other *temporary structures*), 5.3.3.5 can be applied:

- **red. S_k = 0.20 kN/m²**, if as a result of suitable stand construction measures, like internal heating (≥ + 2°C outside surface temperature on the entire roofing/tarpaulins) or immediate clearing of snow, the accumulation of snow (h > 8 cm) can be verifiably prevented by corresponding operational measure during the working life of the systems.

3.4 **Severe weather warnings**

If severe weather events are expected (including storms, thunderstorms, heavy rain, black ice) with

- **Wind gusts > 13 m/s (**wind force **> 6 Beaufort** – including in individual gusts)
- Severe **thunderstorms** with wind gusts, heavy rain or hail
- **Heavy rain** > 20 l/m² in an hour
- **Snowfall** up to 10 cm in the next 6 hours
- Localised **black ice** – formed by quickly freezing rain, drizzle or moisture,

NürnbergMesse GmbH will issue a general severe weather warning to exhibitors/customers with stands outdoors. Thereafter, those exhibitors operating stand structures or *temporary stands* on condition of **reduced wind loads** must take immediate action to **cease operation**.
To allow severe weather warnings to be passed on directly to larger stands/pavilions/facilities (> 200 m² useable area), the **name and mobile phone number of a relevant person with technical responsibility** must be provided to NürnbergMesse GmbH along with the registration, but at the latest by the start of the event. This must be a person who will be present at the stand/event area during the event and can immediately initiate and execute the necessary measures to halt operations.

(continued)

When called on to do so by NürnbergMesse GmbH, customer/exhibitor/stand operator must take the following measures **immediately to halt operations**:

1. **Secure stand structures** according to the provisions of the model approval (inspection logbook, structural analysis etc.) such as closing entrances, letting down installations (e.g. LED walls) and/or tarpaulins on the sides of the stage.
2. Complete **evacuation of the stand**/event area (trade fair visitors, other guests and stand personnel).
3. When instructed to do so by the security personnel of NürnbergMesse GmbH, **evacuation of the entire outdoor area.** All participants will be instructed to immediately go to the exhibition halls or leave the exhibition grounds.

The instructions of site security personnel and other employees of NürnbergMesse GmbH must be complied with immediately and without exception.

4. Stand construction materials and fire protection

4.1 Stand construction materials

These special fire protection and safety provisions apply to closed pavilions/rooms and stands in the outdoor grounds of NürnbergMesse.

4.1.1 Guys/anchoring cables

Structurally load-bearing guys and mountings attached to necessary ballast weights to ensure stability or to secure freestanding poles or advertising installations must be made of non-combustible materials. This applies in particular to the ballast connection of temporary structures such as stage canopies and tent structures.

4.1.2 Glass

Only heavy-duty safety glass suitable for the purpose may be used for all stands outdoors. For supporting structures made from verifiable safety glass (for walkable floors, ceilings, facades or balustrades) in stands/event areas, the requirements and provisions detailed in the latest amended versions of the following technical regulations shall apply exclusively:

- **DIN 18008 (Parts 1 - 5) – Glass in building, design and construction rules**
  - Part 1: *Terms and general bases*
  - Part 2: *Linear supported glazing*
  - Part 3: *Point fixed glazing*
  - Part 4: *Additional requirements for barrier glazing*
  - Part 5: *Additional requirements for walk-on glazing*

On the basis of the above building regulations and depending on the intended uses, all glass structures designed as

- Vertical glazing, possibly with fall-prevention function;
- Overhead glazing,
- Walk-on glazing,

must have proof of structural stability and must be executed in accordance with regulations.

4.2 Special fire protection and safety regulations

4.2.1 Exits/escape routes

Structurally enclosed stands/pavilions and/or single rooms with > 100 m² useable area or suitable for > 100 visitors must have at least two exits (minimum inside width 1.2 m) to the outside and/or leading directly to the corridors (escape routes). These exits should be as far away from one another as possible and located at opposite ends. The maximum **walking distance** of **30 m** from each point within an enclosed stand structure to its exits outside must be observed.
All corridors and escape routes to these exits, including doors, are to be clearly and visibly marked in accordance with ASR A1.3, and/or DIN EN ISO 7010, DIN EN 1838 and DIN 4844-1. (See TR Item 4.5.1)

Doors

It must be possible to fully and easily open doors from the inside (in the direction of evacuation) at all times using a single handle. In the event that two or more double-leafed doors are located directly next to each other, suitable door stops and blockers must be used to make sure that opening the door leaf does not interfere with the opening of the adjacent set of doors. In such cases all leaves must open to a maximum of 90°.

The use in escape routes of swing doors, rotating doors or access barriers needing to be opened by force is only possible subject to certified approval by the building authority (abZ, general building authority approvals). Swing doors in escape routes must be fitted with devices that prevent them from swinging back. Manually operated rotating doors/turnstiles are only allowed in escape routes if they are fitted with mechanical devices that ensure they can be opened easily over the entire width from the inside. Also admissible are automatic and/or electrically operated sliding door systems provided they have a valid general building approval (abZ), that all parts of the system are installed locally in conformity with the approval conditions and that escape routes are not impeded by the sliding door installation.
If external exit stairs are installed, there must also be a threshold-free exit landing (at least as wide as a door leaf) between the exit door and the steps.

4.2.2 Safety lighting

Structurally enclosed stands/pavilions and/or single rooms need their own additional safety lighting in accordance with VDE 0100-718. It must be designed so that people can still find their way outdoors in the event of a general power supply failure.

4.2.3 Ash bins and ash trays

Insofar as specific stand/event areas outside of closed rooms (e.g. on terraces) have been designated for smokers, a sufficient quantity of ash trays or ash bins made of non-combustible material and with tight-fitting lids must be provided and emptied at regular intervals by customer/exhibitor.

4.2.4 Heating

The use of **compressed and/or liquefied gas for heating** stands is not permitted.
The operation of **heating systems/equipment with suitable oil burners** for stands is possible subject to consultation and agreement with NürnbergMesse. These kinds of systems including their tanks are always subject to approval and need to meet special safety and protection requirements.
The technical documentation on the heating systems/equipment and tanks (where necessary with collection device) including information on the fenced-in, inaccessible outside installation location for the system and details of the planned refuelling and safety measures, must be provided to NürnbergMesse (Event Technology Department, see TR Section 4.2) at least 28 days before stand setup as part of the approval process.
Electrical heating systems in stands are admissible. However, they need to be secured to prevent them from moving and their power cables must also be securely fastened. Glowing parts of heaters must not be exposed. The backs and sides of radiators and fan heaters must be at least 1 m away from walls and combustible items. Radiators need to be at least 3 m away from objects made from combustible materials.

4.2.5 Lightning protection

Structures and exhibits outdoors should be provided with effective **lightning protection equipment**, if due to their location, design or usage a lightning strike or flashover could readily occur or lead to severe consequences. Temporary stand structures and exhibits located outdoors with an overall height of more than 15 m must always be fitted with a lightning protection system to DIN EN 62305-3.
For these kinds of temporary lightning protection installations proof must be provided of an acceptance/function test conducted by the professional installer or a qualified or accredited electrical engineering professional (lightning protection).
The test report must be kept to hand and a copy sent to NürnbergMesse (Event Technology Department, see TR Section 4.2).

(continued)

4.2.6 **Fire alarms and smoke detectors**

- In each structurally enclosed stand/pavilion with **> 100 m² useable area** or that is suited for **> 100 visitors** at any one time, an **automatically activated alarm system** consisting of at least a point-type optical smoke detector to DIN EN 54-7 must be professionally installed to ensure proper functioning in each enclosed room for the duration of the event.
  The alarm should alert to a hazardous situation by emitting an audible signal (DIN tone to DIN 33404-3) and will serve to immediately warn people within the enclosed stand/pavilion. The audible signal from the alarm system must differ from other operational signals and exceed the general noise level by 10 dB(A) at all times. This means that the sound emission level of the alarm signal should not be less than 85 dB(A).
  The smoke alarm is to be fixed *approximately* in the middle of the ceiling at the highest possible point of each area used (room). When installing the smoke alarm the manufacturer's instructions are to be followed.
- In the case of **multi-storey, extended, contiguously used stands/pavilions (≥ 200 m² and < 400 m² useable area)** the required number of smoke alarms must be increased accordingly and distributed as evenly as possible in each enclosed room (max. detector spacing about 6–7 m for approximately 60 – 80 m² to be monitored by each detector). All smoke alarms distributed in this way are then to be connected with one another via a wireless or wired system so as to ensure that an alarm is sounded simultaneously from each detector point to provide complete coverage of the entire stand structure.

All lounge/recreation rooms inside a structurally enclosed stand/pavilion which are enclosed on all sides (enclosed rooms) and do not have a line of sight to the rest of the pavilion area must be equipped with an audible warning system similar to the fire/smoke alarm installations described above, to ensure that an alarm can be provided at all times. Alternatively, we recommend creating a line of sight with the dimensions 0.2 m x 0.8 m (width x height; see TR Section 4.4.4)

The professional installation of fire alarm equipment can be carried out on behalf of customer/exhibitor and to their account by the service partner of NürnbergMesse. If these systems are installed by other parties, e.g. by the exhibitor's own stand construction firm or contractors engaged by it, a written confirmation (in German) of the completion of a functional test (including activation test) and problem-free commissioning of the system must be submitted to NürnbergMesse (Event Technology Department) at the time of the functional installation of the fire alarm systems (smoke detectors or similar) but at the latest upon the final structural inspection.

4.2.7 **Fire extinguishers**

During setup and dismantling and for the duration of the event, a suitable fire extinguisher to DIN EN 3 for fire categories A, B, with at least 10 extinguishing agent units must be available in each structurally enclosed stand/pavilion.

The **number of fire extinguishers necessary** can generally be derived from the provisions of the *Guidelines on the Construction and Operation of Temporary Structures* **FlBauR** in conjunction with the BayBO building code.

- Up to 100 m² built area:
  - o at least 1 fire extinguisher **(10 EAU)**
- Up to 300 m² built area:
  - o at least 1 fire extinguisher **(12 EAU)**
- Up to 400 m² built area:
  - o at least 2 fire extinguishers **(15 EAU)**
- Up to 500 m² built area:
  - o at least 2 fire extinguishers **(18 EAU)**
- Up to 600 m² built area:
  - o at least 2 fire extinguishers **(21 EAU)**
- Up to 700 m² built area:
  - o at least 3 fire extinguishers **(24 EAU)**
- Up to 800 m² built area:
  - o at least 3 fire extinguishers **(27 EAU)**
- Up to 900 m² built area:
  - o at least 3 fire extinguishers **(30 EAU)**
- Up to 1,000 m² built area:
  - o at least 4 fire extinguishers **(34 EAU)**
- for each further 500 m² built area:
  - o 1 additional fire extinguisher **(another 12 EAU)**

In the case of two-storey stands, additional fire extinguishers are generally to be provided at the stairways, secured so that they cannot be tipped over, for the duration of the event and during the setup and dismantling period. The number of fire extinguishers needed on the top floor can be calculated using the breakdown provided above.

In kitchen/catering areas where food is prepared (hot fat, oil) suitable fire extinguishers (fire category A, F) must be provided.

In large pavilions (> 600 m² useable or floor area) additional fire extinguishers may be stipulated.

All fire extinguishers must be within easy reach, secured against falling, readily visible and provided at locations that are constantly accessible and marked in accordance with ASR A1.3.

4.2.8 **Instruction of stand personnel (before event starts)**

Before starting to use the structurally enclosed stand/pavilion for the purposes of the event, the entire stand and exhibitor personnel who will be present for the duration of the event must be instructed about the fire and safety installations available and the general rules of conduct in the event of alarms and emergency situations on the basis of the fire safety regulations that are to be compiled by the exhibitor (at least Part A).

These instructions should include in particular all stipulations/regulations relating to the

- General fire and safety regulations of the exhibition grounds **(Emergency number (Security Control Unit): 0911 – 8606 7000)**
- Alarm installations (internal smoke detectors, signal tones etc.)
- Fire extinguishers (locations, use of)
- Emergency exits and escape routes (constant monitoring to ensure such areas are kept clear during the event)
- Special evacuation tasks (e.g. to assist vision/hearing-impaired people or wheelchair users).

The completion of staff instruction must be documented and submitted to NürnbergMesse (Event Technology Department, see TR Section 4.2) at the start of the event-related use of the stand/pavilion or at the latest when the trade fair opens. The name and phone number of the exhibitor's representative in charge of the stand/pavilion (and present every day) must be provided in this document.

5. Stand area, design and handing back of stand area

The rental area is marked on the outdoor grounds (insofar as possible) by NürnbergMesse.

Every exhibitor/customer is obliged to inform themselves on site about the location of the stand, dimensions and any internals, safety installations etc. The stand boundaries must be strictly observed.

5.1 **Floor areas**

Carpets and other floor coverings provided by exhibitor/customer must be laid so that they cannot move and cause accidents or protrude beyond the stand boundaries. Exhibitors/customers wishing to lay floor coverings across general visitor walkways outdoors to connect to their stands must have approval to do so. Any carpets or floor coverings laid by exhibitors/customers must not present any **thresholds or tripping risks** or other accident risks. Any adhesive tape used to hold floor coverings in place must be such that it can be removed from the floor afterwards without leaving residue. This also applies to all other materials installed.

Substances like oil, grease, paint and similar must be removed from the floor/surface of the floor covering immediately. The existing surfaces may not be painted or coated.

In the event of excessive dirt or hard to remove adhesive residues on the floor surfaces, NürnbergMesse will impose a cleaning charge on the exhibitor/customer.

5.2 **Advertising materials, flagpoles, presentations and stage areas**

In principle the provisions of the Technical Regulations of NürnbergMesse Section 4.7.7 shall apply.

Exhibitors may only distribute printed material and use other advertising means at their own stand/event area. The use or distribution of advertising material outside the stand area/event area is only admissible following prior agreement with the organiser. Other presentations, visual, slow-moving or acoustic advertising and musical reproductions (see TR Section 5.13) are allowed provided that they do cause annoyance to neighbouring stands and do not result in crowd congestion or obstructions on the general walkways for visitors or disruptions on the roads. They must also not drown out the exhibition centre's own PA systems in the outdoor grounds.

(continued)

In the case of acoustic musical performances during the daily event period, the sound level including peaks must not exceed an admissible level of **70 dB(A)** at the boundaries of the stand or event area. Presentations or performances with intended higher level of noise emissions (> 70 dB(A)) outdoors must always be notified and approved. Corresponding information and documents must be submitted to NürnbergMesse (Event Technology Department, see TR Section 4.2).
If advertising materials end up on the general traffic areas and/or visitor pathways due to wind or other effects, the exhibitor will be liable for any resulting damage and/or for the costs of extra cleaning. Flagpoles/masts on the outdoor grounds may not be more than 8 m high.

5.2.1 **Stage areas for performances and other presentations**
Stage areas inside exhibition stands/event areas outdoors are areas designated for artistic or other performances or presentations. The operation of larger stage areas (from 50 m²) at the exhibitor's/customer's outdoor stand/event area for the purpose of product presentations that may involve acoustic, musical show performances of all kinds and occasionally higher noise levels is subject to approval (see TR Section 4.2.1) and must be notified to NürnbergMesse GmbH. In this context the provisions of the latest amended versions of the Technical Regulations of NürnbergMesse and the statutory requirements will apply.
Stage areas at stands/event areas outdoors must be notified to NürnbergMesse (Event Technology Department, see TR Section 4.2). A verifiable stand plan and description of the type of performance/programme, sequence of events, participants and any stage and sound equipment it is planned to use (including expected sound levels) must be submitted.
When providing this notification, the exhibitor/customer must also nominate the prescribed, suitably qualified ***Event Engineering Officer*** who must be present on site to professionally manage and supervise the setup and dismantling, rehearsals and performances on the stage in accordance with the provisions of DGUV Regulation No. 17. Specifically, this person must be familiar with the stage/lighting and other technical installations on the stage area and must ensure the safety and functioning of such equipment, in particular in respect of fire protection, during the operation of the event.

Even if it has previously issued its approval, NürnbergMesse is entitled to restrict or prohibit any performances that cause the approved/permitted noise levels to be exceeded or represent a visual annoyance, or that for any other reasons considerably endanger or impede the running of the exhibition or event or visitors, other exhibitors and organisers.

5.3 **Barrier-free access for visitors to walk-on stand structures/facilities**
Barrier-free access must be taken into account when designing walk-on stand structures and event areas outdoors. These facilities must be always be accessible to and usable by people with limited mobility without assistance by third parties.
We recommend ramps with a maximum gradient of 6 % and a minimum width of 1.20 m that are equipped with a non-slip floor covering. Doors must have a clear passage width of at least 0.9 m. Movement and traffic areas must be at least 1.5 m wide.

5.4 **Dismantling, restoration and handing back of outdoor stand/event area243**
The exhibitor/customer must always hand back the stand/event area to NürnbergMesse in a clean condition, in its original state and with all structures removed, at the latest by the stipulated end of the dismantling period. All work necessary to restore the site to its original condition, such as removing adhesive tape and residues and floor coverings installed by customer/exhibitor, removal and dismantling of ballast weights, anchors etc., must have been completed by this time. Exhibitor/customer must have any demolition rubble occurring removed immediately by the NürnbergMesse GmbH service partner. Previously grassed areas are to be restored exclusively by NürnbergMesse GmbH at the expense of customer/exhibitor.
Damage and contamination by exhibitor/customer or its agents to existing outdoor structures or facilities must always be reported to NürnbergMesse.

Until final restoration and handover of the stand/event area, the customer/exhibitor must ensure the necessary security on site.
If the site has not been restored to its original condition by the end of the dismantling period, NürnbergMesse GmbH shall be entitled to have this done by its service partner at the expense of the customer/exhibitor.

“Explosive Mixtures” Information Sheet 2021

Preliminary Remarks

The contents of this information sheet are determined by consultation between two German exhibition companies:

Deutsche Messe AG, Hanover
NürnbergMesse GmbH

It forms the basis for the handling and use of explosive mixtures at the exhibition venue, and supplements points 5.2.1 and 5.2.2 of the 2021 Technical Guidelines.

Explosive mixtures

Flammable liquids, gases and dust constitute hazardous materials as defined in § 2 (1) of the German Hazardous Substances Ordinance (Gefahrstoffverordnung, GefStoffV). The handling of such hazardous materials can sometimes result in the formation of dangerous explosive mixtures with the potential to cause personal injury and material and environmental damage.

The requirement to assess the risk of explosion when using materials of this nature is imposed at a European level by Directive 1999/92/EC, and is therefore not restricted to Germany alone. Directives 2006/42/EC (Machinery Directive) and 2014/34/EU (ATEX Directive) establish the fundamental requirement for the manufacturers of plant and machinery to perform a risk assessment in respect of explosion protection. But because exhibitors function not only as manufacturers but also as operators for the purpose of their exhibition activities, they must also observe the provisions of Directive 1999/92/EC. This has been transposed into German law in the form of the Workplace Safety Ordinance (Betriebssicherheitsverordnung) and the Hazardous Substances Ordinance (Gefahrstoffverordnung), which must therefore be applied to exhibition activities as above.

Explosion protection document

On the basis of § 6 (9) of the Hazardous Substances Ordinance, a hazard assessment in respect of explosion protection must be drawn up (i.e. an **explosion protection plan and documentation**). The explosion protection plan is used to determine whether there is a risk of formation, and ignition, of dangerous explosive mixtures, and which protective measures must be put in place accordingly. The method of implementing the protective measures set down in the explosion protection plan is then described in an **explosion protection document in accordance with § 6 (2) of the Hazardous Substances Ordinance.**

If **wood processing machinery** is displayed at the exhibition, and an elevated **build-up of dust or wood chips** can be expected as a consequence, the provisions of German Social Accident Insurance (DGUV) Information Sheets 209-083 and 209-045, on the installation of automatic spark extinguishing systems, must be observed. In justified exceptional circumstances (e.g. if only a limited presentation of the system is given), the requirement to install a spark extinguishing system may be waived subject to written approval by NürnbergMesse (see point 4.2).

It is the responsibility of the exhibitor to draw up the explosion protection document, including confirmation that the required protection measures have been correctly organized and implemented. The following regulations and technical rules may be used as a guide: Hazardous Substances Regulations, Industrial Safety Regulations, TRGS 720 to 725 and TRGS 727. These templates are identical for all exhibitors, to ensure that a uniform and comparable basis for assessment is established. This template is identical for all exhibitors, to ensure that a uniform and comparable basis for assessment is established. Differing assessments are not recommended, since this may increase the time and effort needed for processing and incur additional costs for the exhibitor.

The template of the explosion protection document, completed in full by the exhibitor in either German or English, must be submitted to NürnbergMesse GmbH, together with the necessary accompanying documents, in good time, no later than one month before the start of construction.

Explosion safety check

Based on the documentation made available by the exhibitor, a check of explosion safety is then performed as required by § 15 in conjunction with Annex 2 para 3 no. 4.1 of the Workplace Safety Ordinance. The requirement for the above explosion safety check applies regardless of the size of the plant or the length of time the plant is in operation. The explosion safety check must be performed at a general level, i.e. comprehensively and without exception, before the plant is operated.

It must be noted that the explosion safety check is performed on the basis of the documentation submitted and the plant as constructed. If explosion protection documents are not completed in full or contain errors, if accompanying documents are missing or contain errors, and if any of the Annexes are incomplete, this may seriously impact on the testing process, as a result of which operation of the plant in question will be prohibited.

Because NürnbergMesse GmbH would like to enable all exhibitors to operate their equipment, it urgently recommends that they make the required documentation available in full and observe all deadlines. The sooner the required documents are made available and the equipment is set up, the earlier any defects or inconsistencies can be detected and rectified.

Your attention is expressly drawn to the fact that explosion safety testing is chargeable, and is performed by a third party, not NürnbergMesse GmbH. Additional costs will be incurred if subsequent testing is required as a consequence of failing to observe deadlines or insufficient cooperation on the part of the exhibitor. For reasons of data protection, exhibitors are advised that explosion protection documentation is passed to a service provider tasked with performing the checking process.

Master 2021/001

NürnbergMesse GmbH
Exhibition Services
Messezentrum
90471 Nürnberg
T +49 9 11 86 06-80 00
F +49 9 11 86 06-80 01
messeservice@nuernbergmesse.de
embedded-world.de
www.nuernbergmesse.de
www.standconfigurator.com

© Copyright (1986-2021) NürnbergMesse GmbH
Protected by copyright.
Reproduction or utilization of part or whole of contents only with the express consent of NürnbergMesse GmbH.

Master 2021/001