

Instruction sheet "Technical data for halls" 2022

Stand utilities

Hall equipment

i4.1

Hall/floor	Hall area in m ²	Hall doors	Hall doors width x height in m	Lifts W x H x D	Max. floor load in kN/m ² (1 kN = 100 kg)	Hall height in m	Suspensions	Electricity	Water	Compressed air	Telephone	Sprinklers	Smoke alarms	Heating	Ventilation	Refrige- ration
1	10,800	4	4 x 4.05 x 4.90		50	5.80 / 9.80	■	■	■	■	■	■	■	■	■	■
2	4,680	2	2 x 4.05 x 4.90		50	5.80	■	■	■	■	■	■	■	■	■	■
3	12,730	3	3 x 4.10 x 3.80		50	5.60	■	■	■	■	■	■	■	■	■	■
3A	8,400	3	3 x 5.65 x 5.10		50	10.0 - 15.00/5.00*	■	■	■	■	■	■	■	■	■	■
3C	9,600	3	Door 1 + 2 5.60 x 4.90	Rolling gate 4.50 x 4.80	50	10.0 - 15.00/5.20*	■	■	■	■	■	■	■	■	■	■
4	11,690	3	Door 2 + 3 4.50 x 4.80	Door 1 4.00 x 4.80	50	5.80	■	■	■	■	■	■	■	■	■	■
4A	7,020	5	5 x 4.50 x 4.85		50	15.00/5.80*	■	■	■	■	■	■	■	■	■	■
5	7,840	3	3 x 4.05 x 4.90		50	5.80	■	■	■	■	■	■	■	■	■	■
6	7,840	3	3 x 4.05 x 4.90		50	5.80	■	■	■	■	■	■	■	■	■	■
7	16,410	6	Door 1 + 6 4.50 x 4.80	Door 2 - 5 4.00 x 4.90	50	5.80	■	■	■	■	■	■	■	■	■	■
7A	8,850	5	5 x 4.65 x 4.80		50	15.00/4.90*	■	■	■	■	■	■	■	■	■	■
8	4,680	2	2 x 4.05 x 4.90		50	5.80	■	■	■	■	■	■	■	■	■	■
9	10,800	4	4 x 4.05 x 4.90		50	5.80	■	■	■	■	■	■	■	■	■	■
10.0	6,720	2	2 x 5.05 x 3.95	2 x 2.45 x 2.45 x 4.5 m 3,500 kg	20	5.30 (max. stand height 4.95)	■	■	■	■	■	■	■	■	■	■
10.1	6,870			1 x 2.65 x 2.9 x 5.9 m 5,000 kg	10	3.95 (max. stand height 3.50)	■	■	■	■	■	■	■	■	■	■
11.0	5,340	2	2 x 5.20 x 4.15	West: 2.15 x 2.35 x 3.25 m 4,000 kg	50	10.50/3.70*	■	■	■	■	■	■	■	■	■	■
11.1	4,780			East: 2.25 x 2.45 x 3.7 m 3,200 kg	5	3.60	■	□	□	□	□	■	■	■	■	■
12.0	13,730	4	4 x 5.00 x 4.40	2 x 2.4 x 2.45 x 4.95 m 6,375 kg	50	5.80	■	■	■	■	■	■	■	■	■	■
12.2 Permanent stand area	13,330				10	6.40 (max. stand height 5.80)	□	■	■	□	■	■	■	■	■	■

□ possible / provided with limitations

■ possible / provided

* Only limited headroom is available in the area of the hall gates. Ceiling suspensions are only possible to a limited extent.

Additional information can be found in the hall plans and Info 4 4 (Item 4.7.5.1).